

ARTIST OF THE YEAR 1988

At last, the results.

UNIT 1, HEATON HOUSE CAMDEN STREET BIRMINGHAM B1 3BZ 021 200 2313

### MAKE THE MOST OF YOUR QL AND THOR

for home and business use — Order from list or write for current catalogue. Prices include VAT and postage within the UK. Cheques with orders to, and full descriptive list available from PDQL. Please state details of toolkit, extended memory and or disc.

### Your ticket to DiscOVER

QL to IBM RETURN & TRETURN & TRETURN

DiscOVER is the essential program for transferring any file EITHER WAY between QL and IBM format. NO CABLES NEEDED. NO SIDE-by-SIDE MACHINES. Run DiscOVER, select to or from the QL, transfer all or cursor selected files. Features include optional symbol translate; delete file; automatic file-name change for IBM/QL compatibility. Available on 3.5 or 5.25 disc

PDQL have a larger version including CPM and BBC transfer facilities as well as IBM - Multi-DiscOVER

£39.00

| PDQ PAYROLL     | 083     |
|-----------------|---------|
| PAYROLL SUPPORT | £20p.a. |

Takes the aches out of producing the weekly pay packets. Caters for up to 45 employees in a standard QL; up to 99 with extended memory. Handles all aspects AND reports for PAYE purposes. Pre-printed payslips available.

### SUPER BASIC C-PORT £79

A re-written version of Basic C-Port - this significant program is now ANSI and Lattice compatible. A sophisticated and fully functioning SuperBASIC translator into C. Amongst the advantages of converting to the more structured C is the ability to DiscOVER your C-Ported SuperBASIC program for use/compilation in IBM/PC environment. The package includes a substantial hard-copy manual.

### TexTidy at £10

TexTIDY at a tidy price will tidy any text file, convert between QL Quill, DOS Quill, Wordstar and plain text files, with an AUTO option for the lazy user. IN ADDITION you can use TexTIDY in conjuction with QUILL to build or edit your SuperBASIC programs. Write in Quill, TexTIDY the \_doc, and run (and/or compile) your program.

### HARDBACK and FINDER at £35

A unique double act for HARD DISC users. It saves to floppy by directory or sub-directory all, selected or only those files which you have amended since the previous save. FINDER allows you not only to locate files at any directory level but also files containing user selected strings. Test it at mains directory level to find any file anywhere on your hard disc which contains the word "PDQL" (or similar).

### HARD DISCS FOR THE QL

PDQL is stocking the Miracle 30mg HARD DISC - £399

### XREF 200 at £20.00

All the features of PDQ-Xref (glossary of user-defined words, line numbers for each occurence, key words used, warning reports). Plus a two part procedure trace to indicate the dynamic call hierarchy. In other words all calls are reported, by and from whom. In addition a step-ladder report indicates at what level of the program each call is made. PDQ-Xref is still available at £15 - To upgrade from PDQ-Xref send master, sae and £5.

### ACCOUNTS MADE EASY BY PDQL CASH TRADER UPGRAGE

The Accounts program built for the small business. It provides a complete and easy-to-enter Accounting Routine with instant up-to-date Balance sheet, Profit and Loss A/C, Audit Trail, VAT Report and VAT Return as well as a Trial Balance.

Accountants use it - nuff said!

| U | ouritains use it than said.               |
|---|---|
|   | For new users£85                          |
|   | Quest users (send boot cartridge)£44      |
|   | Annual Support Scheme£15                  |
|   | CT 2.4 Upgrade for Upgrade users          |
|   | send master disc/cartridges£10            |
|   | (Support Scheme Members)£5                |
|   | CT ANALYSER (needing extended memory)     |
|   | Is the essential companion to Cash Trader |
|   | (versions 2.1 and later)£25               |
|   |   |

#### TRADING ACCOUNTS

The flexible Accounts package - Cash Trader Data files easily converted - built at the request of Businessmen with extra book-keeping needs.

At least 256K memory required.

All the advantages of Cash Trader upgrade plus many new features - navigation by initial letter as well as scrolling; varying size Groups a feature; Analyser included with other features designed to speed up both book-keeping and reporting

| ***************************************           | £125    |
|---|---------|
| Special prices to existing Cash Trader users as f | ollows: |
| Quest Cash Trader users                           |         |
| Upgrade customers                                 |         |
| Support Scheme Members                            | £40     |
| Upgrade customers with CT Analyser                | £20     |
| Support Scheme members with CT Analyse            | er£15   |

### IBM EMULATOR FOR THE QL. THE SOLUTION

The DP IBM-MSDOS Emulator - With MSDOS V.4.01 £129.00 - and without £79.00

**PDQC** – a fully fledged C Compiler (full K & R standard) and fully compatible with SUPER BASIC C-PORT £79.00.



Editor Helen Armstrong

Chief Sub Editor Harold Mayes MBE

Production Manager Nick Fry

Designer Chris Winch

Advertising Sales Jason Newman

Magazine Services Sheila Baker

Advertising Production Michelle Evans

Publisher Perry Trevers

Managing Director Peter Welham

Financial Director Brendan McGrath

Chief Executive Richard Hease

Microdrive Exchange 089 283 4783/2952 (2 lines) TIL

Sinclair QL World Greencoat House Francis Street London SW1 1DG Telephone 01-834 1717 Fax 01-828 0270 Telex 9419564 FOCUS G ISSN 026806X

Unfortunately, we are no longer able to answer enquiries made by telephone. If you have any comments or difficulties, please write to The Editor, Open Channel, Trouble Shooter, or Psion Solutions. We will do our best to deal wity your problem in the magazine, thuough we cannot guarantee individual replies. Back issues are available from the publisher price 22 U.K., £2.75 Europe. Oversens rates on request. Please telephone 089 283 4783 to check availability. Published by Focus Magazine Ltd., London. S. M. Distribution, Streatham, London S.W. London. S. M. Distribution, Streatham, London S.W. 215.00 U.K., £30 Surface mail Europe and the rest of the world. Add £5 for air mail + £10 overseas. Typesetting by Adtec Typographics, Stanford-le-Hope, Essex.

Tel: (3375) 360967.

Printing by Southernprint Ltd. (COPYRIGHT SINCLAIR QL WORLD — 1989.

# CONTENTS


■ SEPTEMBER 1989



- 10 OPEN CHANNEL 

  SuperBasic erratum
- 11 SUBSCRIPTION INFORMATION
- 12 TROUBLESHOOTER How to write for The Progs
- PSION SOLUTIONS Quill and printers
- 17 DISC DRIVES Another morsel from Dennis
- 18 PAPERWORK TAKES A QUANTUM LEAP 

  Happy Friday
- 24 ARCHIVE REVEALED Hidden graphics in Archive
- 26 ARTIST OF THE YEAR 1988 Head-turning
- 28 YOU CANNOT MEAN... The Editor as a wordprocessor
- 32 BASIC IMPROVEMENTS Familiarising functions
- 34 DIY TOOLKIT Fast vector and pixel graphics
- 39 ONE MAN'S HARDWARE A system is born
- 40 SUPERBASIC File matching and wild cards
- 44 PROGRAM OF THE MONTH Wordblok
- 48 MICRODRIVE EXCHANGE Little things are sent to try



### NEXT MONTH

#### ARCHIVE SECRETS

An investigation into some of the undocumented features of Archive.

### YOU CANNOT MEAN ...

Another between-the-lines look at a popular QL package.

This page, and the next three pages, contain a list of QL software produced by DIGITAL PRECISION LTD.

### LIGHTNING SPECIAL EDITION LIGHTNING

LIGHTNING is a classic QL program - it works wonders. Like a magic wand, it effortlessly makes your QL - and all programs that work on it - run a great deal faster. In order to obtain all the benefits of LIGHTNING, no knowledge of programming is required. By automatically replacing a large number of slow routines within the QL's operating system with purpose-built, high-speed accelerating routines, LIGHTNING preserves the exact and precise functionality of all QL operations, changing only albeit dramatically - the speed at which the QL works. LIGHTNING is 100% transparent to the user.

In the year since LIGHTNING was launched, Digital Precision has continued working on LIGHTNING, seeking to improve it even further, to take the QL to the ABSOLUTE limit.

Now we are ready. The ULTIMATE is AVAILABLE.... LIGHTNING SPECIAL EDITION, the successor to LIGHTNING.

Here are some of the reasons that make LIGHTNING SPECIAL EDITION a program you CANNOT afford to be without:

- \* Incredible speed your QL behaves like a new machine, and your QL programs run considerably faster. LIGHTNING SPECIAL EDITION is up to THIRTY PERCENT FASTER than the original LIGHTNING SPECIAL LIGHTNING! The original LIGHTNING itself was no slouch - it gave text, screen-handling and scrolling speedup of upto 14 times (typical speedup 3 times), graphics speedup of upto 5 times (typical speedup 2 times) and internal calculation speedup of upto 30 times (typical speedup 2 times). The original LIGHTNING was hailed and commended for its superb speed in reviews that appeared in QL WORLD, QUANTA etc. But now LIGHTNING SPECIAL EDITION is significantly faster! QL cursor-handling, clearing, panning, screen-housekeeping and made much faster, improving general manipulations are smoothness and keyboard-friendliness and increasing responsiveness. Alternative ways of accelerating your QL involve the purchasing of expensive hardware boards, typically costing £750 or more. LIGHTNING SPECIAL EDITION actually gives you MORE speed than they do!
- \* Supremely simple INSTANT installation! LIGHTNING SPECIAL EDITION is supplied on ROM. Just plug it into your QL (the ROM port at the back no wires, no soldering, no unscrewing, no fuss) and you are in business... A single command serves to enable the enhanced operation (or disable it, if you want to be reminded of how terribly slow things were before LIGHTNING SPECIAL EDITION!).
- \* ROM operation is very very fast. Further, it only depletes user-available RAM by a very small amount (under 5K). So even if you only have an unexpanded QL and use massive application programs, you can use LIGHTNING SPECIAL EDITION without hassle.
- \* The ROM is accompanied by a disk or cartridge (you specify) which contains additional LIGHTNING SPECIAL EDITION speed enhancing routines that you may want to use from time to time, depending on the application. A user-friendly configurator allows you to semi-permanently or permanently install some or all of these routines you can choose which ones on devices of your choice, so that when that device is booted up, our routines are automatically activated.
- \* LIGHTNING SPECIAL EDITION is supremely compatible, even more so than the original LIGHTNING! This wonder product actually makes some programs that did not work reliably on an "ordinary" QL work correctly! LIGHTNING SPECIAL EDITION works on any version of the QL, expanded or unexpanded, with or without disk drive(s) (and/or hard disk), independent of the make of expansion/interface/drive. LIGHTNING SPECIAL EDITION works with all ramdisks, printers, modems, toolkits, utilities and with every item of QL software that we have been able to lay our hands on. Compatibility is guaranteed. Please do NOT write to us asking if the SPECIAL EDITION will work with QRAM, TASKMASTER or XYZ. We said it works with EVERYTHING and we
- \*LIGHTNING SPECIAL EDITION is easy to use. Plug it in and forget about it, and your QL will wake up to a new, fast-lane life. The features that we list hereafter are "optional" only use them if you need them. If you find them the tiniest bit confusing, don't worry just don't use them!

- \* Depending whether the particular application in nand uses graphics or does a lot of number-crunching, you can opt to use the relevant LIGHTNING SPECIAL EDITION modules to accelerate those operations. If you are unsure what the application does, don't worry the "default" for LIGHTNING SPECIAL EDITION is "SPEED UP EVERYTHING"! And it is MINERVA compatible too!
- \* LIGHTNING SPECIAL EDITION has many bells and whistles, far more than the original LIGHTNING. All of these features are controllable by you - you can choose at run-time to either enable or disable each feature, depending on their relevance to what you are doing with, or running on, your QL.
- \* An incredibly sexy feature is the new super-smooth scroll, which allows for the automatic SLOW (pixel-scrolling you select the speed, you alter it dynamically if you wish) scrolling of the contents of windows. Reading long documents or files has never been more satisfying this feature really transforms that program you're so familiar with!
- \* You may choose to vary the vertical spacing between successive lines as they appear on the screen. The variation can be a reduction or an increase you can choose by how much, with perfect pixel-accuracy. You can use LIGHTNING SPECIAL EDITION's non-standard line-spacing to increase the number of lines in a given window-space, for example great for those programs and applications where you are not provided with the option of altering window size or shape.
- \* You may choose to scroll only every nth (you select n) line, allowing for much faster screen updating while still maintaining complete screen integrity!
- \* LIGHTNING SPECIAL EDITION, like its predecessor, is supplied with a massive collection of eighty fonts, with the facility to load them and use them from SuperBASIC. What the original LIGHTNING did NOT have was the facility to "attach" these fonts to ANY window on the QL, only to windows YOU were using for your SuperBASIC programs. However, the vast majority of programs you will encounter will be compiled or in pure machine-code, and you will have no \*access whatever to their gs. With these, or if you are not a programmer, LIGHTNING's font handling could not help. internal workings. the standard LIGHTNING SPECIAL EDITION, however, has it all - it allows you to attach alternative character fonts to ANY window used by ANY task, without any programming or program-specific knowledge!! This means that you can give a fantastic face-lift to those programs that have become all-too-familiar (Quill is that springs to mind), having the contents of each of the program's windows come up in a character style of your choice (you could have seven different tasks running on the QL dynamically together, each using ten windows - and with a re-adjustable, different character set for each of the 70 windows, if you so wished). If you are brave enough, we even allow you to alter other window "characteristics"... endless permutations. All this pertains to manipulating programs of which you have no technical/privileged knowledge at all!
- \* You can fine-tune the precision with which the QL carries out maths operations reduce precision, increase execution speed.
- \* LIGHTNING SPECIAL EDITION allows you to dynamically entirely disable screen output, resulting in upto 100 times (faster than with standard LIGHTNING) acceleration of tedious, screen-hungry operations. Of course, you can instantly "waken" the screen at the press of a key (you can even select which key!). A null-type device (a black hole) is also provided.
- \* Certain time-consuming, pointless QL activities can be dynamically suspended if you so wish.
- \* In case you have a THOR XVI or ST QL EMULATOR, or in case you already have something plugged into your QL (or non-XVI THOR) ROM-socket (and you do not want to get a multi-ROM adapter), LIGHTNING SPECIAL EDITION is still very desirable. Use just the disk/cartridge: you lose "instant installation", a tiny price to pay for LIGHTNING SPECIAL EDITION's superb features.
- \* A beautiful+comprehensive manual is provided but if you just want to get going there is a "Beginners may stop reading here if they so wish" marker.
- ±LIGHTNING SPECIAL EDITION, COMPLETE WITH FULL A4 DOCUMENTATION ULTRA HIGH-SPEED ROM, DISK/CARTRIDGE AND GO-FASTER STRIPES, COSTS £49.95 AND TRANSFORMS THE QL INTO A SUPERFAST MACHINE. Owners of the original LIGHTNING may upgrade to LIGHTNING SPECIAL EDITION for a fee of £35 (return original manual plus disk/cartridge). The original LIGHTNING continues to be available, providing excellent value for money at £24.95.

### DIGITAL C SPECIAL EDITION DIGITAL C COMPILER

Ultra-fast, concise, multitasking, portable code, comfortably exceeding the Small-C standard, and a comprehensive C and QDOS library is what both these compilers share. Wherever possible, QL BASIC names have been used for library keywords, with identical parameter requirements - this makes "getting into" either DIGITAL C very easy. Compared to Metacomco C, the speed of DIGITAL C is EXTREMELY gratifying - and the power of DIGITAL C is such that the whole compiler (parser, code-generator and linker) were all written in C and compiled by DIGITAL C! Speed of compilation is stunning - DIGITAL C takes 10 seconds to code-generate from a large intermediate file, where other products on the market take anything from 45 seconds to 45 minutes.

The SPECIAL EDITION goes much further than the standard version, discarding the 64K code-size limit, providing long ponters, constants and integers, giving direct m/c access to traps, adding new library commands, redoing old ones in handwritten assembler, giving selectable 16/32 bit addressing.

The latest SPECIAL C provides support for Structures too!

### EYE-Q GRAPHICS SYSTEM ULTRAPRINT 3-D PRECISION CAD SYSTEM SPRITE GENERATOR

EYE-Q is a beautifully smooth 2-D graphics system, easy to master, characterised by absolute consistency of operation: the same key combinations do the same work, whatever the mode. This makes mastering this program very easy! Free-hand or technical drawing, magnification, pan/scroll, stretch, transfer, hierarchical undo (so finger-slip isn't fatal), recolour, intelligent fill, variable cursor size/speed, all colours/stipples supported. Remember the 15-20 QL graphics programs that used to be around? This one made all the others obsolete. EYE-Q has that hard-to-define "feel" of a real classic system; it is silky smooth. It is an excellent complement to our desktop publishers too, and with PROFESSIONAL PUBLISHER it is absolutely unbeatable!

ULTRAPRINT is a revolutionary printer-driver allowing the STYLE of output (high contrast? edge sharpness? smooth tones? size?) of EYE-Q screens to be under user-control: no one style can possibly be "correct" for all picture types. With its 22 output modes, ULTRAPRINT is a must, irrespective of whether your needs are artistic or technical.

3-D PRECISION lets you define and manipulate 3-D objects, with full control over perspective, magnification, orientation, rotation etc using a user-friendly front-end program. High resolution, extreme accuracy. Even fast enough for real-time movement! No programming is involved. But IF you can write in BASIC or assembler, access to the supplied 100+ command graphic manipulation toolkit means you can program everything with great ease! The screen output of 3-D PRECISION may be directed to a plotter or saved (producing an SBYTES screen) for use with EYE-Q, ULTRAPRINT or PROFESSIONAL PUBLISHER.

SPRITE GENERATOR moves objects around the screen with flicker-free smoothness. As many as 256 sprites each with up to 16 "frames" and individually variable speed, 256 object planes, 4096 exciting special effects, many serious uses.

### SUCCESS CP/M EMULATOR SUPERFORTH COMPILER

SUCCESS is to CP/M what SOLUTION is to MS-DOS. With SUCCESS, you have access to thousands of CP/M programs - and this emulator works at HIGH speed, equivalent to a 2 MHz Z80. No knowledge of CP/M is assumed or required. Full details of public domain sources for CP/M software is provided within the manual. Some CP/M utilities are supplied gratis.

SUPERFORTH is THE CLASSIC QL FORTH-83 compiler, quickly producing ultra-fast, stand-alone, multitasking code. The FORTH standard is rigorously adhered to. Many extras are supplied, including a full QDOS library. REVERSI is supplied free with SUPERFORTH - in FORTH source form too. The manual contains a detailed FORTH tutorial.

### IDIS SPECIAL EDITION IDIS INTELLIGENT DISASSEMBLER

These programs translate all 68000 machine-code ( = what all QL commercial programs comprise) into something that makes sense.

The BEST way to learn machine code is to use a disassembler: but non-intelligent ones make you spend all your time on the boring, time-consuming, repetitive hassle of discriminating between code and data, of untangling "mingled" routines/hierarchies, of working with addresses instead of names, etc. IDIS is super, doing away with all that and leaving a minimum of decision-making to you.

IDIS SPECIAL EDITION does ALL the hard work, having the highest level of automation - it is only for use on expanded machines. It even allows you to disassemble keywords, do trial/scout disassemblies etc. The use of IDIS SPECIAL EDITION for criminal purposes is NOT encouraged.

MONITOR is a straightforward tool intended for dynamic use, examining programs as they run (as opposed to the disassemblers, which carry out static analysis). Use with IDIS.

### MEDIA MANAGER SPECIAL EDITION MEDIA MANAGER

These programs manage and control disks and cartridges, allowing sector access and correction/retrieval of corrupt data to cope with all sorts of possible calamities. These programs are NOT just for when something goes wrong, but serve for everyday use too.

The SPECIAL EDITION has been totally reworked to make it much more logical, concise and easy to use than the standard version, while actually providing more facilities (including a bi-directional communication facility with MS-DOS media). A must if you value what you store!

No more need you be terrified of "Bad or changed medium", "Read/write failed", "Not found" and others of that ilk!

### PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER SUPER ASTROLOGER

PROFESSIONAL ASTROLOGER and ASTRONOMER provide a system of unrivalled power - all the expected features from a top-notch system (natal charts, wheel-printing, transits, progressions, synastry) and lots of unexpected bonuses (full analysis in English - often stretching to half a dozen A4 single-spaced pages - of all types of calculation), calculation times <0.5 seconds, every orb of every aspect user-definable, user-selectable house system, auto-printing of a batch, customisable and re-writable interpretation files etc. A very comprehensive manual assumes no knowledge of astrology or astronomy and teaches you everything - ideal for beginners.

PROFESSIONAL ASTRONOMER incorporates planetarium as well as infinite-perspective tiltable views of the planets, telescope views of the faces of the inner planets plus moon (showing shadows exactly) and a choice of 5 co-ordinate systems.

SUPER ASTRO is much less ambitious but represents excellent value. It is not suited for beginners, though.

#### ADVENTURE CREATION TOOL

ADVENTURE CREATION TOOL does what its title says - but the system can be used for virtually any programming application, including the use of graphics, animation and simulation. If you want to use this to generate adventures, everything has been made very simple. An excellent TURBO accessory.

#### MICROBRIDGE

MICROBRIDGE not only gives you 3 opponents for a Contract Bridge session, but is a Contract Bridge bidding tutor too, with 16 graded lessons and a very helpful manual.

#### TRANSFER UTILITY

TRANSFER UTILITY moves programs from microdrive to disk, and performs whatever translates you wish while so doing.

### THE SOLUTION PC EMULATOR

Put quite simply, THE SOLUTION automatically transforms your QL into an IBM PC clone capable of running all those famous-name programs you've heard of so often. THE SOLUTION operates solely from software - there is nothing to plug in or disconnect, so you can still run all your QL software. It works this way. Boot up with THE SOLUTION disk. You are now in a PC, and you will be prompted for insertion of an MS-DOS disk (just as you would on a PC). End of story. Forget you have a QL, and run your PC programs (obviously we read/write direct to PC disks). Restrictions are virtually non-existent, as we support both monochrome and colour CGA graphics, and run ALL the benchmark PC software, including quite a few that won't run on a famous UK clone! You have 470K available on a 640K QL setup, or 667K with TRUMPCARD - more than you will get on your PC or XT! Speed is further improved by using LIGHTNING SPECIAL EDITION.

You can go further with SOLUTION than with a P.C. You can multitask two or three PC programs, or run a PC program at the same time as any number of QL programs. You can convert files directly between QL and MS-DOS formats (either direction) at speed. You can re-configure your QL keyboard at leisure, so that you use keys of YOUR choice rather than those chosen by the author of the application program You have access at run-time to a powerful diagnostic supervisor mode. SOLUTION can even run other operating systems - CP/M-86, p-system, etc.

SOLUTION is available in two flavours - buy the CHOCOLATE SOLUTION unless you have legal access to a copy of MS-DOS.

User feedback: "Splendid!" T.Ramirer; "Congratulations - Magnificent!! A triumph."

W.Clift; "Congratulations - excellent - no problem running PC programs on my QL - a superb program A.Dean; "A great program - works perfectly - does a great job" O.Pink; "SOLUTION works" S.Wing; "Compliments - a nice piece of work" J.Shepherd; "SOLUTION achieves all that you claim for it" T.Brown; "A great piece of code - SOLUTION definitely does the job! Congratulations" Dr M.Bite; "SOLUTION works with a wide ramge of PC soltware" S.McMarray; "Really happy with SOLUTION - no problems" T.Batchelor; "A real boom" J.Osmond; "I am .apressed!" E.Pendleton; "Congratulations - SOLUTION has YERY good compatibility - very pleased with it" A.Cherry; "SOLUTION works!" J.van Hulten; "A first class product - strongly recommended - fantastic" R.Barns; "Great!" R.Crawford; "Most impressed with SOLUTION's performance" J.Yennard; "Congratulations in abundance" p.Coughlin; "Capable of all your claims - excellent" L.Chandler; "SOLUTION is very good - well done" J.Maldoon; "Stunning & really wonderful" B.Papegay; "SOLUTION be l'Illiant P. Fiseman; "SOLUTION does as advertised" M.Smith; "SOLUTION works "J.Acielo etc etc.

### EDITOR SPECIAL EDITION EDITOR

These magnificent programs are not "just" word-processors, though if that is all you want out of them you will not be disappointed.

The EDITORs are for handling ALL types of data, at super-speed. We use the 200+ command SPECIAL EDITOR (vs 100 on Standard EDITOR) not just for preparing documents, letters and LONG manuals, but also as our random-access database (20,000+ customers - try that with Archive!), a printer driver capable of achieving virtually ANY desired result (multi-line headers and footers (which can use all printer effects like underline, bold, italics etc, andw which can change at any point in the document), user-definable page numbering "style" and start position, etc etc), a full-screen programming environment (you can even renumber lines within it), for formatting Accounts and other schedules and for all sorts of odd jobs.

Comparisons with Quill are absurd - both EDITORs are from 10 to 100 TIMES (1000% TO 10000%!) faster than Quill, have far more power and resources, and are absolutely logical and consistent in operation (making them easier to grasp). Most operations that you choose to avoid on Quill (because you know how sluggish it is going to be) are done INSTANTLY with EDITOR.

There is a fundamental philosophical difference between the EDITORs and Quill - with either EDITOR you are in the driving seat, whereas Quill assumes the user is an idiot who wishes to be hand-held ALL the time, who will never make any progress, and who will always want to do things in just one, inflexible, often awkward way. This feature of Quill's makes that program easy to master, but precludes it from being used seriously-after the first hour of use there is nothing more to learn about Quill. The EDITORs are just as simple to learn to use as is Quill - the difference here is that when and if you want to achieve more, you have the power under the bonnet.

Advanced users can program both EDITORs - and with SPECIAL EDITION this goes way beyond simple macros. SPECIAL EDITION also has a Document mode for those who want to get closer to WYSIWYG. Beginners should choose the more user-friendly SPECIAL EDITION - it is much easier to use.

### PROFESSIONAL PUBLISHER DESKTOP PUBLISHER SPECIAL EDITION DESKTOP PUBLISHER

If you want to produce high-quality pages incorporating text and/or graphics, you need one of our three DTP systems.

Fully WYSIWYG text and graphics page designers, all of which have cursor-dragged boxes, pixel justification, cameo overview, direct text entry, comprehensive graphics capabilities, importing of ASCII files and EYE-Q screens, a generous supply of fonts/brushes/symbols, font-editing, merging, independently variable X/Y magnification, EDITOR compatibility and much more.

SPECIAL EDITION, which has a higher hardware requirement than the standard DESKTOP, also has more powerful text-formatting, texture fill, larger windows, Quill LIS file compatibility with the facility to communicate via control codes and translate tables, fast 16x16 font-handling, multi-tasking, improved command entry, enhanced drawing facilities and much more — in addition to all the features of the standard DESKTOP.

PROFESSIONAL PUBLISHER is in a league of its own, providing many features that £1000+ packages lack (in our opinion, the only micro package out there that equals PRO PUBLISHER is Pagemaker on the Mac). PRO PUBLISHER has all the features of the other two programs, plus windows of ANY shape (we mean ANY - convex, concave, circular, re-entrant, whatever), that can be independently saved and sequentially linked (flow-through), graphics maintaining pixel-accurate wrap-around positioning, hassle-free usage even with Quill\_DOC files, interpolation, character sizes upto a massive 192x192 (with spacing and descender position individually settable for each layout templates, snap-to guides, character), compatibility with the Smiling Mouse (though we still think the program is best without any mouse!), auto grey scale a11 bending/rotation/stretching, conversions, functions, foreign character sets, page dimensions specifiable to 960x1600, cut/paste to/from 48x48 pixels page/EYE-Q/standard SBYTES screens, etc. Smoothness and control of this program are phenomenal. A good printer driver is this program are phenomenal. supplied as standard - a startlingly excellent one, (with anti-aliasing, user specifiable output dimensions etc) grafiX, is available for a £10 premium.

The best thing about PROFESSIONAL PUBLISHER is that we have made this program the easiest of all our publishers to use....

There are too many words in THIS ad for it to be other than a text-list: it doesn't do any justice to our publisher's powers!

### TURBO BASIC COMPILER SUPERCHARGE SPECIAL EDITION BETTER BASIC

Compatible with the entire syntax of SuperBASIC, the legendary TURBO and SUPERCHARGE compilers represent the state of the art. Both will produce instant-loading, stand-alone, multitasking jobs that will run phenomenally faster than interpreted BASIC on average, SUPERCHARGE achieves 3000% and TURBO 5000% (better still if you use LIGHTNING SPECIAL EDITION in addition - the speedups produced by our compilers and LIGHTNING are multiplicative or better). Both compilers correct interpreter errors, both allow compiled code optimisation to be switchable between compactness and speed.

SUPERCHARGE is limited to a maximum of 64K output code size (excluding dataspace) and can only pass parameters by value, not by reference.

TURBO does not have these restrictions. TURBO alone allows instant linking of tasks, bi-directional pipe communication between tasks, shared variables/arrays/procedures/functions between tasks, creation of keywords, cache array access and rubber arrays, implicit datatypes (allowing integer FOR loops and integer/string SELect), WHEN ERROR on all QLs, more compact code, a 200 command, configurable toolkit, a supremely friendly front-end, selectable 16/32 bit addressing and much much more including a 300+ page manual! Both compilers are very tolerant of badly/incorrectly written programs - TURBO is even more tolerant than SUPERCHARGE, and auto-corrects most errors, or gives a descriptive report where your intentions are unclear.

BETTER BASIC improves your BASIC programming, by analysing BASIC programs you provide it and correcting them , giving detailed commentary where necessary.

#### DIGITAL PRECISION TURNS 40! version of the same program, send us the cartridge/disk. Except in the case of upgrades to EDITOR SPECIAL EDITION, MEDIA MANAGER SPECIAL EDITION and LIGHTNING SPECIAL EDITION, do NOT Program Title PRICE KEY No: send the manual too. The cost of an upgrade is £10 plus the difference in current advertised price between the two programs (e.g. upgrade from DIGITAL C to SPECIAL EDITION ( 1) THE SOLUTION (CHOCOLATE) INCLUDING MS-DOS. . 129.95 eT 2) TURBO BASIC COMPILER WITH TURBO TOOLKIT . . ( 3) PROFESSIONAL PUBLISHER . . . . . . . . . . . . DIGITAL C costs £30). 4) THE SOLUTION (VANILLA) . . . . 79.95 5) PROFESSIONAL ASTROLOGER WITH ASTRONOMER . . 69.95 aT \* Our programs are all freely transferable between cartridge 6) DESKTOP PUBLISHER SPECIAL EDITION . . . . . 59.95 ct and disk, are all free from copy protection, and all work with ( 7) PROFESSIONAL ASTROLOGER . . . . . . . . . . . 59.95 aT ( 8) DIGITAL C SPECIAL EDITION . . . . . . . . 49.95 aT all drives, toolkits, RAM add-ons, disk interfaces (except for ( 8) DIGITAL C SPECIAL EDITION . . . . . . . . 49.95 aT ( 9) MEDIA MANAGER SPECIAL EDITION . . . . . . . 49.95 dT programs (1),(4),(9) & (26) which object to the MCS interface's non-standard device-handling) and the ST/QL Emulator. Users of the Microperipherals interface are recommended, in their own (10) ACT SPECIAL EDITION . . . . . . . . . . . 49.95 interest, to buy the QFLP ROM upgrade from Care Electronics. (12) SUCCESS CP/M EMULATOR \* Digital Precision is the trading name of DIGITAL PRECISION (14) LIGHTNING SPECIAL EDITION 49.95 LIMITED, Company Registration No. 1833989. . . . . . . . . . . (15) SUPERFORTH COMPILER WITH REVERSI . . . . . . 39.95 aT 34.95 SPECIAL DEALS . . . . . . . . . . . . 34.95 d (17) MICROBRIDGE The following attractive offer replaces and supersedes all (18) EYE-Q FOR GIGAMOUSE/QRAM/THOR . . . . . . . 34.95 aT 29.95 at earlier offers and deals: (19) SUPERCHARGE SPECIAL EDITION . . . . . . . (20) THE EDITOR . . . . . . . . . . . . . . . . 29.95 at \* Buy ANY TWO programs, get a 25% discount on the less . . . . . . . . . . . . 29.95 a (21) EYE-0 . (22) SUPER SPRITE GENERATOR . . . . . . . . . . . . . . . . 29.95 a expensive one. \* Buy ANY THREE programs, get a 50% discount on the least 29.95 fT (24) DIGITAL C COMPILER . . . . . . . . . . . . . 29.95 at expensive one. \* Buy ANY FOUR programs, get the least expensive one FREE. (25) DESKTOP PUBLISHER . . . . . . . . . . . . . 29.95 d \* Buy ANY FIVE programs, get the least expensive one FREE, and 29.95 a 24.95 aT a 50% discount on the next least expensive one. (27) LIGHTNING . \* Buy ANY SIX programs, get the two least expensive ones BOTH (28) IDIS INTELLIGENT DISASSEMBLER . . . . . . 24.95 at FREE. And so on.... We'll compute the total for you if you wish. . . . . . . 24.95 aT (31) BETTER BASIC EXPERT SYSTEM . . PROGRAM COMBINATIONS WE WOULD ESPECIALLY SUGGEST INCLUDE:-(32) GAMES COMPENDIUM (ALL FIVE GAMES) . . . . . 24.95 a 19.95 aT + EVERYTHING BENEFITS FROM LIGHTNING SPECIAL EDITION. TO A . . . . . . . . . . . 19.95 f (34) MONITOR . . . . . . LESSER DEGREE, EVERYTHING BENEFITS FROM LIGHTNING. 9.95 f (35) SUPER BACKGAMMON GAME . . . . . . . . . . . . + EDITOR AND SPECIAL EDITION EDITOR ARE BOTH TERRIFIC WITH ALL (36) DROIDZONE GAME . . . . . . . . . . . . . . . . 9.95 f OF THE COMPILERS (ESPECIALLY TURBO AND DIGITAL EDITION), THE EMULATORS (SUCCESS CP/M OR SOLUTION MS-DOS), MEDIA MANAGER, MEDIA MANAGER SPECIAL EDITION, IDIS, IDIS SPECIAL EDITION, AND PROFESSIONAL ASTROLOGER. IF YOU'VE THE RAM, GET THE SPECIAL EDITION. (37) BLOCKLANDS GAME . . . . . . . . . . . . . . 9.95 f 9.95 f (39) ARCADIA GAME . 9.95 f . . . . . . . . . . . . . . . . (40) TRANSFER UTILITY . . . . . . . . . . . . . 9.95 b SUPER SET-UP INCLUDES ONE OF THE DESKTOP PUBLISHERS Available either on cartridge or disk (PROFESSIONAL PUBLISHER IS THE BEST) TOGETHER WITH EITHER EYE-Q Available only on disk OR EDITOR SPECIAL EDITION OR, BEST OF ALL, ALL THREE (PRO Minimum 512K RAM: only available on disk PUBLISHER, SPECIAL EDITOR, EYE-Q). Minimum 256K RAM: either cartridge or disk + PROFESSIONAL PUBLISHER LOVES GRAFIX. Minimum 256K RAM: only available on disk + EYE-Q LOVES ULTRAPRINT. Available only on cartridge + SPRITE GENERATOR LOVES EYE-Q. Compatible with all THOR machines + TURBO AND DIGITAL C SPECIAL EDITION GO WELL TOGETHER. Compatible with all THORS except the THOR XVI + BETTER BASIC AND ADVENTURE CREATION TOOL LOVE TURBO. + 3-D PRECISION GOES VERY WELL WITH EYE-Q AND TERMS AND CONDITIONS> PROFESSIONAL PUBLISHER. \* All our programs are very comprehensively documented. \* UPGRADES COUNT AS PROGRAMS WHILE COMPUTING SPECIAL DEALS! \* \* UK purchasers - the above prices are all inclusive. \* For the rest of Europe, add 5% to the above to cover all STOP PRESS! extra charges. Rest of the world, add 10%. \* Acceptable forms of payment are sterling cheque drawn on a UK branch of a bank or building society, sterling cash, sterling postal order, Eurocheque made out in sterling, international money order in sterling, VISA / ACCESS / EUROCARD / MASTERCARD £20 OFF Special Editor (specify expiry date), foreign currency cash or cheque (add 10% direct money transfer (write conversion charge), direct money transfer (write to us notifying us of the transfer, and ensure that all charges are £10 OFF Standard Editor paid your end, or add 5%) to A/C 50327808 DIGITAL PRECISION LTD at Barclays Bank PLC (Branch code 20-79-44), South Chingford Offer expires 10th September 1989 Branch, 260-262 Chingford Mount Rd, London E4 8JN. or telephone 01-527 5493 ANYTIME To: DIGITAL PRECISION LIMITED, 222 THE AVENUE, CHINGFORD, LONDON E4 9SE Please send me: \_\_ Address: \_\_ Postcode: Delete as appropriate: ( QL / THOR ) ( Mdv / 3.5"disk / 5.25"disk ) ( 720 / 1440 sectors )

Card No:

Expiry: \_\_/\_

### SION OPCANISER

| PSION ORGA<br>LZ64<br>Games Organiser<br>Comms Link<br>32K D Rampack | £180<br>£35<br>£60<br>£55 | Spelling Checker<br>Organiser XP2 32K<br>Numbase 1<br>Psion Printer | £30<br>£110<br>£40<br>£195 |
|--|---------------------------|---|----------------------------|
| Comms Link 32K D Rampack Centronics Interface Organiser LZ           |                           |   |                            |

| Spellmaster Thinkz QL – Z88 link Centronics interface | £70.00<br>£60.00<br>£52.50<br>£23.00<br>£30.00 | Z88 Computer<br>Carry Case<br>Z-Term<br>Using Your Z88<br>Z88 Computing<br>Z-Tape | £230.00<br>£10.00<br>£52.50<br>£10.00<br>£10.00<br>£52.50 |
|---|--|---|---|
|---|--|---|---|



## COMPUTERWARE the QL stockist

Tel: 0303-81-2801

### ADD-ONS

| Dual 3.5" d/d + 768K Trump | £400.00  |
|----------------------------|----------|
| Single D/D 3.5in. drive    | £125.00  |
| Dual D/D 3.5" drive        | £209.00  |
| Dual D/D 3.5" & i/face     | £295.00  |
| Dual 3.5" & 512K Trump     | £350.00  |
|                            | £250.00  |
| 768K Trump Card            | £400.00  |
| Hard Disk System           | L-100.00 |

### SPARES

| JS ROM sets                    | £27.50   |
|--------------------------------|----------|
| Keyboard Membrane              | £6.25    |
| ULA ZX 8302                    | £10.25   |
| ZX 8301                        | £12.00   |
| MAB 8049                       | £7.50    |
| MP68008                        | £25.80   |
| Z9007E                         | £10.25   |
| Repairs                        | phone    |
| M/drive assemblies-complete    | £27.50   |
| Voltage regulator (high output | t) £4.75 |
| Power supply UK                | £23.50   |
| QL Test kit                    | £13.50   |
| M/drive assemblies (xchange)   | £20.00   |

### SUNDRIES

| 10 Microdrive cartridges    | £19.50     |
|-----------------------------|------------|
| Cartridge storage box       | £5.50      |
| QL Dustcover                | £5.00      |
| 100 Microdrive labels       | £3.75      |
| Battery clock kits          | £24.00     |
| 10 DS/DD discs 3.5" (brand) | £29.00     |
| Joystick + adaptor          | £16.00     |
| Psion 2.35 Sets             | £23.00     |
| Centronics Interface        | £29.00     |
| 20 m/drive carts + storage  | box £44.00 |
| Scanner                     | £130.00    |
|                             |            |

### SOFTWARE

|                          |             |                            |        |  | £92.00    |
|--------------------------|-------------|----------------------------|--------|--|-----------|
| BUSINESS                 |             | Flashback Special Edition  | €40.00 | Pro Pascal   | £20.00    |
| Flashback (c-d)          | £25         | Media Manager (d)          | 230.00 | QMON   | £39.00    |
| Cash Trader (PDQL)       | 260         | XRef 2.00                  | £20.00 | Super Forth + Reversi  | £25.00    |
| Cash Trader + Analyser   |             | Multi Disk Over            | 240.00 | IDIS   | £25.00    |
| Decision Maker           | £35.00      | Super Toolkit 2 (Eprom)    | £29.00 | IDIS - Special Edition   | 135.00    |
|                          | £125.00     | QLiberator (c-d)           | 260.00 | GAMES  |           |
| Trading Account          | £22.00      | QLiberator (budget)        | 230.00 | THE RESERVE OF THE PERSON OF T | £17.00    |
| Home Finance (Buzz)      | £20.00      | Disc Over                  | 230.00 | Chess  | £13.00    |
| Investment Monitor       |             | Success                    | €50.00 | Super Croupier   | £19.00    |
| Project Planner          | 229.00      | QRam (c-d)                 | £30.00 | Flight Simulator   | £15.00    |
| Small Traders Pack       | €25.00      | RPM                        | £15.00 | Matchpoint   | £15.00    |
| Spellbound (c-d)         | £30.00      |                            | £25.00 | Bridge Player 2  |           |
| Spellbound + Filebound   | £35.00      | Task Master (c-d)          | £29.00 | Professional Astrologer  | £70.00    |
| Touch Typist             | £12.00      | The Editor                 | £49.00 | Super Astrologer   | £25.00    |
| Pacioli                  | £25.00      | The Editor special edition | £99.00 | Scrabble   | £15.00    |
| QTYP                     | £23.00      | Turbo (c-d)                |        | Snooker  | £13.00    |
|                          |             | Vanilla Emulator           | 00.083 | Squadron   | £16.00    |
| UTILITIES                |             | Turbo Quill Plus (c-d)     | £13.00 | Super Backgammon 3   | £13.00    |
| Chocolate Emulator       | £130.00     | Ultra Print                | £20.00 | War In The East: 1 Ba  | arbarossa |
| Archivist MP             | €40.00      | SPY                        | £15.00 |  | £19.50    |
| Archivist                | £30.00      | Lightning                  | £30.00 | War In The East (set)  | £39.95    |
| Cartridge Doctor         | £16.00      | Quailsoft Terminal         | 230.00 | Microbridge  | £35.00    |
| Expert System            | 250.00      |                            |        | Cribbage   | 15.00     |
| CPM Emulator (c-d)       | 230.00      | CAD                        | €40.00 | Heart of Gern  | £15.50    |
| Assembly Lang. Toolkit   | £25.00      | Concept 3D                 |        | Area Radar Controller  | £13.00    |
| Page Designer 2          | £35.00      | EyeQ                       | £29.00 | Talisman   | £19.00    |
| Professional Publisher   | 00.002      | 3D Precision               | £49.95 | The Prawn  | £15.00    |
| Master Spy               | 230.00      | Technikit                  | £25.00 | Blocklands   | £10.00    |
| Basic C-Port             | 259.00      | TechniQL                   | 250.00 |  | £15.00    |
| Front Page Extra 3 (c-d) | €45.00      | Viewpoint                  | £20.00 | Archanoid  | £15.00    |
| ArchRTM + ArchDEV        | £20.00      | 3-D Designer               | £38.00 | Death Strike   | £11.50    |
| ICE Eprom                | £27.00      |                            |        | Fictionary   | £13.00    |
|                          | £20.00      | LANGUAGES                  | £20.00 | Firebirds  | £13.00    |
| Paste Art                | £10.00      | Assembler (Comp One)       | £20.00 | QLackman   | £15.00    |
| Key Define               | £11.50      | Forth (Computer One)       |        | Karate   |           |
| Locksmith                | 220.00      | Better Basic               | £24.00 | Knight Flight  | £15.00    |
| Mailfile (256K)          | £20.00      | BCPL Development Kit       | £51.00 | Mortville Manor  | £15.00    |
| Archive Tutor            |             | C Compiler (GST)           | £30.00 | Quboids  | 9.00      |
| QFLASH Ramdisk + t'ki    |             | Digital C                  | 230.00 | Vroom  | £13.00    |
| QFLASH Ram Eprom         | £25.00      | Digital C Special Edition  | 250.00 | Dragonhold   | £15.00    |
| QFLASH Ram utilities (d  | 00.013 (b-c | MonQI                      | 230.00 | Stone Raider   | £13.00    |
| Reconfigurable toolkit 2 | £29.00      | Pascal (Computer One)      | £30.00 | Lands of Havoc   | £19.00    |
| 4 Matter                 | £11.50      | Pascal (Metacomco)         | £75.00 | Wanderer   | £15.00    |
| Recover                  | £20.00      | Pro Fortran-77             | £92.00 | D Day  | £19.00    |
| Speedscreen (C-D)        | £20.00      | , 1010101111               |        | Duy  |           |
| Sidewinder Deluxe        | £20.00      |                            |        |  |           |

Please telephone for details of other products not listed here

| Using the Psion Organiser Assembly Language Prog | 63 | QDOS Companion<br>Inside QDOS       | £9  |
|--|----|-------------------------------------|-----|
| Z88 Ref Manual Other QL titles availa            |    | QL Service manual phone for details | £20 |

### - COMPUTERS

QLJS 2.35 s/w £169.00 QLJM2.3s/w £149.00

● ALL PRICES INCLUDE VAT AND UK MAINLAND DELIVERY - WE EXPORT WORLDWIDE ● Phone for details of other QL products OR send SAE for our latest catalogue Credit card phone orders accepted, or send cheques, postal orders, Eurocheques to:

TK COMPUTERWARE, STONE STREET, NORTH STANFORD, ASHFORD, KENT TN25 6DF

TELEX 966676 PMFAB G













FAX 0303 812892

# OL S C E N E

### **QL SHOW AT VILLA ALBA**

he first Italian QL meeting will take place at the Villa Alba, Gardone Riviera (Brescia), Italy on September 23. The all-day event is expected to include firms exhibiting and selling QL products, with demonstrations and talks by producers and users. All interested users are invited to speak by the organiser, SPEM of Turin, which requests that a script of any talk should be delivered at least a week in

advance, written in English, so that it can be translated into Italian.

Ad hoc offers to speak will be accepted but, says Guido Masoero of SPEM, "the translation could be bug-ridden and slow." Even so, the offer is open. Among the names which SPEM hopes to have attending are Digital Precision, Miracle Systems, Sector Software, PDQL, Jochen Merz Software, Tony Tebby and members of various European user groups, including Quanta. The villa is a 19th century building by popular Lake Garda, with a restaurant and hoels in the locality and parking for 800 cars.

SPEM clearly wants the convention to be an open and friendly event. More details, including stand bookings, can be obtained from Guido Masoero, SPEM, Via Aosta 86, 10154 Torino, Italy. Tel: 0101 011 857924.

### Erratum Meet the Fleet

There were two small errors in the *Printer Spooler* program in the July issue of *QL World*.

The program should be started by EXEC mdv1\_spooler, not EX-EC\_W mdv1\_spooler, and the definition to send CHR\$(10) to the printer should be lf, not If as printed.

### **Euroshow**

The European Microfair for Sinclair Users, organised by the Club Sinclair BruQsL for QL, Spectrum, Thor, Z-88, ZX-81 and ZX-80 users, will be held at the Eurovolleycenter, Beneluxlaan 22, 1800 Vilvoorde, Brussels, Belgium on October 21.

The exhibition hall is near to exit 6 of the Brussels ring road and close to the international airport. There is a hotel on the site and there will be rooms for lectures as well as exhibitions. A bureau de change will be running on the site for foreign visitors.

More information from Jaques Tasset, secretary, Club Sinclair BruQsl, Aarlenstraat 104, 1040 Brussel, Belgium.

Fleet Tactical Command, an ambitious new real-time networking game for the QL, is due for release soon. Ideally, says the manufacturer Di-Ren, the all-machine code game is played between two computers over network, serial or modem links. It can be run on a single computer for practice.

In real-time and three dimensions, the game is designed to be as realistic as possible. The scenario is set in 1,000 square miles of ocean, with a team of 16 vessels under the guidance of each player. The player is the Fleet Tactical Commander, who can move from ship to ship, observing and guiding the action from the bridge of the appropriate vessel.

Completing the realism, each package will contain an instruction manual, two sets each of charts, compass/dividers, protractors, pencils, erasers and rulers for navigation, and two copies of the game on microcassette or disc. Networking or serial-to-serial port leads are optional extras.

Fleet Tactical Command will cost £49.95 for the two-player package. "This is an unusual idea, so it is something of a shot in the dark," says proprietor Robin Barker. He expects the game will become available on other computers, including various Amstrad models, in due course.


Enquiries to Di-Ren, 43 David's Road, Forest Hill, London SE23 3EP.

### **Printer Connection**

Write-on-Line is the working name chosen for a new user group dedicated to printer users. Nick Godwin, previously organiser of the ZX Broadsheet ZX-80/81 user group, would like to hear from anybody interested in joining and participating in a printer group.

Printers bring users a great deal of grief at times, so a skills exchange which concentrates on them could prove valuable.

Interested users should write with a SAE to Nick Godwin at 4 Hurkur Crescent, Eyemouth, Berwickshire TD14 5AP, telling him printer/s they use or in which are interested.



### Books by Babani

The two latest publications from Bernard Babani (Publishing) Ltd. are A Concise Advanced User's Guide to MS-DOS by N. Kantaris and More Advanced Midi Projects by R.A. Penfold. Babani publishes several dozen books on general and specific subjects in electronics, audio, amateur radio, computing and electronic music. There are three current QL-specific titles on the list - An Introduction to OL Machine Code by R.A. and J.W. Penfold, Into the QL Archive and Counting on QL Abacus, both by J.W. Penfold.

Almost all Babani books cost less than £5, many of them half that price, and a free complete catalogue can be obtained by writing to Bernard Babani (Publishing) Ltd, The Grampians, Shepherds Bush Road, London W6 7NF with your name and address.

# OPEN CHANNEL

Open Channel is where you have the opportunity to voice your opinions in Sinclair QL World. Whether you want to ask for help with a technical problem, provide somebody

with the answer, or just sound off about something which bothers you, write to: Open Channel, Sinclair QL World, Greencoat House, Francis Street, London SW1 1DG.

#### Sunset

Looking for old QL titles once published by Sunshine Books, I went to my local library and it had two Sunshine Books publications, The Working Sinclair QL and The Sinclair QDOS Competition; the latter has a complete list of pokes to alter the system variables.

The commands to be included in a program to change from upper- to lower-case, and vice versa, is:

10 POKE\_W 163976, 6000: REM All keyboard entry after this is upper-case 01

10 POKE 163976,0: REM. All keyboard entry after this is lower-case.

Both commands can be overridden by toggling the CAPS LOCK key.

Andy Hollis Wallington, Surrey.

Editor's comment: So far as I know, all the QL books published by Sunshine are out of print. For historical reasons, sometime before I joined QL World, I saw the last of the Sunshine computer volumes packed in cardboard boxes —

not many of them — bound for a remainder merchant. Remainder bookshops are an occasional source of out-ofprint books but libraries are better. A local library will often be able to order a volume which is not in stock if you can give the title and/or author's name.

#### Index In

John Roberts might like to know that there is a program, *Indexer*, in the Quanta library, designed to index text files. I wrote it about two years ago and used it to index a 70,000-word book. It is fairly fast and you can make up an index with single words or groups of words.

Hugh Maill, Frazier Street, London SE1.

### Hot paper

With regard to thermal paper for the Serial 8056 printer, Inmac — telephone 01-740 9540 and local branches — was advertising 8.5in. by 80in. rolls of thermal paper for £2.55 a roll — £2.50 for larger quanties.

T. Heath, Henley Green, Coventry.

Editor's comment. Check current price and availability before ordering.

### **New Budget**

In the Budget Planner, SQLW July 1989, the 'staircase matrix' formula does not work as given. Please can you give the

correct formula and explain the algorithm?

E J Sargeant, Long Eaton, Notts.

Mike Lloyd replies: This is just one of the letters which pointed out two small but crucial typing errors affecting the Budget Planner spreadsheet. The comma before the final zero in the formula should in fact be a "less than" symbol and there should be two closing brackets after the zero. The correct formula for Cell 06 is:

int (index (col() -13, 6) /12 \* (row() -col() +9 +12 \* (row() -col() +9 <0))

The objective of the formula is to calculate how much would be saved by putting aside a regular amount per month for a year before withdrawing it all to pay a particular month's bills. The amount is found by dividing the month's bills by twelve, rounding down to the nearest integer. To understand the rest of the formula, replace "col()" with the month in which the bills must be paid and "row()" with any month of the year for which a balance is required. Ignore the "+9" as this is an offset imposed by the position of the matrix in the spreadsheet. If a £120 bill was to be paid each April, for example, the balance in, say, October, would be:

£10 \* (10 - 4) = £60

For months prior to April this formula produces a negative result which is corrected by adding twelve to the calculation. Thus, in February, the balance will be:

£10 \* (2 - 4 + 12) = £100

I hope this explains the majority of readers' queries on this point. to everyone who struggled with the incorrect formula, my sincere apologies.

### PARTITION PROPERTIES

### Editor's notebook

It took a long time, but at last we have a result in the QL Artist of the Year Competition 1988.

Congratulations to Mark Swift and Mark Knight, judged winner and runner-up after much debate.

judged winner and runner-up after much debate. Congratulations also to everyone else who entered. We had plenty of fun looking through the entries. Thanks to Ron Massey, who took the screenshots, to Sector Software, which found us the prize, and to the judges.


We hope to be able to run another art competition before long and we will have the prizes in the bottom drawer at the start. It should not take so long to reach a conclusion.

Thank you to everybody concerned.

Last time I talked about the weather it was to the effect that summer was in short supply. There is no such complaint this year. I am going to Wales for an outdoor weekend, however, so expect a rain-check soon.



### QL OFFER · SPECIAL SUBSCRIPTION OFFER · SPECIAL SUBSCRIP



# ROUBLE L

Bryan Davies makes enquiries and offers advice on writing for The Progs.

t the time of writing, the Report Generator modules for Flash-Back had not been completed and we cannot yet print the second part of the review started in the June issue. Letters of apology and explanation have been sent by the supplier to those who ordered FlashBack Special Edition. By now test copies of the new routines should be with the guinea pigs and it is hoped that the final part of the review will appear soon.

The revised FlashBack was completed several months ago. The *Lightning* "go faster" program is ready for release in its Special Edition form. It will be available on ROM or disc; the former will plug into the ROM port at the rear of the QL.

The program will be faster, of the order of 15-30 percent depending on machine and program configuration, and will allow improved scrolling. What will be interesting to investigate is the claimed ability to exert control over the screen printing in windows of other programs, including notoriously unco-operative ones such as Quill.

### Media Manager

Another Special Edition should be available by the time this issue appears -Media Manager. The supplier admits that the original version of the program was not the most friendly piece of software. Its merits were that it enabled some recovery of corrupted QL files and transfers could be made of MS-DOS files to the QL. The new version is not a re-write, as experience with the original dictated so many changes that would have been pointless. It is new, and from the pen which has produced or been involved in the design of more good QL programs than any other it should take no guessing to figure who that is

It is surprising how many programs are sent to *QL World* for consideration as Program of the Month, or for inclusion in Microdrive Exchange. What is even more surprising is the generally reasonable quality of them. The problem is what to do with them. If the magazine were to devote more space to printing programs, there could be complaints from readers who are

not interested in typing-in SuperBasic programs.

For a program to have a better-thanaverage chance of being selected, it needs to be short enough to fit into the space allocated to The Progs, should preferably be written in SuperBasic – with an assembler version also if desired – and, above all, it has to be of interest to a significant number of readers.

There is no point in producing the thousandth variant on the Space Hero theme unless the conception and execution are exceptionally good. Likewise, others have produced games like draughts, whist, bingo and so on. On the other hand, a monster project to produce the definitive front-end program for the QL is equally doomed; if you can really write such a program, it is better to contact one of the well-known software suppliers.

There are some companies which are worth knowing about because they cater to those who do not have deep pockets. Two are **Greenweld Electronic Components** and **J.N. Bull** – see Information panel. Both specialise in picking up discontinued products and selling them at low prices and the range is very wide – for example, hair dryers at two for £5, ni-cad battery chargers at two for £1. They usually have a selection of computer units, such as keyboards, and occasionally have QL-related items.

Bull was selling ICL OPD Microdrive units at £5 each — two drives — but I believe it is out of stock of them. Greenweld advertises OPD circuit boards at £5, complete with 68008 CPU chip, the ROM chips containing the operating system, and various other components; the 68008 on its own is offered for £3.

The OPD 68008 I tried appears to work normally in the QL – although no guarantee of function is given at this price level, naturally. Bull offers cartridges "for the double Microdrive", presumably a reference to the OPD units at £1.50 each or four for £5. Disc drives and their power supplies are relatively cheap.

### **CP/M** formats

Maurice Richardson complained that the Success CP/M emulator would not convert his unspecified disc formats. CP/M formats vary considerably; there is nothing like the uniformity found in the MS-DOS world. The program was designed to run CP/M programs in certain formats directly and to convert programs in other formats into a form in which they could be run. The only format I know to be

unconvertible is that of the Amstrad PCW; that could be converted by the 1.0 version of the program but not by the later one.

Apart from the format in which data is written to the disc, there is the matter of the disc drive type; there is by no means complete compatibility between drive types and there are undoubtedly CP/M programs on discs which the QL drives will not accept. If you can find the instructions which arrived with your disc interface, look for a compatibility chart to determine whether or not the drive from which your CP/M discs came is compatible with the one you have on your QL.

#### **Transform**

Transform has largely moved out of the QL market but can still supply cartridges and cartridge boxes. It also provides support for Psion software. In the main, it now deals with the Psion Organiser and associated units and PCs, particularly in networks, but also handles Z-88 items. Transform International is a separate operation and still supplies its usual range of QL products.

There has been some discussion as to whether or not *Front Page Extra 2* is fully usable. A version 1.03 master disc was sent by **B. Hands**, with the information that printing with a copy made from it was unsuccessful, only a few lines of the document appearing on paper. With no corrective work being necessary, another copy made on my system produced reasonable printout.

M.C. Holland finds that he gets blank spaces in lines of text from version 1.05 for the basic QL, using a Citizen 120D printer. Again, a copy made from that produced reasonable print on my printer. Normally I would say the problem is in entering the printer parameters, in particular those which determine the vertical spacing increments, for instance the ESC "A" + n sequence commonly used to set 1/72in. line spacing.

Another place to make a mistake is when asked how many codes your printer requires for line feeds; as the answer can only be one or two, it does not take long to

try both possibilities.

What seems to be a standard question in PC programs also is what setting has been made with printer DIP switches for line feeding — auto or manual. Again, there are only two possibilities and trying both should not take long. Unfortunately, in Holland's case at least, none of the questions had to be answered, because the printer concerned was Epson-

# E

compatible and indicating that during the set-up process was about all the user was allowed to do. The only other areas which seemed likely to produce bad printing were incorrect setting of DIP switches in the printer and some fault in the interconnecting cabling. The latter point appeared at first to be a non-starter, since printing from Quill had been satisfactory on the unexpanded QL.

Investigation with the printer and serialparallel interface concerned revealed that some of the printer DIP switch settings needed changing but that did not fix the basic problem, which showed as horizontal gaps in lines of printed text. At the 0,0 character size there was a repeated pattern of form lines, the first of which was printed correctly, the other three suffering from missing or misplaced sections. The problem was fixed by substituting another serial-parallel interface.

Although standard text printing, from

Quill and text87, was satisfactory, graphics printing was not. It remains to be established whether the fault is inside the interface or in the wiring to an from it. The wiring is a possibility because the particular interface concerned has a 9-pin "D" connector, for use on QLs made for overseas markets such as Germany, and there seems to be some uncertainty

concerning the wiring to the serial port connectors in those machines.

Comments from users of Front Page for unexpanded and expanded QLs would be welcome; in the continued absense from the QL scene of the author of the program, it may be possible to pool experience and help some users get their printers working properly.

#### INFORMATION Media Manager Special Edition, **Lightning Special Edition:**

Digital Precision, 22, The Avenue, Chingford, London E4 9SE Tel: 01-527 5493

#### FlashBack:

Sector Software, 39 Wray Crescent, Ulnes Walton,

Leyland, Lancs PR5 3NA. Tel: 0772 454328.

Greenweld Electronic Components, 443 Millbrook Road, Southampton SD1 0XH. Tel: 0703 772501/783740

J & N Bull Electrical, Dept. MM 250 Portland Road. Hove, Sussex BN3 5QT. Tel: 0273 734648/203500.

### TECHNIQL

A two-dimensional CAD package suitable for all general, scientific and engineering applications DISK VERSION HOW AVAILABLE

Create accurate, finely detailed plans, diagrams or designs.

- \* Zoom in and out.
- \* Library of drawing tools
- \* Fast, multi-width output
- 2 screen modes

649.95

### CARTRIDGE

Essential for all QL owners.

- \* Rescue files from damaged cartridges
- \* Recover newly deleted files
- \* Recover files with damaged blocks
- \* And much more

A complete set of tools for the machine code programmer.

Combines assembler, monitor and screen editor. Dual screen to assist debugging of graphics programs, can operate on RAM or disc files. Compact and easy to use.

£24.95

### STRIP POKER

Challenge the luscious Denise to a riveting game of cards.



### COSMOS

Identify 500+ stars and planets with this impressive astronomy program. COSMOS displays accurate star maps for any date and time anywhere in the world. View the solar system, the moons of Jupiter, Saturn's rings - any visible object in the sky

£14.95

DISK VERSION AVAILABLE

### DEATHSTRIKE

An exciting 'Scramble' game. Maneuvre your ship through alien territory, gain points by hitting targets with bombs and missiles. Your final objective is to destroy the mothership with an accurately placed bomb. A fast addictive game with excellent graphics.

£17.95

Stone Street, North Stanford, Ashford, Kent TN25 6DF

Tel:0303 813883 Fax: 0303 812892 Telex: 966676 PMFAB G











### Ron Massey gets to grips again with Quill and printers.

· PS 10

acob Lewin would like to be able to number Quill pages in excess of its maximum 254-page starting limit. This subject has been covered several times in Psion solutions. Quill will not allow you to start your page numbering beyond 254 but will continue to count until you run out of memory.

There are three ways to circumvent this problem, two of which involve using separate programs. The first solution requires two passes through the printer; the second only one. Neither of the first two is an elegant solution but will get

the job done.

Using listing one, print a document in two stages; first print the document with the upper and bottom margins set so that the block of text appears in the middle of the page. Re-load the paper into the printer - tractor feed paper is best for this system. A second pass is used to number the pages and add any headers/ footers at the same time.

This simple program can be modified to suit almost any supplementary printing required but will probably need experiment to get the header, footer and paper positioning correct. The CHR\$ codes are for Epson-compatible printers; if your printer requires different codes, substitute them where appropriate.

Line 110 sets the page length formatting to 66 lines with CHR\$(66). Line 120 sets the page number counter to "1". Line 140 is a pause and can be deleted if you have faith that you will not suffer from paper

iamming.

Line 150 prints the header, followed by a Form Feed. Paper length in line 110 should be set so that the paper is positioned to the first line of the footer, beneath the block of text.

Line 170 is the footer, followed by the current page number. The procedure, Set\_\_ line\_spacing is a FOR loop and should be set so that the paper is positioned at the top of the next page. This loop allows

four lines between the last line of the footer and the beginning of the next page and its header.

The last line in the repeat loop increments the counter and returns to the beginning of the loop and pauses until a key is pressed.

Listing two will print a \_\_lis file, adding headers and footvery large documents is to use The Editor and its companion utility, EDT\_PRT.

If you have produced the document in Quill, print the document to a file and load it into The Editor with the RD command. This will provide page breaks and all that is required is that you run produce ASCII files?". The answer, in a word, is no. As proof of this, type-in listing three.

This program will produce two files. Test1\_lis is the entire table of ASCII characters beginning with a CHR\$ number, followed by two spaces and the character. Test2\_lis is identical, except that it begins the CHR\$(29) - CONTROL SHIFT ]

Start Quill, press <F3> <0> <F> <I>. You will then be asked to type-in the name of a file to import. Load each of the two files in turn into Quill. The first file will load to CHR\$(13), perform a forced page break and continue importing up CHR\$(26) and then abort the import at CHR\$(27), the ASCII abort code also used as the QL ESCAPE key.

Test2\_lis will begin with CHR\$(29) and import all the character codes Quill supports. Characters upwards from 192 will not be displayed in Quill but will be shown as blank spaces. So far as Quill is concerned the ASCII characters do not exist.

A document printed to a file without a printer driver includes Quill codes for character changes. If you have a printer driver available the codes generated by Quill are converted to whatever definitions you have made in your printer

The content of a \_\_lis file depends on your printer driver - or solely on Quill if you do not have a printer driver available. An example of the type of file produced by my driver is as

The codes shown here as CHR\$ numbers are the characters entered into a \_\_lis file as characters. They are shown here as codes because neither Quill in which this is being written, nor printers, will reproduce the characters required. Characters shown in quotes are the characters required:

27 "(a " 27 "I" 1 27 "M" This is an Elite line, 13 27 "G" This is a Bold line. 27 "H" 13 27-1 This is an underlined line.

Listing 1: printer driver 1. 100 OPEN#4, ser1 110 PRINT#4, CHR\$(27); "C"; CHR\$(66) 120 n = 1 130 REPeat loop 140 as = INKEYs(-1) : REMark A pause for each page. PRINT#4, to 20, 'This is a header.' PRINT#4, CHR\$(12) : REMark .Form Feed PRINT#4, to 10, "This is a footer on page '; n Set\_line\_spacing n = n+1200 END REPeat loop 210 : 220 DEFine PROCedure Set\_line\_spacing FOR i = 1 to 4 230 PRINT#4 240 END FOR i 250 260 END DEFine Listing 2: character generator for importing into Quill. 1 OPEN\_NEW#3,mdv1\_Test1\_lis FOR i=0 to 255 PRINT#3,i!!CHR\$(i), 4 END FOR i 5 CLOSE#3 OPEN\_NEW#3,mdv1\_Test2\_lis 7 FOR i=29 to 255 PRINT#3,i!!CHR\$(i) 9 END FOR 1 10 CLOSE#3

ers where appropriate. This program requires that you do three things:

1. Use Quill as you would normally, including any font and translate changes.

2. Format your Quill document to "0" page length.

3. Set the footer and header to "NONE".

There is only one mandatory input required by this program, the number of lines of text per page. Other than this the page position from the footer to the top of the next page is determined by the number of lines moved by the form feed in line

If you have the program available the best and third alternative for page numbering EDT\_PRT. In addition to page numbering, this method provides you with as many translate characters as the QL and your printer are capable of producing.

A query has arisen from a comment made by Peter Forbes in the July, 1988 Open Channel with regard to Quill embedded (hidden) printer control codes.

The letter says: "He mentions spurious characters added to the imported text. Since removing the cartridge containing the printer driver cures this, presumably they are added, as control codes, by the printer driver when the text is 'printed' to a file. Could this be a way of persuading Quill to

# OITU

27 P 27 15 This is a condensed/ superscript line. 18 27 "M" 13 27 4 This is an italics/subscript line. 27 "5" 13

The above prints as:

This is an Elite line. This is a Bold line.

This is a condensed/superscript line. This is an italics/subscript line.

The group of the first seven characters in this file is the printer preamble code. The first line of text is offset in the file by the length of the first group but, because the printer recognises the group as control codes, printed spacing is as seen in Quill. The last character on each line is the CHR\$(13) end of line/newline

All the control codes at the beginning and end of each line are embedded codes, indicated in Quill only by a change of typeface and/or colour. Once

you have printed a document to a file, because they contain a printer by typing:

COPY \_N drive\_\_filename-\_lis TO seri

The COPY\_N command performs the same function as a COPY command, except that the former strips off file header information. Both commands have the same effect with JS QLs but can produce spurious characters from JM or AH machines if the COPY file to ser is used.

Another QL enthusiast writes to say that he has encountered several Quill-related problems - irrecoverable def\_tmp files, importing a \_lis file, and confused Microd-

In order, the Quill mechanism for enabling users to produce documents larger than the

```
all of the information required
by a printer, data from Quill
 _lis files can be sent directly to
```

```
** HEADEP PRINTED WITH THIS UTILITY **
1 OPEN_IN#3, rami_temp_lis
2 OPEN#4, ser1
    REMark Set length of Form Feed
    REMark CHR$(5) = 5 lines to bring paper to
    REMark the top of the next page.
6 n=1 1 pgnum = 1 1 flg1 = 0 1 wdlin = 96
7 REPeat in_loop
    INPUT "Number of text lines per page : ";lnum$
   A footer for an 8-line document. Page: 1
     ** HEADER PRINTED WITH THIS UTILITY **
      IF lnums = "" : CLS : NEXT in_loop
     INPUT "Text to be printed in header : ";header$ , IF header$ = "" : header$=" "
10
1.1
     INPUT "Text to be printed in footer : ";footer$
12
       IF footers="" :footers="
13
     EXIT in_loop
14
15 END REPeat in_loop
16 Position_text
   A footer for an 8-line document. Page: 2
     ** HEADER PRINTED WITH THIS UTILITY **
17 REPeat prt_loop
     IF EOF(#3) : CLOSE#3 : EXIT prt_loop
18
19
     INPUT#3. as
       IF flg1=0 : PRINT#4,TO pos1,header$
20
         PRINT#4\\
21
22
         flg1 = 1
       END IF
23
24 PRINT#4, CHR$(27);"C";CHR$(6);
   A footer for an 8-line documen'. Page: 7
     ** HEADER PRINTED WITH THIS UTILITY **
     PRINT#4, as;
26
     n = n+1
     IF n = lnum*
27
28
       PRINT#4,\\ TO pos2, footer$;" "; pgnum
pgnum = pgnum+1 : flg1 = 0
PRINT#4,CHR$(12);
29
30
```

Listing 3: A slightly more sophisticated header and footer printer.

```
OPEN_IN#3, rami_temp_lis
        OPEN_INWS, rami_temp_lis
OPENWd,ser1
PEMark Set length of Form Feed
REMark CHR$(5) = 5 lines to bring paper to
REMark the top of the next page.
n=1 i pgnum = 1 i flg1 = 0 i wdlin = 96
REPeat in_loop
INPUT "Number of text lines per page i ";lnum$
If lnum$ = "" i CLS i NEXT in_loop
INPUT "Text to be printed in header i ";header$
If header$ = "" i header$=" "
INPUT "Text to be printed in footer i ";footer$
IF footer$="" ifooter$=" "
IF footer$="" ifooter$=""
       14 EXIT in_loop
15 END REPeat in_loop
       16 Position_text
17 REPeat prt_loop
18 IF EOF(#3) : CLOSE#3 : EXIT prt_loop
                INPUT#3, as
IF fig1=0 : PRINT#4,TO pos1,header$
PRINT#4\\
       20
                        flgi = 1
       24 PRINTW4, CHR$(27);"C";CHR$(6);
                PPINT#4, a$;
                n = n+1
IF n = lnum$
                     PRINT#4, \\ TO pos2, footer$;" "; pgnum
                     pgnum = pgnum+1 t flg1 = 0
PRINT#4,CHR$(12);
       31
       32 END IF
33 END PEPeat prt_loop
       34 PRINT#4,TO pos2,footer$
35 PPINT "End of File"
            DEFine PROCedure Position_text
       Printed with this utility program. Quill's page length set to 0,
```

Functionally, a large document can be compared to an audio cassette.

available memory is to write a temporary file as a sort of scratch pad. As you move through the file for editing or whatever, Quill keeps track of your position relative to the temporary file and updates when necessary.

Functionally, a large document can be compared to an audio cassette. If you pull a length of tape from the cassette

Upper margin set to 0, footer and header to None.

## ·PSION·SOLUTIONS·

te represents the file in memory and the remainder of the tape inside the cassette is the def\_tmp file.

Maintaining the same length of free tape, as you wind the cassette in either direction the data on the free tape changes relative to either end of the remaining tape. The Quill mechanism for increasing the QL storage capacity for large documents effectively works very much in this way.

When you save a large document, Quill sorts out the memory and def\_tmp resident parts of the file and assembles it into a continuous document. If there is insufficient memory, re-loading a document causes Quill to open another def\_tmp file immediately.

Because of the structure of a def\_tmp file and since it is not a legitimate Quill document, Quill will always refuse to load, import or merge it. Once Quill

Aicrodrives (each) 5" (each) d/s disc 5" (10 of) d/s discs

SOFTWARE 87

HOW TO ORDER:

OUNTEXTSS
OUNTEXTSS
EXT 87/FOUNTED 89/FOUNTEXT 88
488 PRINTER DRIVER

close your Cheque/PO made payable to CARE Electronica ESS/VISA Allow 7 days for delivery

the free tape outside the casset- usually irrecoverable by any means other than a file editor such as the Ark Spy or The Editor and a considerable amount of manual editing.

The second problem concerns importing a \_\_lis file using M. Becket's printer driver for the 8056 which appeared in the September, 1986 issue of QL World. If a document is not include characters which Quill recognises as program commands. See the spurious character problem.

No immediate answer to the final problem, confused Microdrives, springs to mind. This correspondent says that:

"On loading a document from one cartridge in mdv1\_ then attempting to merge or and the problem would not rear its head even once. I used the three loading commands, Load, Merge and Import - the latter for a \_\_lis file of the document - for the appropriate file types, from different cartridges, all from mdv1\_ and everything worked as expected.

If I had to make a rough guess I suggest that it is possible that, in sequence, this is what may have occurred. A \_doc was loaded from cartridge one. An attempt to LOAD a \_lis file may have been made from cartridge two, upsetting the Quill balance by the attempt. The writer then attempted to LOAD another \_doc file, pushing Quill over the edge, so to speak.

I would be interested in hearing from other readers who may have experienced this problem. Please include a detailed account of the sequence of events.

### No immediate answer to the final problem, confused Microdrives, springs to mind.

printed to a file using the FX80 driver, the document can be imported into Quill. Quill will not import, load or merge a \_lis document if the 8056 driver is used.

First, the load or merge commands require a Quill-\_doc and its attendant format. Import, however, will work with any ASCII file which does

(#£ 45 00d

import another document from a different cartridge, also in mdv1\_... On returning to the original cartridge, an error report "Corrupt" is written to the header of the document. This has the effect of rendering the file inaccessible from Quill."

I tried duplicating the problem with several document dusting types, after



### (a € 14.95d (a € 19.95d (a € 14.95d (a € 34.50d QMON II Microdrive ...... QMED (Medic disc interface upgrade) OPTR Pointer Interface m/drive .... (a € 29.90d YP Type/Spell Checker (a.f. 29.90d ZITASOFT SOFTWARE by Steve Jones LOCKSMITHE copies M/DRIVE -- M/DRIVE ..... (a£ 11.50c

TONY TERBY SOFTWARE (QJUMP)

| S e 1   | AMATTER + LOCKSMITH copies M/DRIVE — DISC. (at E. The above programs are not for use in the UK. SHRIVEL memory shrink prog user definable is 128k or 192k or 1 | 6.90c                                      |
|---------|--|--|
|         | SIDEWINDER – High resolution printer driver prints full sor or perts of screens from postage stamp size to large ban Prints sideways, invert, scale, mirror, text insertion. (af£ 1' SIDEWINDER PLUS – (for expanded QL's) includes all features of above, PLUS multiple label printing, despublishing files and printer driver for 24' pin plus LC10 end. colour printers. (Please state 3.5' disc or M/D)  | 7.25c<br>  the<br> ktop<br> 3×80<br> 3 00c |
|         | MONITORS (Price including lead)  Philips BM7502 Green Hi-Res (a E Philips CM8833 Colour Med-Res (a E Philips AV7300 TV/tuner for above (a E  |  |
| 3 0 0 0 | READYMADE LEADS  RGB 2D to Phono RGB 8-6 pin DIN RGB 8-7 pin DIN (Hitachi) RGB 8-7 pin DIN (Ferguson) RGB 8 pin to SCART (Euro) 6-way PCC 25way 'D' (Printer-Ser 1)  | 7 13c<br>7 13c<br>7 13c<br>7 13c           |



he information given in the January 19, 1989 *QL World* with regard to disc drives has settled many problems before they arose. There is, as always, some further information on this subject which may interest many readers contemplating this desirable type of expansion.

Prices for disc drives, especially the bare ones, are falling all the time, as well as disc prices. To benefit from this it is necessary to be somewhat enterprising in regard to the enclosure or case. If you can bend a piece of metal it is easy or you can buy a plastic case to house the drives. A simple hole needs cutting in the front, plus a hole for the wires. A power supply can be squeezed in, especially if the transformer is housed in the wall plug.

Bare new 3.25in. drives vary from £15 for 80-track, single-sided to £50 for 80-track, double-sided. Cheaper ones, again new, are Sony drives for £5 each. The snag with them are that they have only a 24-pin connector without the information on what pin does what.

Steer clear of the 1.6MB high-density drives unless you have very detailed knowledge. They look the same, have the same connections and appear to work when plugged in. On the ones I have tried, I get FORMAT FAILED. This is due to the motor running at a higher speed with the WD 1770 chip in the interface on the QL being unable to handle the data. A few QL interfaces from one manufacturer have a different chip, so the high-density drives work correctly. You cannot swap chips as there are 28 pins on the WD 1770/1772 and 40 on the other chip.

Hard disc systems are now starting to appear both from Miracle as a plug-inand-go unit and from Rebel Electronics,

# DISCS2

### Dennis Briggs has more to add on discs, including a case.

following what others have done before, calling them fold-over boards or some similar name. Some enterprising QL owners have even built their own from Veroboard back to back and on rare occasions they work.

To cure the crashes due to fitting the long dangly bits and at the same time prevent the QL crashing, put some metal round the expansion. It is not feasible just to wrap all the electronics in baking foil as it will short everything. It is easy to spray the inside of all plastic cases with a nickel screening spray. Use a meter to check that the metal layer is continuous; then, when dry, give it a coat of lacquer.

Now the easy part. Spray the back of the board with varnish and, when dry, stick self-adhesive copper foil to cover all the tracks. If in doubt put some Fablon over the tracks and then the foil. This puts a ground plane under the board. The much-maligned but still-loved Medic board had a ground plane in the middle layer. That is where it should be.

QL hardware-based crashes can also

they have been retrieved by using DIS-CED to look for what is on the disc with a little SuperBasic plus Toolkit 2 to get it back

Lost Archive database files are much easier as I use the Quanta - free to members - program to close the file or the DP The Editor to make some sense of it. Use RU to read it in; then mark and delete the block at the top until the start of the first recognisable entry. Go to the bottom and do the same on all the ordering data. Then look at the records, find what is needed and what is rubbish then use the commands to get rid of the rubbish. Split the lines into suitable lengths, and again get Editor to take out what is not needed, such as the non-ASCII stuff. What you are aiming at is the field names, at the top in quotes, with a comma between, then each record on a separate line with a chr\$(10) at the end. If you do not understand, just export a \_\_dbf

The problem with expansions is that the QL goes from Eurocard size to unwieldy.


file to disc and read it back into Editor. Whatever you put in that format, Archive will swallow it if it has \_\_lis on the end and is IMPORTED. It can even be persuaded to accept rubbish.

Example of a file suitable to be imported into Archive:

"Fname\$", "Surname\$", "street1\$",
"street2\$", "Town\$"chr\$(10)
"Mary", "Freeman", "15 Wood Close",
"Arman's Way", "Winsop"chr\$(10)
"Fred", "Bloggs", "1 Hampton Court",
"Crab Boulevard", "Clingtown"chr\$(10)
"Jenny", "Smith", "", "", "", "", "chr\$(10)
chr\$(26)

Notice that there must be a record, even an empty one, for each field name.

One final point often overlooked is that if the Archive database file is re-ordered several times the total file length can become very large, as the ordering data is retained in the file. When you have the file in the order you wish, EXPORT it, perhaps to a RAM disc, and then import it back in. The order will be exactly the same as the original but the ordering data is removed, thus shortening the file.



A 3.5in. disc drive case.

as either a complete unit or parts. There are also a very few of the old CST hard disc interfaces, most of which have had minor or major surgery for one reason or another.

The main problem with all these expansions is that the QL goes from Eurocard size to something which is long and unwieldy. To overcome the problem, Rebel has introduced a backplane card

be reduced to nil by using HCT logic chips in the QL instead of the LS variety, putting a 4.7uF tantalum capacitor on every fourth QL RAM chip and connecting the ground of the 68008 CPU to the ground of the 8301 with a 0.1uF capacitor. An improved power supply then makes the QL rock solid.

I have lost files from disc and cartridge and also lost Archive files. In all cases

# PAPERWORK takes a Quantum Leap

Graeme Young lets Archive take the strain of his business expenses and weekly office paperwork.

riday is paperwork day. I am a technical liaison officer for a major television manufacturer and travel a large part of eastern England from the Humber to the Orwell. At the end of each week and at certain times throughout the month my company expects returns which reflect my activity for the preceding period - expense claims, engineering reports, spares requisitions, itinerary, holiday forms and so on. Much of the stationery consists of forms which require filling in at the designated spaces by the sender and memos and headed letter paper. Some of the small administrative forms are usually produced on a duplicator which I have mimicked so that blank paper is all I need

In the days before the QL took over I fought a lonely battle with an office-size typewriter and a large bottle of correction fluid. Even in my novice days with the QL I used Quill for everything and totalled my expenses in my head, always getting them wrong. It was not long before I decided the computer should take the strain. Afficionados of the QL, from whom I sought advice, all agreed that Archive would be much more suitable for my work and so I burned some midnight oil, pestered fellow Quanta members, and eventually produced some very workable programs in Archive to retrieve, store and print information.

### **Daisywheel**

The printer I use is a Triumph-Adler TRD7020 daisywheel type which gives excellent clarity. I delved into the printer driver program and got it to print characters such as  $\Omega$ , »fR and  $\mu$ , which are essenti in my engineering reports. I also had the computer hold my expenses, much to the relief of the accounts department.

The QL is a JM ROM type with Trump Card, twin 3.5in. disc drives and a Prism QL14 colour monitor, though I started, like everyone else, with a bare 128K and the Microdrives. The real-time clock circuit is modified to take battery back-up. This is 99 percent successful and goes awry only if the computer hangs up for some reason. The entire system is mounted on a workbench from MFI; cables are tidied along the back of the bench.



The system - QL, Trump Card, twin drives, printer, monitor.

The printer is mounted on a small platform made of Contiboard to allow cables to pass underneath to the QL. Another platform raises the monitor slightly and permits reference books, papers and notebooks to occupy the bench-top underneath, where they are tidy yet still handy. I have set the monitor to one side, on my right, as I find neckache and eyestrain are less with it in this position. Power units for the computer and disc drives are tucked in the kneehole.

The QL was notorious for hang-ups because of the heat and other problems in the 5V regulator. One obvious answer is to provide a larger heatsink for the device and to that end I have fabricated a heatsink from some aluminium channelling. It runs the whole length of the computer beneath the rear edge and replaces the feet used to tilt the keyboard. I also found that the regulator was not fitted with by-pass capacitors and they have been added to suppress any tendency to oscillate.

When I added a Trump Card I found the regulator on that was not provided with a very efficient means of conducting the heat generated. To overcome the occasional hang-up when first used for lengthy periods I made a bottom cover for the Trump Card module which doubled as a heatsink for the regulator IC. The regulator was re-positioned underneath the printed board so that its metal spine could make intimate contact with the heatsink/

bottom cover. A coat of matt black paint improves the radiation efficiency and therefore helps to dissipate heat and the finish matches the rest of the Trump Card module.

### **Trump Card**

Recently I learned that there is a modification for Trump Card which is successful in eliminating hang-ups and I shall be installing it as well. According to Miracle Systems, the eight 560-ohm resistors, mounted in a row alongside an integrated circuit in the top right-hand area of the TC circuit board, should be lowered in value to 330-ohms each. This can be done by bridging each 560-ohm resistor with an 820-ohm, if you do not fancy de-soldering the very fine tracks.

Finally I re-designed the power supply. The original Sinclair unit is probably not totally adequate once Trump Card is installed—it runs very hot. For about £20 and in a few hours I made a unit which is well-regulated, runs very cool and has eliminated hang-ups due to power supply problems.

With the hardware operating satisfactory I began to change many of the files from Quill 2.3 to Archive 2.3. Monthly expenses seemed to benefit the most from the transfer and had the added attraction of being stored on disc in a form readily exportable to Easel and Abacus for some fancy processing if required. Most of the other conversions to Archive followed

```
"MONPRINT"
proc comment
print "SET PRINTER LINE SPACING TO 1/8TH INCH - DIL PIN 7 UP."
print "Enter month (1 to 12) for expenses: ";: input mon
select month=mon
print
print "Comment 1: ":: input Comment1$
print "Comment 2: ":: input Comment2$
print "Comment 3: ";: input Comment3$
print "Comment 4: ";: input Comment4$
print "Comment 5: ";: input Comment5$
print "Comment 6: ";: input Comment6$
print "Comment 7: ";: input Comment7$
print "Comment 8: ";: input Comment8$
endproc
proc form
cls
comment
title
init
all
item
endal1
hardco
display
endproc
proc hardco
let gap=18-(count()*2)
space: gap
let Gtot=Htot+TPtot+Etot+Ttot+Ptot+Stot+Mtot
let Gtot$=str(Gtot,0,2
let Htot$=str(Htot,0,2
let TPtot$=str(TPtot,0,2)
let Etot$=str(Etot,0,2)
let Ttot$=str(Ttot,0,2)
let Ptot$=str(Ptot,0,2)
let Stot$=str(Stot,0,2
let Mtot$=str(Mtot,0,2
lprint tab (46-L);Htot$; tab (67-L);Etot$; tab (78-L);TPtot$; tab
(89-L); Ttot$; tab (101-L); Ptot$; tab (111-L); Stot$; tab (122-L);
Mtot$; tab (133-L);Gtot$ space;10
lprint tab 5;"#1: ";Comment1$
lprint tab 5;"#2: ";Comment2$
lprint tab 5;"#3: ";Comment3$
lprint tab 5; "#4: "; Comment4$
lprint tab 5; "#5: "; Comment5$
lprint tab 5; "#6: "; Comment6$
lprint tab 5; "#7: "; Comment7$
lprint tab 5; "#8: "; Comment8$
endproc
let Htot=0
let Etot=0
let TPtot=0
let Ttot=0
let Ptot=0
let Stot=0
let Mtot=0
let Gtot=U
endoroc
lprint tab 4;date$;
Iprint tab 14; detail$;
let L=len(Amount$): let Amount=val(Amount$)
if Type$="H": let Htot=Htot+Amount: lprint tab (46-L);Amount$;
if Type$="E": let Etot=Etot+Amount: lprint tab (67-L); Amount$;
endif
if Type$="TP": let TPtot=TPtot+Amount: lprint tab (78-L); Amount$;
endif
if$Type$="T": let Ttot=Ttot+Amount: lprint tab (89-L);Amount$;
```

if Type\$="P": let Ptot=Ptot+Amount: lprint tab (101-L);Amount\$;

rapidly. Now the only files in Quill are my memos and company letters.

Fourteen database files resulted from the changeover and each has an attendant program. They are listed in a loose-leaf notebook for quick reference and show at a glance the file name, field names, program name and the procedures. Some of the procedures are used throughout the programs, such as 'sp' which does a line

feed. The notebook is vital my memory is not good.

Two of the programs work particularly well. Monthly expenses, which has the file name "monthex", and its attendant set of programs called "monprint", and "hotel" which was originally a database of hotels in which I could stay in my territory and which had conference facilities. The latter has

now grown into a large file with a set of programs for printing reservation confirmations for company and private use and the hotel address on an adhesive label or directly on the envelope. All addresses for printing on to labels and envelopes I have standardised to start at Tab 40.

Monthly expenses are submitted on a pre-printed form which has windows for name, number, department and columns and rows of boxes for the individual expense items. The layout is such that the bottom right-hand box contains the final amount which is the sum of the figures in the column above it and the row to the left of it. Each expense is entered into a record starting with the month — 1 to 12 — then the date of the expense, followed by brief details, the expense category, and the amount in decimal. When this is complete, the direct command <form is entered and this brings up a screen which asks for up to eight comments to be printed in the box provided on the expense sheet. It begins by asking for the number of the month, then the comments. When this is complete the printer starts. A warning is printed reminding me to set the printer to 1/8 in. line spacing.

With Hotels\_dbf a similar thing is done. The hotel name, address, telephone number, and star rating is entered along with short comments about accommodation, food, cost of stay and what lecture/conference facilities there are. The program "hotprint" contains procedures for printing a confirmation of a company booking or a private one and for label/envelope printing. Programs one and two show the program listings and the fieldnames for the relevant database records.


For memos and letters I use Quill, which I find most acceptable now that I

endif

run it with the DP Lightning. A template for each is stored on the disc containing the \_\_docs. Printer\_\_dat is copied to raml during boot-up; the Quill version used is configured specially for this and the saving in wear and tear on the drives is considerable. It is also faster. Once the memo or letter is written it is saved on to drive 2. The words of the prompt, "save flp2\_memo\_\_doc" are altered by adding a serial number after 'memo', so that it now reads "save flp2\_memo45\_\_doc". The same thing is done with letters and I keep a register of memo and letter numbers against their subject matter.

The TRD7020 printer will do graphics, though not from Easel, and the following program can be used to dump a screen, though I prefer now to use my old Serial 8056 which I keep connected and installed in the bottom drawer of the workbench. The Triumph-Adler will take about 20 minutes to complete a screen-dump, whereas the 8056 does the job in about three minutes. This process is very hard on the ribbon as it uses the full-stop character. When I used the daisywheel for produc-

```
if Type$="S": let Stot=Stot+Amount: lprint taf$(111-L);Amount$;
endif
if Type$="M": let Mtot=Mtot+Amount: lprint tab (122-L);Amount$;
endif
lprint tab (133-L);Amount$
endproc
proc sp
textpr;""
endproc
proc space;y
let z=0
while z<y
let z=z+1
endwhile
endproc
proc textpr;a$
lprint as
endproc
proc title
lprint tab 53; "G.M. YOUNG."; tab 80; "TECHNICAL"
space:2
lprint tab 53; "200134"; tab 80; "3348"; tab 110; date(1)
space;4
endproc
```



ing graphics I remove the ribbon and use a sheet of non-smear carbon such as Silk Finish or NCR Ulti-max in front of the blank sheet. The printing process virtually destroys the carbon paper but one sheet of it is very much cheaper than a new ribbon. The procedure was first published by D. O. Nevill in *Popular Computing Weekly* for November 6-12, 1986; it assumes the use of a serial to parallel interface at 9,600 baud.

```
100 REMark *** SCREEN
DUMP ***
110 REMark *** QL to TRD7020
Printer ***
120 DEFine PROCedure Dump
Screen
```

```
130 LOCal r$,b$,1l,r,c,w,b,z:BAUD

9600: OPEN #3, ser1

140 r$=CHR$(27)&CHR$(51):b$=

":1=131070

150 FOR r=0 TO 255

160 PRINT #3,r$;CHR$(10);

170 FOR c=0 TO 127 STEP 2

180 1=1+2:w=PEEK(1)

190 IF w=0 THEN

200 PRINT #3,r$;b$;

210 ELSE
```

```
LISTING 2.
proc comcon
cls
print : "CONFIRMATION OF HOTEL BOOKING (COMPANY)"
print "
print ; "Date of Arrival?
                                 : ": input Arr$
: ": input Dep$
print ; "Date of Departure?
                                 : ": input Acc$
print ; "Requirements?
 lprint tab 11; Name$
lprint tab 11;Add1$
lprint tab 11;Add2$
lprint tab 11; Add3$
1print tab 11;Pcode$
space;1
lprint tab 63;date(1)
space; 4
lprint tab 11; "Dear Sirs,"
space; 1
lprint tab 11; "I have pleasure in confirming my recent reservation as
follows:-"
space;1
lprint tab 20; "Mr G.M. Young. Idiot's Lantern Limited."
lprint tab 20; "Date of Arrival : ";Arr$ lprint tab 20; "Date of Departure : ";Dep$
Iprint tab 20; "Type of Accommodation: ": Acc$
space;1
lprint tab 11; "For information, I am a Non-Smoker."
lprint tab 11; "I will be settling my account by ACCESS card, and in
looking|forward"
lprint tab 11; "to my stay with you, I am"
space;2
Iprint tab 11; "Yours Faithfully,"
space:4
lprint tab 11;"...."

lprint tab 19;"G.M.Young."
Iprint tab 11; "Technical Liaison Officer."
display
endproc
proc con
cls
print; "HOTEL BOOKING CONFIRMATION"
print ;"===
print ;"Date of Arrival? : ": input Arr$
print ;"Date of Departure? : ": input Dep$
print ; "Requirements? : ": input Acc$
lprint tab 15;Name$; tab 74;"35, Fishbone Road,"
lprint tab 15;Add1$; tab 74;"Haddockshead,"
lprint tab 15;Add2$; tab 74;"Nibblingham,"
lprint tab 15; Add3$; tab 78; "NB19 5ZE."
Iprint tab 20; Pcode$
space;3
lprint tab 74;date(1)
space;2
Iprint tab 15; "Dear Sirs,"
space: 1
lprint tab 15; "I have pleasure in confirming our recent reservation as
follows:-
space:1
lprint tab 20;"Mr and Mrs G.M.Young."
lprint tab 20;"-----
lprint tab 20; "Date of Arrival
                                         :";Arr$
lprint tab 20;"Date of Departure :";Dep$
lprint tab 20;"Type of Accommodation :";Acc$
space; 1
Iprint tab 15; "For information, my Wife and I are non-smokers."
Iprint tab 15; "I will be settling our account by ACCESS card. In looking
forward to
lprint tab 15; "our stay with you, I am,"
space:2
Iprint tab 15; "Yours Faithfully,"
space:5
lprint tab 15;"....."
lprint tab 21; "G.M. Young."
endproc
-----
```

For normal everyday correspondence I use a multi-strike fabric ribbon which has a long life, good clarity, and can be reinked. If I know a document will be photocopied for distribution I put in the carbon ribbon; the quality of print from this is superlative and it photocopies very well. With output from my other printers, the Series 8056 and the Brother EP44, on thermal paper I take the precaution of photocopying anything I want to keep.

Thermal print fades in the light, so originals are always kept in the dark. Clear plastic document wallets also react with thermal and photocopy paper, so that I never use them unless the top page is covered by a blank sheet of copy paper. Easel will print only to the Serial 8056; the printer driver program is in listing three.

With Trump Card installed, and Task-master plus Lightning running, paperwork truly has made a quantum leap. I find Lightning an amazing utiity which has completely removed any need I once felt for something better than Quill. The increase in speed and the ability to swap from one task to another, or into Super-Basic, is unimaginably handy. I have one caveat; I never invoke the Trump Card toolkit as I find it makes the system prone to crashes, particularly from inadvertent keyboard errors.

#### **Toolkit**


It could be argued that TK2 is not strictly necessary when running the Psion suite. The toolkit comes into its own when running the Psion suite. The toolkit comes into its own when the QL is engaged on other work unconnected with the weekly returns and the Psion four. It can always be called from Basic if one fancies living dangerously, but close all open files first. The occasional hang-up persists, usually associated with cursor movements or the Quill command F3 P and so on. I treat cursors and print commands with respect.

Frequently I work away from easy reach of home and stay in one of the hotels I have booked via the Archive program "hotprint". For those occasions I have fitted a JS QL into a briefcase. Also included in the case are a modified power supply, a small desk lamp and a four-way mains 13A socket block. I carry a 12in. monochrome TV, converted for monitor use, separately. At present I am using the Microdrives on this portable machine; they are surprisingly reliable provided they are kept clean and otherwise left well alone. The JS has the same regulator modifications as the JM and uses a modified QL UK2000 power unit. This machine is unexpanded but is adequate for most purposes and I intend to try Taskforce sooner or later.

The briefcase QL provides a useful portable office and it keeps down the hotel bar bills as well. As soon as my finances have recovered from the purchase of Trump Card I shall add disc drives and a little more memory to the outfit as there is

ï


```
proc Hotadd
lprint tab 40; Name$
Iprint tab 40; Add1$
1print tab 40;Add2$
1print tab 40;Add3$
1print tab 45;Pcode$
endproc
proc info
lprint tab 40; Name$;"
                         ";Star$
lprint tab 40; Add1$
lprint tab 40; Add2$
1print tab 40;Add3$
1print tab 40;Pcode$
lorint
Iprint tab 40: "Phone: "; Phone$
endproc
proc Sp
textpr;""
endproc
proc space; y
let z=0
while z<y
let z=z+1
endwhile
endproc
proc textpr;A$
Iprint A$
endproc
```



Above and below: a printout using carbon paper instead of ribbon.

plenty of room in the case. Until then, work done on this machine is transferred to disc when my home office is reached and any printing done where necessary.

I have a Brother EP44 thermal typewriter/printer which can be used with either QL. The supply of thermal paper for this and the Serial 8056 was beginning to dry up but the advent of fax machines has reversed the trend and now provides a plentiful supply of cheap thermal paper in



rolls. For high-quality printing the Brother paper in rolls or cut sheet is still the best, however, and I buy it whenever I see it on sale.

The EP44 will print on smooth plain paper using a thermal transfer ribbon costing about £2.75. The quality of the print is excellent but the ribbon does not last very long and not much use is made of this feature. It is only a pity that the EP44 will not do graphics, or so I am told. Does anyone know better?

### With a smile

Fridays pass with a smile now, the drudgery of the old tyrannical typewriter transformed by the QL into speedy, efficient and pleasurable moments at the keyboard. Gone are the ranks of box files disfiguring my bookshelves and the reams of paper sometimes never disturbed twice. A year's work goes on three discs; another three are for back-up, kept in a neat Perspex box in the workbench. Here are two QLs earning their keep and giving great satisfaction, inasmuch as they do an excellent, accurate job quickly. Henceforth, fountain pens are only for signatures and paper is for feeding into printers.

#### Listing 3.

-------

100 COPY MOV1 GPRINT PRT TO MOV1\_FX80\_PRT

110 A=RESPR(512)

120 LBYTES MDV1\_GPRINT\_PRT,A

130 DELETE MOV1 GPRINT\_PRT

140 POKE\_W A+400,6960

150 POKE W A+402,0

160 POKE W A+404,6987

170 POKE W A+406,57345

180 POKE A+181,50

190 POKE\_W A+474,33280

200 POKE\_W A+496,7

210 POKE\_W A+500,5

220 SBYTES MDV1 GPRINT PRT,A,512

It is necessary either to start up Easel with the command BAUD 1200:LRUN MDV1\_BOOT, or to incorporate the Baud 1,200 into the existing BOOT program. If you have two printers with differing baud rates and use Taskmaster, omit the lesser-used BAUD command. It can be inserted when the need arises by slipping into SuperBasic for a few seconds, typing "BAUD 1200" and returning to the current program. Remember to restore the commonly-used baud rate when you finish that task and proceed to another.

### Version 2.00 STATE OF THE ART IN QL SOFTWARE

text<sup>87</sup> Advanced word processor with multiple screen founts. Many text-mode printer drivers are supplied with the program.

State-of-the-art graphic printer driver for text" Now supports many non-Epson printers as well as Epsons and compatibles. fountext is supplied with 32 high-quality founts in different styles and sizes up to 72 pixels high. Full WYSIWYG. Dedicated 24-pin version is supplied at no extra cost.

New version Graphics editor for text" and fountext. Allows you to create founts up to 84×96 pixels. Captured screen images can be loaded to produce picture founts for use within documents.

2488 State-of-the-art dedicated text-mode printer drivers for Epson, NEC and Star 24-pin printers and compatibles. The drivers support multiple typefaces, proportional spacing, double-height and doubltwidth modes.

typeset<sup>89</sup> State-of-the-art dedicated text-mode printer drivers for high-resolution printers. typeset" - I for Epson GQ 3500 laser printer and typeset" - II for the Canon BJ 130 bubble-jet printer support all the printers resident founts including proportional spacing in different sizes.

text" requires memory expansion (as little as 64K will do). fountext" and founted" require at least 128K expansion.

See the reviews in QL World (April) or Quanta (March, May). Send for our free comprehensive lealfet if you need more information.

An independent telephone support service including an excellent stepby-step tutorial disk is now available. Contact Mr Terry Harman on 0604 842875 for details and the charges.

Software and manuals are available in English, French and

German

£45 founted" £15 fountext"

Complete edition: text\*\* + fountext\*\* + founted\*\*
typeset\*\* I and II £25 each 2488 680 £15

German version:

add£4 to the total

£25

Upgrades:

text<sup>or</sup> from version 1.xx to 2.00 costs £15. founted<sup>or</sup> from the original to the new version costs £3. Please send manual and disk.

Other software:

New version of Qtyp (including Hotkey System 2 multitasking and key-definition software) can check the spelling of complete text<sup>10</sup> files at the rate of 200 words per second!

Taskmaster Spellbound £29

Qtyp £19 Qpac

Prices are inclusive of airmail worldwide. Payable by cheque, Postal Order, Eurocheque or credit card. Please specify language, cartridge or disk system (3½" and 5½" disks, single or double sided, 80 or 40 track, can be supplied).

Send your order to Software", 33 Savernake Road, London NW3 2JU,

Credit card orders by telephone and personal callers are welcome by Care Electronics, Tel 0923 672102.

Software87 33 Savernake Road London NW3 2JU

QL Users And Tinkerers Association® Independent QL /ThorUsers Group

For a limited period QUANTA is offering TANDATA modems at special rates to members. If you aren't a member, why not join? It's still cheaper than any other modem! Membership is £14 per year UK, £17 overseas.

> £20 OMOD+OCONNECT for only OMOD+QCONNECT+QCALL Please add £2.50 post & packing.

No, these are not misprints. As a further bonus we are shipping these modems with the excellent Qualsoft software courtesy of TF Services.

QUANTA, 15 Grosvenor Crescent, Grimsby South Humberside, DN32 0QJ. Tel 0472 49850

### EEC LTD SUPPLIERS OF Sinclair QL COMPUTERS QLs FROM £65, NEW PRICE LIST

BACKUP QL. JM ROM.

THE QL ONLY. ASSEMBLED & TESTED not S/H.

KEEP IT AS INSURANCE, OR FOR NETWORKING.

CHEAPER THAN CHANGING TO ANOTHER SYSTEM.

BACKUP QL JS ROM. AS ABOVE.

£65 £80

QLe COMPLETE. FULLY TESTED AND WITH 3 HONTHS WARRANTY.
QL JM ROM. TV LEAD. QL SOFTWARE 2.35. ALSO COMPLETE BOUND
USER GUIDE FOR THE QL, SUPERBASIC, & THE SOFTWARE;
QUILL- WORD PROCESSOR, ABACUS- SPREAD SHEET,
ARCHIVE- FOR RECORDS, EASEL- BUSINESS GRAPHICS.

£120 £135

QL JS ROM. AS ABOVE.

SPARES & ACCESSORIES WHEN AVAILABLE.
QL SOFTWARE 2.35 & 15 (or UPGRADE. SEND PACK/DISK, S.A.E., & 85.)
COMPLETE BOUND USER GUIDE & 135 QL POWER SUPPLY UNIT & 822
HICRODRIVE UNITS & 820 JM ROHS IN
WORKING P/C BOARDS JM £45 JOYSTICKS & 113
QL ICS Ask CENTRONICS INTERFACE \$24

LOW COST PRINTERS. COMPLETE WITH INSTALLATION
INSTRUCTIONS FOR QUILL. ABACUS, & ARCHIVE

SEIKOSHA GP100A. CENTRONICS. 80 COL, 50 CPS. GRAPHICS. TRACTOR FEED. ESPECIALLY SUITABLE AS A SECOND PRINTER FOR LISTING, & PRINTOUTS.

180

SEIKOSHA GPZSOX.

CENTRONICS OR RS232. 80 COL, 80 CPS. 116
CHARACTERS. 64 USER DEFINED CHARS. GRAPHICS.
TRACTOR FEED. PRINTS- STANDARD, EXPANDED,
DUBLE HEIGHT, & EXPANDED WITH DOUBLE HEIGHT,
LARGE TYPE IS GOOD FOR HEADINGS, LABELS, Etc.

190

QL SOFTWARE CLEARANCE

CASH TRADER. DECISION HAKER.

HOME FINANCE. ENTREPRENEUR. MACRO ASSEMBLER.

£18 ea

TOUCH & GO (Typing Tutor). REVERSI. QL GAMES CARTRIDGE.

£9 ea

TERMS CWO, ACCESS OF VISA.

MINIMUM ORDER 19. P & P & 6.00 FOR PRINTERS & QL,

OTHER ITEMS 53.00. OVERSEAS ENQUIRE.

FAX No: 0753-887149

EEC LTD

18-21 MISBOURNE HOUSE, CHILTERN HILL, CHALFONT ST PETER, BUCKS, SL9 9UE. Tel: 0753 688666.

## ARCHIVE REVEALED

Dennis Briggs
unveils extra
features and
graphics characters
hidden inside.

idden in the depths of Archive are some 30 extra features plus another 10 graphics characters along with the familiar ASCII character set. All are accessible by printing a special character code to the screeen and while it would be reasonable to PRINT chr(65) instead of PRINT "A" it is essential that this approach be made if all the facilities are to be utilised.


When chr\$(12) is sent by SuperBasic to a device such as a printer, the printer will look in its ROM and respond to the instruction by driving the stepper motor an exact number of steps. The motor then turns the platen roller the precise distance of a sheet of paper, thus presenting a fresh sheet or a form feed. In the same way other characters sent to the printer make the printer behave in specific ways.

### Screen prints

Printing to the QL screen is somewhat similar, except that chr\$ below 31 and above 128 will print a splodge, as they are not interpreted by the QL ROM. To reproduce the form feed on-screen, 22 empty print statements in Basic move the screen 'paper' up 22 lines to give a new sheet of 'screen paper' or CLS does it by a machine code routine in the ROM. It needs 66 empty 'PRINTs to the printer channel to move up the real paper by 66

|                | Archive Screen Driver Codes |               |
|----------------|-----------------------------|---------------|
| Driver code 0  | No action                   | Parameters: 0 |
| Driver code 1  | Set ink colour              | Parameters: 1 |
| Driver code 2  | Set paper colour            | Parameters: 1 |
| Driver code 3  | No action                   |               |
| Driver code 4  | Repeat characters           | Parameters: 2 |
| Driver code 5  | Underline                   | Parameters: 0 |
| Driver code 6  | Cursor right                | Parameters: 0 |
| Driver code 7  | No action                   |               |
| Driver code 8  | Cursor left                 | Parameters: 0 |
| Driver code 9  | Tab                         | Parameters: 1 |
| Driver code 10 | Line feed                   | Parameters: 0 |
| Driver code 11 | Cursor up                   | Parameters: 0 |
| Driver code 12 | Form feed                   | Parameters: 0 |
| Driver code 13 | Carriage return             | Parameters: 0 |
| Driver code 14 | Cursor on                   | Parameters: 0 |
| Driver code 15 | Cursor off                  | Parameters: 0 |
| Driver code 16 | No action                   |               |
| Driver code 17 | No action                   |               |
| Driver code 18 | Character plot type         | Parameters: 1 |
| Driver code 19 | Delete character            | Parameters: 0 |
| Driver code 20 | Define window               | Parameters: 4 |
| Driver code 21 | Scroll screen up            | Parameters: 1 |
| Driver code 22 | Scroll screen down          | Parameters: 1 |
| Driver code 23 | Scoll left                  | Parameters: 1 |
| Driver code 24 | Scroll right                | Parameters: 1 |
| Driver code 25 | Set boundary type           | Parameters: 1 |
| Driver code 26 | Swap paper/ink colour       | Parameters: 0 |
| Driver code 27 | ESCape sequences 'A' to 'H' | Parameters: 1 |
| Driver code 28 | CR+LF                       | Parameters: 0 |
| Driver code 29 | Pass through                | Parameters: 1 |
| Driver code 30 | Home cursor                 | Parameters: 0 |
| Driver code 31 | Position cursor             | Parameters: 2 |
|                |                             |               |





steps to the next clean sheet. Archive acts in a different way from Basic as characters below 31 are interpreted as special screen driver codes which may befound by trial and error. Many of the codes produce an error message "i/o failed" which has both puzzled and deterred many users from taking advantage of the Archive in-built screen handling. The only authorative book I have found is the manual for *Xchange* running on an IBM PC or clone. None of the QL Archive books covers the screen drivers or the later versions of Archive.

### Screen matrix

The Archive screen in mode 0,8 consists of a matrix 80 wide by 24 down. To address this matrix it is possible to use the screen driver of Archive and utilise these special effects to the full. If you tried it and have obtained what appears to be an error by sending chr(9), the only error is that you told Archieve to do something without supplying the parameters for it to function correctly.

Great stress is laid on this aspect of programming when SuperBasic FUNctions are discussed, with it being emphasied that FUNctions usually need parameters. Archive character codes are no different in that those below 31 need, in most instances, one or more parameters, as in general terms they mimic some SuperBasic functions. CLS is the same in SuperBasic as CLS in Archive but it appears that WINDOW, width, depth, start point down, start point across is absent from Archive. Notice that "WIN-DOW" in SuperBasic must have all four parameters supplied for it to function without returning an error message, exactly as chr(20) in Archive must have the four parameters supplied. In this windowning example the equivalent are:

| SuperBasic       | Archive            |
|------------------|--------------------|
| 10 WINDOW 1,512, | PRINT chr(20)+chr  |
| 256,0,0,         | (0)+chr(0)+chr(80) |
|                  | +chr(22)           |

It looks cumbersome but it needs typingin only once in a procedure such as: proc windo1

print chr(20)+chr(10)+chr(2)+chr(60) +chr(18)

print chr(2)+chr(4): rem Sets paper to green cls

Notice that chr(20) has to be sent first and all the four parameters relating to the four top left start points as well as width and depth for it to be successful. As further examples, chr(5) toggles underline on and off, therefore no parameters are needed, while chr(2) sets the paper colour provided the single paper colour parameter is supplied.

If a high-numbered — above 224 — character is sent to the screen in Archive It may draw the corner of a box, as there are box drawing characters at those locations. The same character spooled to the

#### Machine code interface

Machine code modules can be incorporated into ARCHRTM to speed slow parts of the coding by means of the additional usr() function and a use qualifier to the LOAD command. The code must be re-locatable and in addition the file must contain a six-byte header with the following format. Bytes 0 to 3 must contain "pmc0" with bytes 4 and 5 being a word giving the length of the following code.

|        |        | ample                                   |
|--------|--------|---|
|        | dc.b   | 'pmc0'                                  |
|        | dc.w   | last-first                              |
| first  |        |   |
|        | lea    | sound(pc), a3                           |
|        | move.b | d0, note-sound (a3)                     |
|        | moveq  | £\$11,a0                                |
|        | trap£1 | . , , , , , , , , , , , , , , , , , , , |
|        | rts    |   |
| sound  | 110    |   |
| 000110 | dc.b   | \$a.8                                   |
|        | dc.1   | %1010101010101010                       |
| note   | 30.1   | 701010101010101010                      |
|        | dc.b   | 160,0                                   |
|        | dc.w   | 0, 1000                                 |
|        | dc.b   | 0,0,3                                   |
| ast    | GC.5   | 0,0,0                                   |
| ast    | end    |   |

|         |          |         | Archiv   | e functions |        |           |          |
|---------|----------|---------|----------|-------------|--------|-----------|----------|
| count   | eof      | memory  | ermum    | recnum      | numfld | fieldv    | fieldt   |
| fieldn  | value    | num     | dec      | gen         | found  | upper     | lower    |
| inkey   | getkey   | usr     | let      | rem         | all    | endall    | if       |
| while   | endwhile | else    | endif    | import      | export | print     | Ipnnt    |
| spoolon | spooloff | input   | mode     | cls         | proc   | endproc   | return   |
| local   | error    | stop    | new      | quit        | use    | open      | look     |
| create  | close    | update  | first    | last        | next   | back      | position |
| locate  | find     | search  | continue | order       | alter  | select    | reset    |
| append  | delete   | display | insert   | Ilist       | edit   | save      | load     |
| merge   | run      | sedrt   | sload    | ssave       | screen | sprint    | sinput   |
| trace   | dır      | format  | kıll     | dump        | backup | endcreate | as       |
| ogical  | quili    | tab     | at       | ink         | paper  | object    | protect  |
| usr     |          |         |          |             |        |           |          |

printer by Archive will not draw the box corner and may do nothing or something which appears to be stupid, such as printing in italic. It is not stupid, as the printer is just doing what you told it to do.

On an Epson printer the same box drawing facilities are available as those produced on-screen by the high number characters in Archive but the printer needs several instructions for them to be interpreted correctly. First it must be set to graphics mode with ESC, 'm',6; then the correct code, e.g., 136, sent to make it print a box corner.

#### Printer driver

There is no problem if the printer driver translates are installed correctly in printer—dat or some other method of driving the printer is used. In my opinion it is worth the effort, as it gives a professional-looking form on the screen and as on paper.


The difference between Archive \_\_prg files and \_\_pro files is that the \_\_pro files are TOKENISED, as against the \_\_prg files being virtual ASCII. Neither type of

file is machine code, as they are both interpreted at run time but there is a facility for incorporating machine code modules to speed some of the slower parts.

#### RTM

This brings us to the Run Time module, RTM, which is supposed to need Archdev to program it. It does not. Later versions of Archive are successful, as is Archive running under Xchange. Much of this is unnecessary if a text editor is used and even Quill can be used to type-in the text then EXPORT to it Archive. Remember it is only a straightforward text file, as is a SuperBasic program file. With this premise it then follows that recovery of a still-open Archive \_\_dbf file is a job for a reasonable text editor. Chas Dillon's Editor is excellent for tackling this type of problem and both it in all its versions and Spy make the job easy.

A brief run-down of the Archive control codes follows but as the whole explanation occupies some 12 very full pages it is not possible to reproduce every detail.





impressed everyone who saw it. "A polished entry of classical which shows off the potential of the QL, this is it." The program feel and quality," said the judges. As the head rotates needs 512K of extra memory to run. So the QL can still smoothly, the shading changes to reflect the light source, turn heads...

The Animated Head by Mark Swift of Blackley, Manchester achieving a remarkable solidity of image. If there is a graphic

### **QL ARTIST OF THE YEAR 1988**

At last we can reveal the results - and the varied and beautiful output of the QL World Artist of the Year 1988 Competition.

After much deliberation Magnetic Media finalists made several postal journeys around the country - the judges decided that the graphic display which best represents the QL is The Animated Head by Mark Swift. He wins a Phillips CM8833 colour stereo monitor, supplied by Sector

The runner-up, Mark Knight, will be offered a choice of Sector software. The standard of entry was very high, and we look forward to running another art competition in the future.



Internal Traffic by Mark Knight of London was praised for its effective use of moving figures, humour and careful programming. "This man has put a great


deal of work into making the whole scene, and impresses with his skills," say the judges. The program uses a DIY Toolkit routine, Turbo and needs 640K.



Plant Life by C. Bate from St. Helens, Lancashire builds ingenious trailing plants using fractals. The "flower arrangement" that grows is a little different each time the program runs.



"The maths he used must have been a headache, and the program, though slow, is fascinating to watch," said the judge. It is also pretty.



Porche 939 by Amprikidis Hardlampos of Drama, Greece has been copied painstakingly from a magazine photograph using a hand-drawn transparent overlay and a black and white monitor. The result is a tribute to sharp eyes and patience.



Tacot/Music/Holidays by Saby Chrystiane of Clermont Ferrand, France was commended for blending careful artwork with a computer environment. It uses Eye-Q and GraphicQL, with a simple SuperBasic 'flipper' to present one screen after the other.



Sinclair QL by S. Usher of Helston, Cornwall, used a fast-moving series of road signs, Mandelbrot patterns and slogans to praise the QL; one or two slogans were felt to be a little risky but the presentation is provocative and effective.



Butterfly by P. Harris of Llangynog, Carmaerthen, is an attractive static picture designed in low-resolution mode with Eye-Q, with a very thoughtful use of a few colours, closely inspired by, but not copied slavishly from, nature.

# YOU CANNOT

hese comments are orientated towards use of *The Editor* (Special Edition) for word-processing. The program did not start out designed for this job but development in the course of a year or so made it into more than just an alternative to Quill. It was much faster, had a wider range of commands, and it could be used, when the occasion demanded, for manipulating program files, something Quill was unfitted to do.

As it has probably reached the end of its development cycle, it makes more sense to adapt one's ways of using it to extract the best effects, rather than to bombard Digital Precision with suggestions for improvements – much as I would still like to see certain changes made.

EDT\_CONFIG\_BIN. This routine sets the basic operating parameters for the program. As you cannot run it from within Editor, the settings have to be considered as relatively permanent, so they need to be suitable for most of your usage. Temporary changes, however, can be made to many parameters by using the BOOT\_CMD file and/or the RC command; there is no need to feel obliged to stick with the configured settings for everything you do.

### Right margin

An example of a desirable permanent setting is a right margin of 256, the maximum. This allows handling of programming files without undesirable wordwrapping based on a margin set for document work. It is easy to go beyond the right edge of the screen when writing lines of SuperBasic code and they will not perform too well if they are saved with numbered lines separated by the tailends of other lines.

You can set the right margin at whatever is suitable for your text processing -83 utilises the full screen width - and then reset it during operation whenever necessary, using the "SR xxx" command. If you produce spreadsheet-like files, for printing in condensed typeface you might find the default setting for Horizontal Pan Percentage unsuitable; try 55 percent as a start-point. When Editor shares the QL with other programs, the cursor can become sluggish and setting Cursor Speed to 1 is desirable; if extra speed is needed only occasionally, set it via the BOOT\_CMD or other command file. On the subject of that file, you can change the file name for which Editor looks when

Every rule book has another set of rules which are not so easy to find. This month Bryan Davies looks at word processing commands for The Editor (Special Edition) and gets the most from them.

starting, using the Name of Boot Command File option.

It may be just an oddity of mine but I dislike the default characters used as Word Delimiters for Cursor Movement and have changed the setting to Space only; as you cannot get the routine to accept a space on its own you have to put in another character in addition, preferably one which is unlikely to occur in a text file — e.g., Shift+Enter.

BOOT\_CMD. Every time Editor is

BOOT\_CMD. Every time Editor is loaded, this file is looked for. If not found, loading continues. If it is found, whatever

"It makes more sense to adapt one's ways of using it to extract the best, rather than bombarding DP with suggested improvements."

commands are contained in it are carriedout. This is your chance to save work later. You can use the configuration program for relatively permanent changes to the set-up but the boot provides a more convenient way of making temporary, quick changes, and of setting parameters which cannot be set during configuration.

#### Colour combinations

If you have a colour display and have reached the age when eyesight is a constant irritation, why not experiment with the colours used by Editor, to achieve the best combination for your eyes and viewing conditions? I keep reverting to green characters on a black background. If you use two copies of Editor during the same session, why not identify them by different colour schemes? There is no reason to limit yourself to one BOOT\_CMD file; like PRINTER\_DAT files with Quill, you can write a small

routine to select the required BOOT\_CMD file before starting Editor. Put lines like this into your system boot file:

- 1 DELETE flp1\_BOOT\_CMD
- 2 PRINT, "Do you want BOOT\_CMD 1 or 2?"
- 3 LET a=INKEY\$(-1)
- 4 SELECT ON a
- 5 I=1: COPY flp1\_BOOT\_CMD1 TO flp1\_BOOT\_CMD
- 6 I=2:COPY flp1\_BOOT\_CMDS TO flp1\_BOOT\_CMD
- 7 END SELECT
- 8 EXEC flp1\_Edt\_bin

or use "COPY\_O flp1\_BOOT\_CMD, flp1\_BOOT\_CMD1" if you have a Toolkit.

and make BOOT....CMD set the parameters you want. For example:

M120 KM 4,0 KC 7,0 KE 2,7 CD1

will set the memory space for a document to 120KB, make the text colour green against a black background, the command-line text white against a black background, and the error text red against a white background, and then set the cursor speed to maximum.

Where documents vary considerably in size it is worth considering using a command like "M120 M20" to set the initial memory space allocation high, then drop it to a level sufficient for average documents; if additional space is required later it is more likely you will get it if space has been reserved initially than if you had started Editor with the default 15KB allocation. Finding additional memory can be a problem when you run other programs at the same time; there may be plenty of memory there but not in a block usable by Editor.

While windows may look striking, there is little practical point in using less than the full screen space for text input, so why not take advantage of the QL "extra width" and set the Editor window for the maximum 83 characters? Losing the odd line

F4, then ALT+up cursor nine times - to reduce the window size - then downcursor nine times - to move the window to the bottom of the screen. Assuming Copy 1 was full-screen, keying ALT+/ should result in Copy 2 being set up to be roughly half-screen high and based in the lower half of the display. Being able to see text in two files - or two parts of the same file - at

vertically because of indicator windows, such as the clock and caps/memory indicators shown in the figure, is not a great handicap and causes less waste of time then having to scroll horizontally to get to the ends of lines.

### Two copies

When two copies are in use, and copying is done between them, they can be set full-width one above the other. Your main copy can be left full-screen and the secondary one laid over the bottom of it. If you have a Toolkit with the ALTKEY function, changing the size of Copy 2 can be done with two keypresses. Set the size of Copy 1 with the configuration program, so that copy loads with no need for modification, then determine how many operations of the ALT and cursor keys are needed to alter the size and position from that of Copy 1 to what is required for Copy

1569 qay 19 11:64:66

"There is merit in making a back-up copy to Microdrive when you use disc as the main medium; a problem with the drive or interface can put you out of business".

the same time makes copying from one to the other easier; use RAM disc as temporary storage, mark the required block, and write it to RAM with the "BW.RAM1\_temp" command, then transfer (CTRL+C) to the other copy of Editor, cursor to the place where the block

cape off / memory = 124928

format - layout - of individual documents. A command file can store the format details and re-load them immediately prior to the loading of the document. Under some circumstances, the flexibility given to file structure by not keeping information such as margin settings in files is very useful but it tends to be an inconvenience if all your work is word processing.

Figure one is a screen dump, showing a command file (top line) and the document file it loads. The document - "SPList", line 3 onwards - needs three tabs and the right margin setting; the TR is to ensure that any other tabs set prior to loading this document are removed.

Likewise with the SL and SI commands. The CD command can be dispensed with if the value set during initial configuration suits all jobs and system set-ups the user has but it can be useful sometimes. Line 1 will appear briefly on the status line when the command which is shown there on the screen dump starts executing; it is shown at the top of the text screen here only for illustration and neither it nor line 2 are part of the master document, which starts at line 3.

Lines in a document file beginning with a semi-colon are treated by the printer program as being comments only similar to REMark in SuperBasic - unless the letter-group following the semi-colon happens to be that for a print command. A few such lines at the top of a document can be good memory-jerkers. Normally I put the file name, number of words, then size, on the first line and the identifying numbers of the disc and cartridge on which copies are kept on the second line.

### SL1:SI1:SRS0:TR:TI22:TI26:TI77:CD20:R.SPList :PFL 68 :FLMI® :PFT1 Alssued -89 Page ##n CISPARE PARTS LISTO Tightany parts are common to these models; the TightODELST column shows which models use each part. The model codes are given in brackets after the Service Humbers. Parts warked @#KST are not shown on the parts breakdown drawings. Parts marked @AMT are not available as replacements. Contact Service Department about compressors and parts with — for the Price Group. ORDER NUMBER: PG: DESCRIPTION: MODELS: Conds: RC.SPL

2, and set up an appropriate ALTKEY to perform those keypresses after Copy 2 has loaded. In the initial boot program, put a line like:

ALTKEY '/',CHR\$(246)&FILL\$(CHR\$ (209),9)&FILL\$(CHR\$(216),9) &CHR\$(10)

This is equivalent to pressing SHIFT+

is required and insert it with the "AF.RAM1\_temp" command.

COMMAND FILES. No doubt many users never utilise the RC command but it is one which can save much time. The BOOT.....CMD file is a normal command file, except insofar as the program calls it automatically when it starts up. The program stores certain configuration information but that does not include the

#### Back-ups

There is merit in making a back-up copy to Microdrive when you use disc as the main medium; it takes only a problem with disc drive or interface for you to be out of business but the Microdrives can normally be expected to continue functioning in such circumstances. If any comments need to be made relative to the document, its format and printing, they can come next.

On the screen dump, the first two lines of the document proper are partly reminders of what the page length and left margin settings are, but the printer program, unlike The Editor, acts on those lines, so they can be used to over-ride the default settings in the DRIVER\_DAT file at print time.

Bear this in mind when making comments, because it is possible for the print program to take them as commands if the first few characters match one on its list. Remember that a command put into a file for the benefit of the printer program may also need to be executed when the document is being edited, to avoid possible confusion.

When the basic page length setting in the DRIVER\_\_DAT file is PPL60 and you choose to put the command line ";PPL65" into the document, the document will not be re-formatted to 65 lines per page unless you use either the command F3 PPL65 ENTER or put the cursor on that command line and use F3 EX ENTER. By using the latter command you can make a command sequence part of the document; put the commands after a semicolon, in the manner you would use on the normal command line — when using F3—then load the file and position the cursor somewhere on that line and key F3 EX ENTER. For example:

;QLW99(2344/21650) ;D69/C119 ;pages not consecutive – don't print from 12A ;needs spell-checking ;PLM10 SL1 SI1 SR80 PPL60 PFM4 ;PFT1 DATED PAGE ## QL WORLD

The fifth line is the one on which to use EX.

LONG DOCUMENTS. While the Document mode enhances the word processing capability of the program considerably, it has some unwelcome side-effects. The most obvious is a considerable slowing of operations. This is particularly noticeable when using the program in a multi-tasking environment; operations such as writing typed characters to the screen can become so slow that you may have to wait several seconds for it to catch up with your input, even if you are not a fast typist; you can improve the situation considerably by installing the Lightning "accelerator".

### Long documents

Long documents as used here mean about 1,000 words – 5KB file size – upwards on set-ups which use all of 896KB of memory to hold several major programs at the same time.

The message is not to use the MD or RD commands unless they are essential; do as much of the input and alteration work as possible before thinking about splitting the document into pages. Even when the document is in its final state. consider making changes, however minor, without using RD. The time saved can be considerable. If you make use of the SQ command lock-ups can occur when in Document mode, so use it in Text mode; additionally, the Block commands can produce error messages and a return to the top of the document, which is infuriating if occurring frequently when you are well into a multi-page document.

It may seem a backward step but it is best to save the document, then read it in with the R command, before marking a block and ordering it with the SQ command.

REFORMATTING. The program was not designed to re-format text as you type

it in and this is one reason operations are so much faster than with Quill. The PR command is distinctly slow; use it sparingly and make sure before using it that there are blank lines between blocks of text which you want to keep separate. You can find yourself bouncing off the ceiling if lack of attention to this point results in a document you have re-worked laboriously — perhaps from a format used by another program — becoming scrambled. Always save the document as the last act before using PR.

Watch for incorrect page lengths when PR is used; it can cause the page length to become one line more than the set PPL, if PR is used over a Page Break. This may become apparent only when you print and can cause wasted time sorting through a long document to find the problem area. You may have to force the "extra" line into the next page using Enter and then use the PR command again from the top of that next page. Using the PPL command may not do the job completely, because the line at the end of the page will not have been re-formatted correctly.

There are two ways offered for printing, one taking much less time than the other. You can use the "WP" command when in Editor and make a quick print without exiting the program. This is rather like using the Quill Print command without the program disc/cartridge being in drive 1; all text is printed in the basic printer font, usually 10-pitch Pica, without enhancements such as Bold and Underlined. If this is sufficient for your needs, use it, because it is much more convenient than the alternative. To get a left margin, go to SuperBasic and type-in – perhaps set an ALTKEY for – a line such as:

OPEN#7,SER1:PRINT#7,CHR\$(27)&CHR\$(65)&CHR\$(27)&CHR\$(108)&CHR\$(10):CLOSE#7

This will re-set Epson-compatible printers to the power-on settings, then set the left margin to 10 characters – 1in. with 10-pitch. You can also set typeface and

"Watch for incorrect page lengths when PR is used; the page can become one line longer than the set PPL."

enhancements this way. Any special codes present in the document are likely to produce "permanent" changes in the printout, so try to avoid putting them in until draft printing has been completed. A call for condensed print in the address on a letter can result in the whole letter being printed condensed and, besides that, the printer will be left set for condensed when the next print request is made.

EDTPRT\_BIN. This separate program allows a wide range of customisation of printed output. You have to step out of Editor to use it but you can use CTRL+C to switch between the programs. While the program code of later versions is less than with earlier ones, the memory space required is still almost 50KB and you need to remember that when setting the allocation for Editor. An increase in the latter to cope with a large document might leave you short of space for the print program. There are two places where you can put print parameters - into the document or in the DRIVER\_DAT file. The latter is for basic, semi-permanent settings, which can be altered as required in the docu-

### Not continuous

A typical case of where changes might be required is page numbering. Perhaps some pages of a document — drawings, for instance — are not prepared on the QL and the page sequence is not continuous. My experience has been that you need to experiment with the insertion of parameters into the document file, because the effects are not always what you would expect from reading the manual. In theory, the first page which should have a page number which is out-of-sequence needs the line ";PPN n" somewhere in that page, where "n" is the number you wish to see printed on it.

In long files, I have found it necessary to put "PPN n+1" on the page which has to be numbered "Page n"; this may be peculiar to certain files, lengths or page numbering arrangements, since putting "PPN n" at the top of a page in a small file correctly produces "Page n". Unfortunately, it may also produce "Page n-1" as the number for the previous page.

Try inserting the PPN command at about the middle of the page and make the number one more than that page needs to be numbered; this seems to produce the correct page numbering for that page and subsequent ones and avoids the prior one being re-numbered also.

You need to keep awake when selecting pages to be printed; ask for pages by their re-numbered designations. Another oddity is that the "Proceed within same file" option after a page or group of pages has been printed may offer as default the numerically—next page for printing but it then ignores a request to print that and proceeds to offer the one after that, and so on.

The only way I have found to circumvent this is always to print sequences of pages and make a separate operation of printing any pages not in a sequence. There is another reason for this; selecting a page which is not the next one on offer can lead to a print being obtained with the incorrect page number on it; again, the only solution seems to be to ask for that particular page first, not from the "Proceed within same file" option.

"IT's a Funny Thing" is a collection of stories, anecdotes, witticisms, drawings and cartoons with the common theme of Information Technology.

Contributions come from the rich, successful and famous - and not. They come from IT users and organisations for computer professionals as well as suppliers of hardware and software. They are company Chairmen, Managing Directors... Consultants, Programmers and Analysts. Some have chosen (possibly needed) to remain anonymous. They have given their best one-liners, favourite after dinner stories and illustrated humour. And they've given freely.

"IT's a Funny Thing" has been produced at cost all the way from the admin, to the artists, to the typesetters, to the printers. Nobody apart from The Wishing Well Appeal is making a penny. Even the space for this ad has been donated free by the publication.

Buy this book and you won't be the only one smiling. With all the Royalties going to Great Ormond Street you'll find quite a few children smiling as well.

| Name_    |  | ny Thing" at £10 per copy |    |
|----------|--|---------------------------|----|
| Address  |  |                           |    |
|          |  | Post Code                 |    |
| and we a | should be made payable to "The<br>isk you to allow 28 days for delive<br>implete this coupon and send with | ry. your cheque to:       | ×  |
|          | nny Thing, The Wishing Well Ap<br>titus Ltd., 16-17 Clerkenwell Close,                                     |                           | 2- |

The Wishing Well Appeal
Great Ormond Street Children's Hospital

Help Great Ormond Street get better

## BASIC

## improvements

ost people to whom I speak who do their own programming do not seem to use functions, do not understand them and would not touch one with a bargepole. I do not understand why. They can be more useful than procedures and they can certainly produce some very elegant code.

I did not use them for a long time. I think it may be something to do with the fact that they return a value of some kind. It may be better to describe them as something which Has a value rather than

Returning one.

#### A value

What is a function? In mathematics, a function is an equation which returns a value, so perhaps that confirms from where the name came. So far as programming is concerned it is a sequence of instructions which on being executed can be considered as having a value. You have probably seen the function which returns a square of a number. Just to be different, here is one which returns the square root:

100 DEF FN sqr\_root(x)
110 IF x<0 then PRINT "Don't be silly":
RETurn O: ELSE RETurn x â5
120 END DEF sqr\_root

Now, how do you use it? Like this:

PRINT sqr\_root 99 or result=sqr\_root 99

For want of a better way of putting it a procedure is like a verb. It does something. A function is like a noun. It is something. Do not try to continue the analogy too far, because English is a much more sophisticated language than SuperBasic

In the foregoing example, PRINT is the equivalent of a verb and sqr\_root is like a noun – has a value or meaning. The value is the result of executing the code in the function, using any values given to the

function as parameters.

A parameter passed to a function, or procedure for that matter, is treated as a local variable in the function. This means that the (x) used as a parameter to sqr\_root has no meaning outside the

function unless it is defined specifically. Look at these PRINT statements:

PRINT 'a' :This is lower-case a
PRINT a\$ :This is a string variable
PRINT CHR\$(a) :a is a numeric variable
PRINT sqr\_root(a) :So is this

In the last two, you will notice the similarity. CHR\$is a function and is used in exactly the same way as the sqr\_root function. The main difference between CHR\$ and sqr\_root is that CHR\$ is included in the QL/Thor, whereas you wrote the other one. I assume that you are satisfied using CODE, CHR\$ and so on, so why not write some of your own?

Look again at sqr\_root. It does not only return a value. If you enter something silly it also prints a string. There is no

Most people whom I speak would not touch a function with a bargepole, yet functions can be more useful than procedures and certainly produce some very elegant code.

reason why a function cannot do this, although many lesser Basics allow a simple calculation only as a function.

In fact, in SuperBasic, a whole program could be a function, provided it returns a value of some kind before it finishes. Here is a useful function:

150 DEF FN range(item,lo,hi) 160 IF item>=lo AND item<=hi then RETURN 1:Else RETURN 0 170 END DEF range

This was used as an example in the first article in the series. If you recall the part of that article which mentioned boolean

In the second instalment in his introduction to better Basic, Desmond Barry flies the flag for functions.

variables, you may recognise that 'range' is a boolean function. Remember that it can be used just like a variable. In this case, it can have only two values, either 1 or 0. To refresh your memory, it is used like this:

240 n=CODE(INKEY\$(#15,-1)):IF NOT range(n, 49,56) THEN GOTO 240

Are you getting the hang of it? Functions do not need to be numeric. I use one called trunc\$(a\$) which returns a\$ with trailing spaces removed. You use it by:

text\$=trunc\$(text\$)

You will have noticed that the 'type' of the function is the same as the 'type' of value returned. In SuperBasic only three 'types' are supported – strings, floating point numbers and integers. Thus, trunc\$ returns a string as its value and range returns a floating point number. The only thing to consider between floats and integers is that some aspects of SuperBasic do not accept integers, notably FOR loops.

The functions I have mentioned so far have been fairly simple and straightforward. Now I will describe a rather more complex one. I call it select\_file\$. It has one parameter, device\$. It is used by:

200 filenames\$=select\_file\$(device\$)

It does a directory of device\$, displays them in a useful format, then allows you to move round a large cursor like the Abacus one, highlighting filenames. When you find the one you want you press ENTER and that filename is returned as the value of the function and assigned to filename\$.

### Not simple

The following routine took me a long time to write and it is a part of one of my commercial programs, so I regret that I cannot publish the code. I will give a description of how it works. You may care to try writing it yourself.

DEF FN select\_file\$(device\$)

do a directory on device\$
get the directory into an appropriate

arrav

display it in a regular format on-screen highlight the first filename

LOOP

cursor keys to move highlight if ENTER then return currently highlighted filename **END LOOP** 

END DEF select\_file\$

Obviously, this is not a simple function. It is probably more like a procedure except for the RETURN statement. If it was a procedure you would probably set filename\$ inside or just outside the procedure, then use it to do whatever you needed to get it for. All very complicated. See how it is used to print a file:

340 DEF PROC print\_\_file

350 INPUT 'Device? ';dev\$

360 REM error check here for validity

370 PRINT 'Which file?'

380 file\$=select\_file\$(dev\$):REM this is the function

390 COPY dev\$&file\$ TO serir 400 END DEF print\_file

Of course, it can be used in the same way anywhere you need to get a filename. Then you write a function to return the device name as well and you do not need to type the things at all.

We have now covered two simple functions and described one very complex one. Now for something rather unorthodox. Suppose you want to do something like the select\_file\$ problem of returning a filename. You have a list of items identified by a number and a string value,

1 Lettuce

2 Tomato

etc.

For the purposes of this, you need to return the reference number as well as the string. There is nothing to prevent you using a string function which returns the number as well as the string. All you need to do is to use the QL/Thor coercion to turn 1 into '1'. In the case of the foregoing items, it would be RETURN 1&'Lettuce', 2&'Tomato', etc.

### Split string

You will note that this is satisfactory for situations where you have up to nine items, because you can split the string outside the function. What if you have more than nine items? When I encountered this problem I concluded that, rather than pad and concatenate strings, I would add 10 to the reference number, then coerce it into the string. The process can be reversed outside the function.

In this case you are using a function to return two values, a number and a string. Show me in the manual where it says you cannot.

A variation on this is if you need to return two numbers. If you multiply one of them by a factor equal to one more than the maximum the other can be, they can be treated as a single number and separated outside the function again.

Suppose you want to return the area and perimeter of a square, which could be up to the size of the screen. i.e., 512 by 256

The maximum area in pixels is 512\*256= 131072.

maximum perimeter is 2\*(512+256)=1536.

Your RETURN statement will be:

### RETURN area\*1536+perimeter

The function is assumed to assign its value to a variable called value. e.g., value= FName. When you get out of the function, you separate them by:

area=INT)value/1536):perimeter=value-

I know this is a silly example because it would be easier not to use a function here but it illustrates the principle.

I hope some of this article has whetted your appetite for functions. They can be some of the most elegant structures in programming in any language which supports them. They can really improve your SuperBasic.





his column introduces and explains the workings of fast, accurate vector graphics commands. PLOT and DRAW work much faster than the standard POINT and LINE, yet they support QL features like multiple windows, 256 stipple colours, over-printing, CTRL-F5 and both screen MODEs.

The PLOT command sets a single dot in any window on the QL screen. It takes two or three integer parameters — an optional channel number, followed by the X and Y co-ordinates of the dot you want to set.

DRAW takes the same parameters – an optional channel, then the X and Y coordinates of the end of a line. It draws a straight line joining the last position used with PLOT to the dot at the co-ordinate supplied with DRAW. This command draws a red and green striped line from the top left corner of the screen to the bottom right:

WINDOW 512,256,0,0 : INK 4,2 : PLOT 0,0 : DRAW 511,255

PLOT and DRAW work in any CONsole or SCReen windows; they use the current INK colour and recognise OVER -1 as well as OVER 0 or 1. OVER -1 combines the line colour and the background in such a way that re-drawing a line in the same colour restores the original background.

PLOT and DRAW use the 'pixel coordinate' scheme, explained in the Concepts section of the *QL User Guide*. Coordinates are relative to the top left corner of the specified window, as for BLOCK and PIXEL% – DIY Toolkit, June, 1989. This makes the commands much faster than standard QL graphics commands like POINT and LINE.

All QL displays are made up of small dots or pixels, a contraction of PICture ELement or PIcsture CELI. The size of QL pixels varies depending on the graphics mode in use.

A MODE 4 screen has 131,072 pixels, made up of 256 lines with 512 pixels on each line. The same co-ordinate scheme is used in MODE 8, allowing X to vary from 0 to 511 and Y between 0 to 255 in a full-screen window but there are only 256 pixels on each line. All X co-ordinates are rounded down to an even value in MODE 8, so lines have the same slope regardless of MODE.

Pixel co-ordinates are integers which relate directly to the address of a point in screen memory, whereas Qdos graphics co-ordinates are floating point numbers which must be multiplied by a scale factor, added to X and Y offsets, and then mapped on to the pixel grid.

If you are drawing a short line, or worse still a single point, these floating point calculations take much more time than the drawing of lines on the screen. It is possible to get some benefit by reducing the precision of floating point calculations to speed the maths but this does not help

## Simon Goodwin adds fast vector and pixel graphics to the QL repertoire.

much as the procedure is still lengthy. Games and many screen-based drawing programs use integer co-ordinates internally, so they are ideal for use with PLOT and DRAW and needlessly slow with POINT and LINE.

The floating point graphics of the QL are useful when you want to shift or rescale displays but they are inevitably slow and imprecise. They make it difficult to

align text and graphics together in a window. The shape of pixels varies depending on the TV system in use. Graphics co-ordinates use an extra multiplication factor to correct for this but text is still pixel-based, so displays can overlap unexpectedly on foreign QLs.

Most other computers opt for a simpler and faster co-ordinate scheme, where you supply X and Y dimensions in pixels.

### QL World DIY Toolkit September 1989, listing 1.

\* QL WORLD DIY TOOLKIT - FAST pixel graphics routines

# Version 1.3, Copyright 1989 Simon N Goodwin.

| ž      |        |             |                      |
|--------|--------|-------------|----------------------|
| xstore | equ    | 84          | Offsets of old X & Y |
| ystore | equ    | 78          | in the channel block |
| Ť      |        |             |                      |
| start  | lea.l  | define, al  |                      |
|        | #GVE.W | \$110,a2    | BP.INIT vector       |
|        | jap    | (a2)        |                      |
| ÷      |        |             |                      |
| draw   | lea.l  | drawer, a4  |                      |
|        | bra.s  | get_params  |                      |
| plot   | lea.l  | plotter, a4 |                      |
| *      |        |             |                      |

\* Parameter handler - for 2 or 3 parameters

|            |         |                | ,                       |
|------------|---------|----------------|-------------------------|
| ž          |         |                |                         |
| get_params | move.w  | \$112,a2       | Vector to get integers  |
|            | jsr     | (a2)           | CA.GTINT                |
|            | bne.s   | bad_exit       |                         |
|            | noveq   | #1,d0          | First assume channel 1  |
|            | subq. w | #2,d3          | At least 2 parameters?  |
|            | beq.s   | get_coords     | Exactly 2, use #1       |
|            | bmi.s   | bad_param      | Less than 2: an error   |
|            | subq. w | #1,d3          | Only 1 parameter left?  |
|            | bne.s   | bad param      | No, too many, complain  |
|            | move.w  | 0(a1, a6.1), d | O Get BASIC channel No. |
|            | addq.l  | #2,a1          | Discard channel param.  |
| get coords | move.w  | 0(a1, a6.1), d | 1 Get X co-ordinate     |
| v          | move.w  | 2(a1,a6.1),d   | 2 Set Y co-ordinate     |

\* Convert channel number in DO to ID in AO and call EXTOP

| *        |               |                       |                                    |
|----------|---------------|-----------------------|------------------------------------|
| chan_sel | mulu<br>add.l | #40,d0<br>\$30(a6),d0 | Channel table size Add base offset |

The QL expects this in cases like WINDOW, BLOCK and PIXEL%, so it is useful to have graphics commands which work the same way. In conjunction with their slower ROM brethren, PLOT and DRAW give the QL a set of graphics commands to suit all situations.

PLOT and DRAW check their parameters to ensure that they fit in the specified or default window. The default channel number is #1, so you can redirect both commands to other channels with USE, the March, 1988 DIY Toolkit offering.

The commands report 'channel not open' if the channel is closed. You get a 'bad parameter' error if you specify the incorrect type of channel or the incorrect number of parameters. 'Error in expression' indicates that one or more parameters could not be evaluated as integers.

PLOT and DRAW return 'not complete' if called when CTRL-F5 has been pressed to pause the display. You do not see this message under normal circumstances, as the operating system traps it, suspends the calling task temporarily and retries until a key is pressed, re-enabling display output.

The new commands should work reli-

ably on any QL or compatible, including the CST Thor and Thor 16. They work only in MODE 8 and MODE 4 but a pixel mask of \$COCO should be sufficient to get the MODE 8 code working in the Thor 16-colour MODE 12, if you can find a way to distinguish that mode from the others.

#### Ex iop

Like earlier DIY Toolkit routines, PLOT and DRAW use SD.EXTOP to add code to the operating system. The workings of EXTOP were explained in the May, 1988 episode of DIY Toolkit, which introduced functions to interrogate the 'channel definition blocks' which store details of channels in use. EXTOP slows things a little but it is a system-independent way to access channel details such as the current window ink, size and position, and the start address of display memory.

The procedure MIRROR, featured in June, 1989, goes substantially faster if you use PLOT rather than BLOCK to set each dot but it is still slugged by the ROM TRAP handler, which must be navigated twice for each pixel. With PLOT and PIXEL% you now have the code to mirror an entire window with a single EXTOP call, which



would work much faster. Many programmers use BLOCK to draw vertical and horizontal lines, as it is faster than LINE and easier to predict where a block will end. BLOCK is capable of drawing only oblongs, whereas DRAW can cope with diagonals in any direction. Even so, DRAW can be more than twice as fast as BLOCK, without the annoying flicker at the edge of the vertical lines, as BLOCK sets too many pixels and tidies later.

The code for the pixel graphics commands is listed in two forms. Listing two gives you a quick way to enter the code without using an assembler. It loads the equivalent machine code from DATA

|             | cap.i   | \$34(a6),d0   |                        |            | bei.s    | neg DY         |                           |
|-------------|---------|---------------|------------------------|------------|----------|----------------|---------------------------|
|             | bge.s   | what chan     | Past end of table?     |            | addg.l   | #1,a3          | A3 := SIGN( Delta Y )     |
|             | move.1  | 0(a5,d0.1),d0 | rast end of table:     |            | bra.s    | find DD        | HO SIGNY BELCE / /        |
|             | bai.s   | what chan     | Negative if closed     | neg DY     | subq.1   | _              |                           |
| call extop  |         | d0, a0        | AO is channel ID       | usd_n;     |          | #1,a3<br>d2    | D2 := ABS( Delta Y )      |
| rass Excob  | move.1  | a4.a2         | Address of routine     | find BD    | neg.#    |                |                           |
|             | wove.   | #-1,d3        | Allow infinite time    | find_DD    | cmo.w    | d1,d2          | D1 := MAX( D1, D2 )       |
|             | moved   | #F.d0         | SD.EXTOP kev           |            |          | y_bigger       | 004 - 04                  |
|             | trap    | #5            | Call the device driver | no_match   | agve.w   | a2, a4         | DDX := DX                 |
|             | ,       | 90            |                        |            | sub.1    | a5, a5         | DDY := 0                  |
|             | rts     |               | Return DO from EXTOP   | 1.         | bra.s    | find_TEMF      |                           |
| t 1         |         | B 45 10       | Din Dinimere           | v_bigger   | exd      | d1,d2          | D1 := MAX( D1,D2 )        |
| bad_param   | moved   | #-15,d0       | RAD PARAMETER error    |            | sub.l    | a4, a4         | DDX := 0                  |
|             | rts     |               |                        |            | BGv€.₩   | a3,a5          | DDY := DY                 |
| -           | WC. EG  | #-6+d0        | CHANNEL NOT OFEN error | find_TEMF  | move. H  | dl.di          |                           |
| bad_exit    | rts     |               | Error code is in D0    |            | a57.₩    | #1.d0          | TEMP := STEPS DIV 2       |
| *           |         |               |                        |            | MOVE.W   | d2,d6          | D6 := PARTS               |
| * Line DRAW | routine |               |                        |            | #046*#   | d1,d2          |                           |
| #           |         |               |                        |            | subq.w   | #1,d2          | D2 is DOT for DBRA        |
| drawer      | move.w  | xstore(a0),d4 | Fetch previous X       |            | bal.s    | null_draw      | Exit if line length=0     |
|             | M3∨e.₩  | vstore(a0),d5 | Fetch previous Y       |            | e×g      | d1, d4         | OLDX = D1; STEPS = D4     |
|             | bsr     | range_chk     | Line must fit window   |            | exg      | d2,d5          | GLDY = D2; DOT = D5       |
| firi b.     | sub.1   | a2,a2         | DX := 0                | *          |          |                |                           |
|             | SUB.W   | d4, d1        |                        | * Now draw | a line o | f D5 pixels; I | 01.D2 = X,V of next point |
|             | beq.s   | set_X_step    |                        | *          |          |                |                           |
|             | bmi.s   | neg_DX        |                        | dot_loop   | add.m    | d6,d0          | TEMP := TEMP + PARTS      |
|             | addq.1  | #1,a2         | A2 := \$16N( Delta X ) |            | CMP.W    | d4, d5         | Flag TEMF - STEPS         |
|             | bra.s   | set X_step    |                        |            | bcs.s    | use DD         |                           |
| neg_DX      | subq.l  | #1,a2         |                        |            | sub.w    | d4,d4          | TEMP := TEMP - STEPS      |
|             | neg. w  | dl            | D1 := ABS( Delta X )   |            | add.w    | 82.4:          | OLD: := OLDX + DX         |
| set_X_step  | btst    | #3,52(a6)     | Check mode (SV.MCSTA)  |            | add.w    | a3,d2          | OLDY := OLDY + DY         |
|             | beq.5   | find_DY       | MODE 4, D1 & A2 are OK |            | bra.s    | do_dot         |                           |
|             | add.l   | a2.a2         | MODE 8, double X step  | <b>*</b>   |          | -              |                           |
|             | ror.w   | #1,d1         | And halve X dot count  | .se 00     | add.w    | a4.d1          | BLDX := GLDX + BDX        |
| find_DY     | sub.1   | a3, a3        | DA := 0                | -          | add.w    | a5.41          | OLDY := OLDY + DOY        |
|             | sub.w   | d5, d2        |                        | det det    | \$5.96.W | di-d2,-(a7)    | Freserve OLDX & OLD:      |
|             | beq.s   | find DD       |                        | * ***      | bsr.s    | plot pixel     | TOWERT TE VENT V CED)     |

statements and saves the code in a file. Once you have loaded that file, as follows, you can use PLOT and DRAW in your own programs.

base=RESPR(382) : LBYTES "file name",base : CALL base : NEW

The first part of listing two is Marcus Jeffery's standard loader, used in every month's DIY Toolkit project. Only the DATA, from line 590 onwards, changes from month to month.

Listing one is the assembly code program, assembled using HiSoft DevPac. You can type this text into your assembler if you want to customise the code or merge it with other routines. The START routine calls BP.INIT, the ROM vector which adds new commands to Super-Basic. The table labelled DEFINE, at the end of the listing, indicates the names and addresses of the commands. The table is at the end to make it easy to extend the command names if they clash with variables or SuperBasic definitions in your programs.

The rest of the listing can be considered as four parts. The first part is shared between PLOT and DRAW and uses much the same code as PIXEL%, explained in June. It reads the parameters, selects the required channel and calls EXTOP.

The only difference between PLOT and DRAW to this stage is the code vector, copied from A4 to A2, which tells Qdos where to find code to perform the 'EXtended OPeration'. The X and Y coordinates are passed in D1 and D2 respectively.

### Supervisor

The remaining three routines are all executed in supervisor mode, as part of the display device driver. The EXTOP call sets two registers to point to important system tables. A6 points to the system variables, whereas it pointed to the start of SuperBasic memory before the call. A0 points to the start address of channel details, as explored in May with my CHAN functions.

The subroutine RANGE\_CHK is called by both PLOT and DRAW; it could not be before the EXTOP because it uses the system values of A0 and A6 to check that the operation can be performed.

The first check tests SV.SCRST, the 'SCReen STatus' system variable. If this is set all display output is disabled because CTRL-F5 has been pressed. The code returns ERR.NC, the 'not complete' error code. The EXTOP handler sees that the time-out is infinite – in other words it should persevere until the operation can be performed – so it keeps trying, every time a scheduler interrupt occurs, until a key is pressed and SV.SCRST allows output to continue.

Notice the way QUICK\_EXIT returns directly to the EXTOP caller, rather than to PLOTTER or DRAWER; it removes the last return address from the stack, so it never returns to the immediately previous caller if an error occurs. The technique saves time and space but it can cause problems unless the hierarchy of calls is defined rigidly.

Next RANGE\_CHK ensures that the

|                 | movem.#   | (a7)+.d1-d2<br>d5,dot_loop | Restore GLD- & GLD:     | plot_pixel  | move.l<br>btst | 62(a0),d3<br>#0,d2 | Grab the ink mask<br>Find out if Y is odd |
|-----------------|-----------|----------------------------|-------------------------|-------------|----------------|--------------------|---|
| moll_draw       | 40.60     | #0,d0                      |                         |             | beq.s          | find_word          | It's even, mask is OK                     |
|                 | rte       |                            |                         |             | <b>энар</b>    | d3                 | Odd, so use other mask                    |
| *               |           |                            |                         | *           |                |                    |   |
| * Co-ordin<br>∙ | ale check | er: B1=X, D2=r.            | ERR.OR if bevond window | * Point Al  | at the r       | elevant word i     | n video memory                            |
| range chk       | tst.b     | 51(a6)                     | Test SV.SCRST           | find_word   | move.l         | 50(a0),a1          | Al := screen RAM start                    |
| 2-2-            | bne.s     | screen off                 | Abort if CTRL-F5 set    | -           | lsl.w          | #7,d2              | 1 line= 2^7= 128 bytes                    |
|                 | tst.w     | d2                         | Check Y >= 0            |             | add.₩          | d2, a1             | A1 := line RAM start                      |
|                 | bei.s     | range err                  |                         |             | moveq          | #7,d2              |   |
|                 | C@p.w     | 30(a0),d2                  | Check Y CH. HEIGHT      |             | and.w          | d1,d2              | Save X MOD 8 in D2                        |
|                 | bccis     | range err                  |                         |             | lsr.w          | #3,d1              | D1 := offset on line                      |
|                 | tst.w     | di                         | Check X >= 0            |             | add.w          | d1,d1              | Offset := 0-126 (EVEN)                    |
|                 | bmi.s     | range err                  |                         |             | add.w          | dl,al              | A1 -> screen RAM word                     |
|                 | C@D.W     | 28(a0),d1                  | Check X < CH.WIDTH      | 4           |                |                    |   |
|                 | bcc.s     | range err                  |                         | * Set the p | sixel in       | MODE 4 or 8, a     | llowing for OVER -1                       |
|                 | move.w    | #\$8080,d7                 | Set MODE 4 pixel mask   | *           |                |                    |   |
|                 | btst      | #3,52(a6)                  | Check MODE (SV.MCSTA)   | set_pixel   | move.w         | d7,d1              | Select pixel mask                         |
|                 | beg.s     | range_ok                   | MODE 4, no problems     |             | FOF. W         | d2,d1              | Align pixel mask                          |
|                 | bolr      | #0,d1                      | MODE 8, X must be EVEN  |             | and.w          | d1,d3              | DJ := 1 pixel of ink                      |
|                 | move.b    | #\$C0,d7                   | Mask B colours          |             | btst           | #3,66(a0)          | Check for OVER -1                         |
| range_ok        | add. w    | 24(a0),d1                  | Add window offset to X  |             | bne.s          | overplot           |   |
|                 | add. w    | 26(a0),d2                  | Add window offset to Y  |             | not.w          | d1                 | Mask out the rest                         |
|                 | move.w    | dl,xstore(a0)              | Store end X on SD. XORG |             | and.w          | (a1),d1            | Fetch the background                      |
|                 | move.w    | d2,ystore(a0)              | Store end Y on SD. YORG |             | OF.W           | d3,d1              | Insert the pixel                          |
|                 | rts       |                            |                         |             | move.w         | d1, (ai)           | Store the combination                     |
| ÷               |           |                            |                         |             | rts            |                    | PLGT returns ERR.OF                       |
| screen_off      | pavon     | #-1 <sub>x</sub> d0        | NOT COMPLETE error      | everplot    | e0r.W          | d3, (a1)           | Exclusive BR the pixel                    |
|                 | bra.s     | quick_exit                 |                         |             | rts            |                    |   |
| range_err       | вочед     | #-4, d0                    | OUT OF RANGE error      | #           |                |                    |   |
| quick_exit      | addq.l    | #4,a7                      | Return to after TRAF    | define      | dc.w           | 2                  | Number of procedures                      |
|                 | rts       |                            |                         |             | dc.w           | plot-#             |   |
| ¥.              |           |                            |                         |             | dc.b           | 4, 'PLOT'          |   |
| Fixel PLO       | T code,   | uses AO, A6, D7;           | alters Al. D1, D2, D3   |             | dc.w           | draw-#             |   |
| ÷               |           |                            |                         |             | dc.b           | 4. DRAW'           |   |
| plotter         | bsr.s     | range_chk                  |                         |             | dc.w           | 0.0,0              | End of procs, no fas                      |
|                 | noved     | #0,d0                      | Preset ERR.OK report    |             | end            |                    |   |

```
QL World DIY Toolkit September 1989, listing 2.
 100 REMark Sinclair QL World HEX LOADER
 110 REMark by Marcus Jeffery & Simon N Goodwin
 120:
 150 CLS: RESTORE : READ space: start=RESPR(space)
 160 PRINT "Loading Hex..." : HEX LOAD start
170 INPUT "Save to file...";f$
 180 SBYTES f$, start, byte : STOP
 190 :
 200 DEFine Function DECIMAL(x)
 210 RETurn CODE(h$(x))-48-7*(h$(x)>"9")
 220 END DEFine DECIMAL
 230 :
 240 DEFine PROCedure HEX_LOAD(start)
 290 byte = 0 : checksum = 0
 300 REPeat load_hex_digits
 310
         READ hs
          IF h$="*" : EXIT load_hex_digits
 320
          IF LEN(h$) MOD 2
 330
 340
             PRINT"Odd number of hex digits in: ";h$
 350
             STOP
 360
         END IF
 370
         FOR b = 1 TO LEN(h$) STEP 2
             hb = DECIMAL(b) : 1b = DECIMAL(b+1)
380
 390
             IF hb<0 OR hb>15 OR 1b<0 OR 1b>15
                 PRINT"Illegal hex digit in: ";h$: STOP
400
420
             END IF
430
             POKE start+byte, 16*hb+lb
440
             checksum = checksum + 16*hb + 1b
450
             byte = byte + 1
         END FOR b
460
470 END REFeat load_hex_digits
480 READ check
490 IF check <> checksum
         PRINT"Checksum incorrect. Recheck data. ":STOP
500
520 END IF
530 PRINT"Checksum correct, data entered at: ";start
560 END DEFine HEX LOAD
570 :
580 REMark Space requirements for the machine code
590 DATA 382
600 :
610 REMark Machine code data
620 DATA "43FA016434790000", "01104ED249FA0054"
630 DATA "600449FA01143479", "000001124E926640"
640 DATA "70015543670C6B32", "5343662E3031EB00"
650 DATA "54893231E8003431", "E802C0FC0028D0AE"
660 DATA "0030B0AE00346C16", "20360B006B102040"
670 DATA "244C76FF70094E43", "4E7570F14E7570FA"
680 DATA "4E75382B00543A28", "004E6100007295CA"
690 DATA "9244670A6B04528A", "6004538A4441082E"
700 DATA "000300346704D5CA", "E25997CB9445670A"
710 DATA "6B04528B6004538B", "4442B4416206384A"
720 DATA "9BCD6006C34299CC", "3A4B3001E2403C02"
730 DATA "340153426B24C344", "C545D046B0446508"
740 DATA "9044D24AD44B6004", "D24CD44D48A76000"
750 DATA "615A4C9F000651CD", "FFE270004E754A2E"
760 DATA "0033663A4A426B3A", "B46B001E64344A41"
770 DATA "6B30B26B001C642A", "3E3CB0B00B2E0003"
780 DATA "0034670808810000", "1E3C00C0D2680018"
790 DATA "D468001A31410054", "3142004E4E7570FF" 800 DATA "600270FC588F4E75", "61B470002628003E"
810 DATA "0802000067024843", "22680032EF4AD2C2"
820 DATA "7407C441E649D241", "D2C13207E479C641"
830 DATA "082800030042660A", "4641C25182433281"
840 DATA "4E75B7514E750002", "FEAA04504C4F5400"
850 DATA "FE9C044452415700", "0000000000000", "*", 31773
```

co-ordinates fit inside the window. If not it returns directly to EXTOP with an 'out of range' error. Register D7 is assigned to the 'mask' of a single pixel in MODE 4; this is a binary pattern containing '1's for each bit used to control a single pixel in MODE 4, and '0' for the rest. Later the mask is shifted sideways to select any pixel from a word of display memory.

Another system variable test reads SV.MCSTA, which has bit 3 set if the machine is in MODE 8. If so, the X coordinate is made even and an extra bit is added to the mask, as MODE 8 uses three colour bits, against two in MODE 4.

Internally PLOT and DRAW use coordinates relative to the top left corner of the screen, rather than the current window, so the code at RANGE...OK adds the window offsets to D1 and D2. Each coordinate must be stored somewhere, in case we need to DRAW from it later. If we were re-writing Qdos we could make extra space available in the channel definition but this is not easy once the channel is open. I have cheated by using the least significant bits of SD.XORG and SD.YORG, the floating point co-ordinates of the graphics origin.

These locations are set by SCALE and used to find the screen origin for slow commands like POINT, LINE and CIR-CLE. It seems possible to use the locations for those purposes without prolems, so long as you do a PLOT to set a sensible 'last position' after each SCALE command.

The least significant bits are used, so that the values stored by PLOT and DRAW make a difference of less than one part in a million to the scale. The offsets have been set up as equates – XSTORE and YSTORE – at the start of the listing, so it is easy to change them if you wish.

The routine to PLOT a pixel is also used by DRAW. First it calls RANGE\_CHK, then it sets DO to zero, so PLOT can return with ERR.OK but DRAW can call the rest of the code without corrupting DO. Both routines go through PLOT\_PIXEL, which grabs the ink mask from the channel details. This long word contains the screen bit pattern for the current INK colour, the value which would be in screen memory if the whole screen was that colour.

Stipples mean that a particular 'colour' might use different values on alternate screen lines. The low half of the mask contains the bit pattern for even-numbered lines and the high word holds the pattern for odd-numbered lines.

Next PLOT must find the word of video memory which stores the relevant pixel. Each line takes 128 bytes, so the start of memory for the line concerned is found by adding Y star 128 to the start address of video RAM from the channel details. There are 512 possible X co-ordinates on each 64-word line. We find the required word by converting the pixel X co-ordinate, 0-511, into an even offset between 0 and 126.

```
QL World DIY Toolkit September 1989, listing 3.
10 BDRAW 0,0 TB 200,100
20 :
100 DEFine PROCedure BDRAW(oldx,oldy,endx,endy)
140 dx=SIGN(endx-oldx) : dy=SIGN(endy-oldy)
160 mx=ABS(endx-oldx) : my=ABS(endy-oldy)
180 IF mx>=my
      parts=my : steps=mx : ddx=dx : ddy=0
200
220 ELSE
      parts=mx : steps=my : ddx=0 : ddy=dy
230
250 END IF
260 temp=steps DIV 2
270 FOR dot=1 TO steps
      temp=temp+parts
280
290
      IF temp>=steps
        temp=temp-steps
300
        oldx=oldx+dx : oldy=oldy+dy
310
320
        oldx=oldx+ddx : oldy=oldy+ddy
330
      END IF
340
350
      PLOT oldx, oldy
360 END FOR dot
370 END DEFine _LINE
380 :
390 DEFine FuNction SIGN(v)
400 IF v<0 : RETurn -1 : ELSE RETurn v>0
410 END DEFine SIGN
```

The algorithm is a slightly faster version of that used in PIXEL%. The OVER -1 code just exclusive ORs a combination of the ink and pixel masks into screen memory, whereas the alternative code fetches the background, masks out the relevant pixel, ORs in the new ink and replaces the word.

The routine to draw lines starts by reading the stored co-ordinates for the start of the line; then it calls RANGE\_CHK, which returns with the screen-relative co-ordinates of the end of the line in D1 and D2.

The algorithm to generate a straight line is simple in principle but complicated by the need to draw lines in any direction at any angle. The machine code is convoluted and uses all 16 68008 registers, so I wrote the algorithm in SuperBasic for test purposes after I wrote PLOT and before I machine-coded DRAW.

Listing three shows the algorithm in block-structured Basic. The first stage is to find the direction and magnitude of the line, in the X and Y dimensions. DX indicates whether the line moves left (-1), right (+1) or neither left or right (0). DY is the same for vertical movement; in other words, DX and DY indicate the approximate direction of the line, relative to the horizontal and vertical.

MX and MY indicate the number of pixels to be moved vertically or horizontally. The values are always positive, or zero, because of the ABS function. Assuming pixels are square, you can draw a straight line at any angle between 0 and 45 degrees by stepping through a series of points equal to the greater of MX and MY. At each step you advance X or Y,

whichever is greater, by one. Whether you advance the other co-ordinate depends on the slope of the line. Since we want a straight line, the need for an alternate step depends on how long it was since you last took one.

If MX equals MY the angle is 45 degrees and you step one pixel horizontally and vertically at each stage. If either DX or DY is zero, the angle is zero and you just step either horizontally or vertically until you get to the end.

Most lines fall between those two angles. Sometimes you can make the step in DX and DY but sometimes you must just step in the main direction, indicated by the greater of MX and MY.

The program creates two step values for each dimension – DX and DY, plus DDX and DDY for the alternative steps needed to cope with intermediate angles. DDX and DDY hold the 'main' direction. If MX exceeds MY, DDX is the same as DX and DDY is zero. If MY is greater than MX, DDY matches DY and DDX is zero.

The problem is deciding when to step by (DX,DY) and when to use (DDX,DDY). The correct mix is determined by the ratio of MX and MY. If MX is relatively small you must take many vertical steps for every horizontal one.

Since we want a continuous line, the total number of STEPS and points to be plotted is given by the greater of X and Y. The number of jumps out of line, or noncontiguous PARTS, is clearly the lesser of X and Y. For each step the algorithm adds the number of PARTS to a temporary variable. If the result exceeds the total in

STEPS, the algorithm uses DX and DY to find the next point; otherwise it uses DDX and DDY. At the start TEMP is set to half the number of steps, so jumps out of line are spaced evenly.

Any algorithm which works for angles between 0 and 45 degrees can be persuaded to cover a full circle by swapping X and Y and allowing positive and negative steps. This is the role of the SIGN function-calls and the first IF test.

All the variables in listing three could be local integers but I have not written them as such because QLs are likely to crash if you use more than nine locals and parameters in one definition; further integer operations are interpreted more slowly than floating point maths.

Both problems are solved if you compile the procedure but there is little point as it is just an example. If you call BDRAW with variable parameters you should put them in brackets, or the values will be changed on return from the routine. BDRAW works satisfactorily in MODE 4 but plots each point twice in MODE 8.

The machine code version follows the same procedure as the Basic and the comments show Basic variable names for each register. To make the algorithm as fast as possible there is a fairly long set-up procedure, followed by a tight loop to output each pixel once the steps have been calculated. Notice how the X step is doubled for MODE 8 and the pixel mask is pre-set, so there is no need to check the mode as each dot is output.

The code uses fast integer maths throughout and avoids relatively slow multiplication and division instructions by rotating values left and right to scale them by powers of two.

The speed of DRAW depends on the speed of your QL RAM but it should be noticeably faster than LINE, even on the slowest QLs. It would be easy to make the code faster still, by making DOT\_LOOP work directly on screen line and column addresses rather than X and Y coordinates but that would make the program longer and more difficult to understand.

There are many simple ways you can enhance PLOT and DRAW. A pixel-relative DRAW\_R could be added in a few lines and it would be easy to adjust the parameter handler to cope with multiple lines or points. Clipping at the screen boundary could also be added but might be a little more tricky.

Other improvements would involve writing different versions of the main loop for various directions of line, optimising for stipples which do not change between lines and adding support for FILL, which uses undocumented data structures.

Please write to me, care of *QL World*, if you have found interesting tweaks or short applications for DIY Toolkit code. Send your suggestions if you would like me to explore a specific area in this column, or to implement new and original commands.

# One Man's System

# Bryan Davies looks back on his choice.

ad the QL been more of a commercial success its main competitor might well have been the Amstrad PCW 8256, even though the two machines appear poles apart to some people. After several years of use, both machines are still essentially tools for people who write documents of one kind or another.

Although no programmer — my inclination is always to choose my own bits and pieces — I bought the QL; the choice at the time was QL or BBC. The selection process was rather a hassle but proved worthwhile in the long run.

The display unit did not involve too much head-scratching. Microvitec looked to be the manufacturer to select and it was a question only of what resolution was needed; fortunately, I was convinced early that colour was required and seeing the low-resolution Cub display connected to BBC computers soon made it clear medium resolution was essential for me. The model, bought in October, 1984, was the Cub 653; the designation seems to vary for what looks like the same unit and it is important when buying second-hand to check that the unit in question will display the full QL picture - 85 characters across the SuperBasic screen and the full Quill screen with 80 characters.

# **Tweaked**

Although the screen colour settings have been tweaked twice and there is a slight misregistration of colours in one corner now, I rate the Cub as excellent and have spent nothing on it in almost four years. As one who sits in front of the screen almost every day for many hours it is safe to say looking at it does not cause much discomfort but one has to accept that the eyes usually cause some trouble when you reach the age of 40; a mono screen might be preferable for some people, because the eyes have to focus only at one range.

If the program allows – e.g., The Editor—it is worth experimenting with the background and foreground colours to see which combination makes the eyes feel most comfortable. There has been no evident deterioration in the quality of the Cub picture; one factor which should help maintain picture quality is turning down the brightness when the system is not being used and the programs Q\_Switch and TaskMaster both allow this to be done automatically.

The printer causes more pain to people than the other peripherals. Mine has never caused me to have regrets. It is a

Kaga Taxan KP-810, also sold in virtually identical form as the Canon PW1080A. In contrast to many products, this unit is still on sale and costs much the same as it did in 1984. There is an updated version – KP-815 – and a long-carriage one – KP-910. While there are a few printers at less than £200 I doubt whether they would have given such good service. As with the Cub, it has cost nothing beyond the purchase price other than ribbons.

All bouts of strange behaviour have been traced to software problems – or a piece of paper in the belt drive on one occasion. It would certainly be better to have a choice of fonts but I have yet to design any additional ones; the necessary commands and memory are in the printer to enable them. If choosing a printer now I would almost certainly go for a 24-pin type – NEC or Star – at a price not much higher than the Kaga but they could not give better reliability.

It is difficult to estimate how many sheets of paper have gone through a printer through the years but the figure must be in the tens of thousands for mine, with no obvious deterioration in performance. Small, and possibly overlooked, is the serial interface between QL and Kaga. This is the one most users have, the Miracle, and it also has given no trouble.

Disc drives are more in the add-on category. You must have a display and it is difficult to visualise a system without a printer but you can live without discs. That is a tongue-in-cheek remark. There is no way I would have managed to do serious work for almost four years with only Microdrives for company. The dual Mitsubishi 3.5in. drives on my system have been as good as the Cub and the Kaga; not a penny has been spent on repairs to them. The only extra expense has been a disc drive cleaning kit.

The drives are the one-third-height type, which seem to be a much better product than the half-height type, which were around for a time a few years ago and were apparently withdrawn by the manufacturers after giving much trouble. The current "standard" drive is from NEC and it also is generally reliable.

Disc interface and expansion memory problems figure frequently in readers' letters, so it may sound surprising that the PCML 256K external interface and MP 256K internal memory expansion in my original system have been trouble-free. In the never-ending search for more memory, a Trump Card was added to the other system a year ago and it has become almost indispensible but the two QLs on which it has been used have locked up too

many times for comfort - the PCML/MP system is virtually rock-solid in this respect - and no amount of fiddling with components has proved able to stop it.

This is a situation where one has to weigh the merits and demerits and the Trump Card has, to my mind, been the major hardware advance on the QL scene in recent times, so I would not want to use the system without it.

In the ROM port resides the Ice frontend firmware with a mouse attached. This also is in the indispensible category for me but it has not been without its hiccups. The firmware was replaced several times before it became reliable and the mouse has gone sick twice. Occasional weird system behaviour has been attributed to bad contact between ROM and socket, which has required filing of the alignment slot in the ROM PCB connector, smoothing of the solder on some pins and the attachment of the ROM to the QL by a bracket and two screws.

## Weird

As for the QL, it cannot be said there have been no failures and no expense; if you use the keyboard a good deal, a new membrane every year or two should be no surprise and a considerable amount of time and money has gone on cartridges and, to a lesser extent, Microdrives. If you are reasonably adept at doing repairs it will be time rather than money which is spent. Most of my time went into stopping lock-ups and overheating; lock-ups still occur on one system but not on the other and over-heating is a thing of the past since modifying the 5V regulator set-up, drilling ventilation holes and using one of Dennis Briggs' power supplies.

It is very easy to give advice on how to keep a system working trouble-free but it is much more difficult to offer convincing arguments why particular precautions enhance reliability. Because it seems common sense to do so. I frequently vacuum the computer system area and room, using a Black & Decker car vacuum cleaner, and wipe the table and system units with a damp cloth. Dust and dirt are brushed from the computer, disc drives and printer with a soft paste brush, also frequently and prior to vacuuming. The drive cleaner is used every three weeks. Disc errors are virtually non-existent.

The screen-dimming function ensures that the phosphor coating on the inside of the tube gets minimum excitation for most of the time the system is on; although the system is on, typically, 10-15 hours per day, it is rare for me to be putting anything on the screen for more than half that time.

So what of the future? The only new piece of hardware which looks to be on the horizon is a hard disc drive. A hard disc can transform a system for a user who makes heavy demands on it. You soon get used to moving megabytes in seconds.



# SUPERBASIC

Unlike Unix and MS-DOS, Qdos does not include a pattern-matching facility. Mike Lloyd rectifies that anomaly with a powerful SuperBasic function.

any SuperBasic projects start as a result of thinking "Would it not be pleasant if". Would it not be pleasant if the DIR command could be asked to list only those filenames suffixed with "\_doc". It would also be good if a single DELETE command could remove all files associated with "test", such as "test1\_bas", "oldtest1\_bkp" and "newtest\_doc".

For once, the MS-DOS operating system is ahead of Qdos because its file management commands allow users to specify groups of files related by filename. The Unix operating system is even more advanced, because its pattern-matching algorithms work not only with file names but also with file contents. Unix equivalents to the suggestions above are:

 $ls \star \_doc$  (1s = list)

 $rm \star \_test \star$  (rm = remove)

Pattern matching is also important in database applications because it allows records which share common characteristics to be grouped. An inventory database might be searched for all types of bolts, or a mailing list searched for all London addresses, or a data file examined to retrieve lines which include the initials QL.

# Wildcards

Many QL owners already have a simple file name matching facility provided either by Tony Tebby's Toolkit or by their floppy disc interfaces but it cannot distinguish between the suffixes "\_doc" and "\_docy" and it would not associate "newtest\_doc" with other "test" files. Nor can it be used to search file contents.

The most important element of pattern matching, and what Tebby's Toolkit lacks,

is wildcards, or characters with special meanings. The term is derived from card games in which a particular card can be used to represent any other card. Two wildcards are implemented in the Super-Basic function listed with this article, the asterisk and the question-mark.

When an asterisk appears in a pattern string it represents any number of characters, including none at all. The pattern "Fred\*doc" therefore will match "Fred\_bkp\_doc", "Freda\_doc" and "Freddoc". The question-mark represents any single character. Thus, "Fred?"

"Many SuperBasic projects start as a result of thinking 'Would it not be pleasant if . . . ?""

matches any five-letter string which begins with the letters "Fred". "Freda" and "Fredi" would match, while "Freddy" and "Fred" would not.

Having used the asterisk and questionmark as wildcards it seems that they cannot then be used with just their ordinary meanings. This problem is solved by a third metacharacter, the backslash (I), which can be used before either of the other characters to dereference it, or take away its special meaning. For instance, all strings which end in question-marks can be selected using the pattern "\*1?".

Wildcards offer powerful benefits which more than offset the sometimes awkward construction of patterns. The following examples presume the existence of a dictionary array: "T???" finds all four-letter words beginning with "T"

"★ing" finds all words ending in "ing"
"★j★" finds all words containing a "J"

"???★" finds all words longer than three letters

"Dar?ing" finds Darling, Darning and Darting

"Dar ≠ing" also finds Daring, Darjeeling, Darkening and so on.

A pattern string comprises groups of ASCII characters interspersed by groups of wildcards. To match a pattern with a target string each group of ASCII characters must find exact equivalents at appropriate points in the target, determined largely by whatever wildcards appear immediately before them in the pattern string. A simple algorithm which suggests itself is therefore:

"Use the INSTR function to match each text group in turn with the part of the target string dictated by previous matches and wildcards until either a complete match is found or until the end of the target string is reached.

This algorithm does not always work. Imagine a search using the pattern "★S?N★". The algorithm will identify "Sinclair" correctly as a match but it would reject the equally correct "Sir Clive Sinclair" because the INSTR function would find the first "S" in "Sir", discover that the second letter following is not an "n" and report a failure, never realising that a correct match can be found later in the string.

If a single pass of the target string is unreliable, some form of recursion is needed. Recursive algorithms are those defined in terms of themselves and

```
Listing 1
  100 DEFine FuNction Match (Pattern$, Str$)
 102 LOCal Char, Text, Woard, Mask$, Loop, Result
 104 LOCal Charpos(10), Endchar(10), First(10)
106 LOCal MinPos(10), MaxPos(10), X, Y
 108 Mask$ = Pattern$: Char = 1: Text = 0
 110 FOR X = 1 TO 10
       REPeat Loop
 112
 114
          Wcard = Mask$(Char) INSTR "\?*"
          IF Wcard>1 AND Text: Text = 0: EXIT Loop
 116
          IF ((Wcard>1) + Text) = 0
 118
 120
            Text = 1: Charpos(X) = Char
 122
         END IF
 124
         SELect ON Woard
         = 1: IF Char = LEN(Mask*): STOP
 126
 128
               IF Char = 1
 130
                 Mask$ = Mask$(2 T0)
 132
               ELSE
 134
                 Mask$ = Mask$(1 TO Char-1) &
                 Mask$(Char+1 TO)
 136
               END IF
 138
        = 2: MinPos(X) = MinPos(X) + 1
 140
         = 3: MaxPos(X) = 1
         END SELect
 142
144
         Char = Char +1
 146
         IF Char > LEN(Mask$): EXIT Loop
148
       END REPeat Loop
150
       Endchar(X) = Char -1
152
       IF Char > LEN(Mask*): EXIT X
 154 END FOR X
Listing 2
200 Y = 1: First(Y) = 1 + MinPos(1)
202 REPeat Loop
204
       IF Charpos(Y) = \emptyset
206
           IF MaxPos(Y)
208
               Result = LEN(Str$) >= First(Y) -1
210
           ELSE
               Result = LEN(Str$) = First(Y) -1
212
214
           END IF
      ELSE
216
218
         IF First(Y) > LEN(Str$): RETurn @
220
        IF MaxPos(Y)
222
           Last = LEN(Str$)
224
        ELSE
226
           Last = First(Y) +Endchar(Y) -Charpos(
228
230
        Result = Mask$(Charpos(Y) TO Endchar(Y)
        INSTR Str$(First(Y) TO Last)
232
      END IF
Listing 3
300
      IF Result = 0
302
        REPeat backtrack
304
          Y = Y - 1: IF Y = 0: RETurn 0
           IF MaxPos(Y): EXIT backtrack
306
308
        END REPeat backtrack
310
      EL.SE
312
        IF Charpos(Y) = 0: RETurn 1
314
        First(Y) = First(Y) + Result
        First(Y + 1) = First(Y) + Endchar(Y)
316
        - Charpos(Y) + MinPos(Y +1)
318
        Y = Y + 1
320
      END IF
322 END REPeat Loop
324 END DEFine
```

understanding them can confuse even the most experienced programmers. To illustrate recursion, Confucious might have said:

A journey is a journey followed by a single step.

The great philosopher would have been on to something except that the definition is invalid for the first and last steps in the journey. Recursive computer functions are usually started by an externally-provided parameter – the first step – and completed when some condition is reached – the last step. About the simplest example is a function to compute

"The great
philosopher would
have been on to
something, except that
the definition is
invalid for the first
and last steps."

factorials. The factorial of 5 is  $5\times4\times3\times2\times1$ , or 120. A SuperBasic function to compute the factorial of any number is:

100 DEFine FuNction Factorial (num)
110 IF num = 1 THEN
120 RETurn 1
130 ELSE
140 RETurn num ★ Factorial (num -1)
150 END 1F
160 END DEFine Factorial

A recursive approach to pattern matching requires a new definition of a pattern string which divides it into a series of like elements. The standard element of a pattern string comprises at least one wildcard followed by a number of "normal" characters. Exceptions to the standard are elements comprising only wildcards or text. Patterns can contain any number of elements "flp?\_\_\*doc" consists of the elements "flp", "?\_\_" and "\*doc".

A recursive algorithm would take each element separately and attempt to find a match. If successful, matches for succeeding elements would be attempted until the last element in the pattern was reached. If any match failed the algorithm would back-track to find a further match for the *previous* element, if there was one.

This is best illustrated by an example. The target string "The rain in Spain" might be checked against the pattern "\*\(\pm\ai\)n". The text characters, "ain", are sliced from the pattern string and a match is found in "rain". Without a trailing asterisk the match must occur at the end of a string,

which in this case is not true. The function then repeats itself with what remains of the target string, "in Spain" and this time finds a successful match in "Spain". If the target string is "The rain in

If the target string is "The rain in Portugal" the first match with "rain" would again fail and a second run through the algorithm would fail to find another occurrence of "ain" and so the algorithm would report a failure.

Unfortunately, although SuperBasic allows recursive functions to be defined, the one written to accompany this article persistently corrupted the Qdos name table which stores details of all SuperBasic keywords and user-defined variables. The cause and cure for this problem remain unidentified. Strangely, the function runs properly when compiled with Turbo and so some rare SuperBasic bug is possibly to blame.

To complete the assignment on time the function was re-written completely using arrays of pointers in the place of recursion and it is this somewhat monolithic routine which is spread across listings one, two and three.

Listing one begins by declaring all the necessary local variables and arrays. Three of the arrays are used for pointers. Charpos and Endchar are used to hold the positions of the first and last characters in each group of normal characters. The First array shows the first position in the target string from which each search may start.

# **Variables**

The Minpos array records how many question-mark wildcards appear in each pattern element. The Maxpos array shows whether or not an asterisk wildcard is present. Other variables will be explained as they are used.

A local copy of the pattern string, Mask\$, is obtained so that it can be sliced without affecting the parameter. A pointer to the "current" character is set to one and a flag indicating whether text or wild-cards are being processed is set to zero, indicating that a wildcard is next expected. A FOR...NEXT loop repeats for each pattern element. Recalling the definition of a pattern element it can be seen that the pattern "\*??Sinclair" comprises a single element, whereas "?S\*r" contains two. It is unlikely that more than 10 elements will occur.

In the FOR...NEXT loop a REPEAT loop tests each character in Mask\$ against a string of metacharacters. The two IF statements which follow at lines 116 and 118 test for what astrologists might call the cusp between groups of adjacent wildcards and groups of text characters. If a wildcard following a run of normal characters is detected, it belongs to the next pattern element and so the loop is exited. On the other hand, if the first text character in an element is detected its position is recorded in the

Listing 4

```
400 REMark *** Example Use of Match
402 REPeat SongMatch
      INPUT#0; "Match = "; Test$
404
      IF Test$ = "": EXIT SongMatch
406
      CLS: PAPER 0: INK 7: RESTORE 400
408
410
      FOR Try = 1 TO 10
        READ Song$: k = Match (Test$, Song$)
412
        IF k: a$ = "HIT": ELSE : a$ = "MISS"
414
        STRIP 2*k: PRINT a$; TO 6; Song$
416
      END FOR Try
418
420 END REPeat SongMatch
422 DATA "Here, There and Everywhere"
424 DATA "And I Love Her", "True"
426 DATA "Dancing in the Dark", "Private Dancer"
428 DATA "Loving You", "It Must Be True"
430 DATA "There Always Will Be You"
432 DATA "Dance Away", "Will You?"
```

Charpos array and the text flag is set to one before the REPeat loop continues.

Wildcards after the bounds of the search area in the target string. A pattern of "\*doc\*" will search the entire target string for the occurrence of the characters "doc". It does not matter how many consecutive asterisks appear; the effect is still the same. With question-marks, however, quantity is important and so they are counted in the SELECT structure.

The effect of the backslash, which dereferences a following wildcard, is produced by slicing the pattern string to

search this point moves rightwards through the target string. The initial First value is set according to how many question-mark wildcards appear in the first pattern element.

A feature of the pattern analysis is that the Charpos value for the last pattern element will always be zero. Using this to identify the last element. Result can be set according to how many characters remain in the string.

For elements other than the last, an end point for the search must be calculated. If an asterisk is present it will be the final character in the target string; otherwise it depends on the length of the current group of text characters and the presence of question-mark wildcards.

# "The Unix operating system pattern-matching algorithms work not only with files names but also with file contents."

remove it. This ensures that the wildcard shifts to the left by one place and thus avoids detection at the beginning of the

The REPEAT loop ends by incrementing the Char pointer. It is exited at the end of each pattern element, at which point the Endchar pointer is saved and the FOR...NEXT loop is cycled. When the final element has been processed control passes to the next listing.

The object of the second listing is to identify whether a match exists between the text characters in a pattern element and the area of the target string currently under scrutiny. A new counter, Y, controls progress through the pattern elements.

The values of the First array vary to show the point in the target string at which each search must begin. After each

# Bounded

Unless the First character position is beyond the end of the target string, the part of the target string bounded by the First and Last character positions is searched for a match at Line 230.

Listing three acts according to the value of Result. If Result is zero the backtracking loop returns to the last pattern in which an asterisk appears to try for a further search.

If Result is positive the current First value is incremented by the Result value. The First value for the next pattern element is then calculated based on the location of the match, the length of the current normal character group and the existence of question-mark characters in the next pattern element. Finally, the Y counter is incremented before the loop repeats.

If the code remains confusing, do not worry. Type-in the function and test it using the fourth listing against either the data provided or against your data.

Next month Mike Lloyd puts pattern matching to serious use in a file management utility.

# **520ST-FM SUPER PACK**



With SM124 mono monitor: £498 M

# 1Mb DISK DRIVE £450 OF SOFTWARE

ARCADE GAMES

| Arkanoid ii       | Imagine            | £19.95 |
|-------------------|--------------------|--------|
| Beyond The Ice Pa | lace Elite         | £19.95 |
| Black Lamp        | Firebird           | £19.95 |
| Buggy Boy         | Elite              | £19.95 |
| Chopper X         | Mastertronic       | £9.99  |
| Ikari Warriors    | Elite              | £14.95 |
| Marble Madness    | Electronic Arts    | £24.95 |
| Quadrallen .      | Logotron           | £19.95 |
| Ranarama          | Hewson Consultants | £19.95 |
| Return To Genesis | Firebird           | £19.95 |
| Roadwars          | Melbourne House    | £19.95 |
| Starquake         | Mandarın           | £19.95 |
| Test Drive        | . Electronic Arts  | £24.95 |
| Thrust            | Firebird           | £9.95  |
| Thundercate       | Elite              | £19.95 |
| Wizbell           | Ocean              | £19.95 |
| Xenon             | Melbourne House    | £19.95 |
| Zynaps            | Hewson Consultants | £19.99 |
|                   | 4710110            |        |

SPORTS SIMULATIONS

Tynesoft £19.95
Tynesoft £19.95 Eddle Edwards Super Ski 

PRODUCTIVITY SOFTWARE Triangle Publishing £49.95

JOYSTICK

Atari CX40 Jovstick Atari Corp £4.99 FREE ATARI BUNDLE VALUE:£458.97

With SC1224 colour monitor: £698 #

# 1040ST-FM PROFESSIONAL

NOW WITH TV MODULATOR the serious home user and the small business, we are ased to announce a new pockage based around the UST-FM. The 1040ST-FM has 1Mbyte RAM and a byte built-in diak drive. In addition, the 1040ST-FM we comes with a TV modulator built-in. (The previously niable 1040ST-F was designed for use with a monitor yand did not come with a modulator). This modulator bust he 1040ST-F to be plugged directly into any mestic TV set, and comes complete with a lead to be you to do so. The new Professional Pack from a includes the new 1040ST-FM with modulator plus in high quality software packages including a spread; distable, word processor and programming langue. This Professional Pack software will enable you to the straight down to business with your new computer. In sition to this software (worth £384 84), if you buy the Silica ST Starter Kit (worth over £200), Free Of arge Return the coupon for further information.



With SM124 mono monitor: £598 WAT

With SC1224 colour monitor £798 100



ATARI 1040ST-FM VIP PROFESSIONAL MICROSOFT WRITE (Computer) £499.99 SUPERBASE PERSONAL (Database) £59.95 (Language) £24.98 BASIC DISK & MANUAL

NORMAL RRP: £884.82 LESS DISCOUNT: -£385.82 PROFESSIONAL PACK PRICE: £499.00

# 2Mb & 4Mb Mega St

2Mb MEGA ST £899 +mono monitor = £998 +colour monitor = £1198

£1199



# DTP PageStream

po Publishing (DTP) is one of the fastest growing applications for personal fers. We are pleased to announce a powerful low cost package for the Asian ST PageStream PageStream costs only £148 (+1471-£171.35) and, because it with an Atan 1040ST and a Serkoche SP-1040A printer, you can be up and g. with a complete system for less than £1000 Some of the features of tream are leaded to the right. If you would like further informetion on the m, complete and return the coupon below, licking the TDTP box in the corner.

\* TEXT-FLOW AROUND GRAPHICS \* ROTATION OF TEXT & GRAPHICS \* SLANT OR TWIST ANY OBJECT \* POSTSCRIPT COMPATIBLE \* TAG FUNCTION AUTO-MANUAL KERNING & HYPHENATION \* GROUPING OF OBJECTS

# COMPUTER

# 520ST-FM EXPLORER PACK

WITH BUILT-IN 1Mb DISK DRIVE



The value for money offered by the Atari ST range is reflected in the Explorer Pack featuring the 520ST-FM computer with 512K RAM. The 520ST-FM, computer now comes with a built-in 1 Mb double sided disk drive as well as a free mouse controller and a built-in TV modulator. The new 520ST-FM Explorer Pack includes the 520ST-FM computer, the arcade game Ranarama, a tutorial program and some useful desktop accessories. In addition, if you buy the Explorer Pack from Silica, we will give you the Silica ST Starter Kit worth over £200, FREE OF CHARGE. Return the coupon for details of our Starter Kit and of the full ST range



+ SM124 mono monitor: £398 WF

+ SC1224 colour monitor: £598 WAS

# ORTH OVER £200

WITH EVERY ST - RETURN COUPON FOR DETAILS ALL PRICES QUOTED INCLUDE FREE UK DELIVERY

# DO YOU OWN AN ATARI ST?

# SILICA SHOP

SIDCUP (& Mail Order)

1-4 The Mews, Hatherley Road, Sidcup, K
OPEN: MON-SAT 9am - 5 30pm LATE NIGHT: 01-309 1111 I, DA14 4DX

W1P OBA 4000 LONDON

ONDON 01-629 1234 ext 3914 Selfridges (1st floor), Oxford Street, London, W1A 1AB OPEN: MON-SAT 9em - 6.00pm LATE NIGHT: THURSDAY 9em - 8pm LONDON

Address

PLEASE SEND FREE LITERATURE ON THE ATARI ST

Surname


Initials:

Do you already own a computer If so, which one do you own?

Mr/Mrs/Ms

DTP [





# Program of the month

# **WORDBLOK** by Phillip Sproston

ordblok is simple to play but difficult to win. All you have to do is choose a word grid from one to 10, or let the computer select a random grid for you. You will then be asked to find

as many words as you can make from the word grid; the catch is that every word must include the letter on the right of the

All words are of four letters or more and each grid contains at least one word with 10 letters. No foreign words. proper names or plurals are allowed; remember that a plural does not always have an 's' on the end.

At the end of each round the computer will fill in the missing words and tell you your score.

You can cheat and look at the listing for the answers but if you really want a testing time. get somebody else to type in the data for you. Then you could develop some more grids and give your friends a hard

100 REMark WORDBLOK 110 WINDOW 448,200,32,16:PAPER 0:WINDOW £2,448,200 .32,16:PAPER £1.0:MODE 2:OPEN £8,CON\_:WINDOW £8,51 2,255,0,0:PAPER £8,0:OG=0 120 CLS £8: CSIZE 2.1: INK 7 130 AT 1.13: PRINT 'WORDBLOK' 140 A\$= QUANTUM SOFT 1985': INK 4 150 FOR C=1 TO LEN(A\$)-1 160 AT 4.8: PRINT A\$(LEN(A\$)-C TO ): BEEP 0,C,C,1,2, 170 END FOR C: BEEP: INK 2 180 AT 7.4: PRINT "PRESS 'I' FOR INSTRUCTIONS"
190 AT 9.8: PRINT "PRESS 'S' TO START" 200 IF KEYROW(3)=8 THEN GO TO 500 210 IF KEYROW(5)=4 THEN GO TO 260 220 GO TO 200 260 CLS £8 270 CSIZE 3.1:AT 0.9:INK 2:UNDER 1:PRINT 'WORDBLOK :UNDER O:INK 7 280 CSIZE 1.0: PRINT \"THE OBJECT OF 'WORDBLOK' IS TO MAKE AS MANY WORDS AS POSSIBLE OUT OF THE LE TTERS PROVIDED." 290 PRINT \'THE WORDS MUST BE AT LEAST FOUR LETTER S LONG AND EACH OFTHE LETTERS CAN ONLY BE USED ONC 300 PRINT \'HOWEVER EACH WORD MUST CONTAIN THE LAR GER LETTER ON THE RIGHT OF THE OTHER LETTERS.'
310 PRINT \'THERE IS AT LEAST ONE 10 LETTER WORD.' 320 PRINT 'NO PLURALS ARE ALLOWED, NO FOREIGN WOR DS. AND NO PROPER NAMES(e.g ANDREW).':INK 2:PRINT

mdv1\_wordblok 1961 Jul 14 23:49:42 Fri

330 CSIZE 3,1: INK 4: AT 9,2: PRINT "PRESS 'ENTER' TO START" 350 K\$=INKEY\$(5):IF CODE(K\$)<>10 THEN GO TO 350 500 CLS£8: INK 4 510 CSIZE 2,1:AT 2,4:UNDER 1:PRINT 'PLEASE PRESS K EY FOR OPTION': UNDER 0 520 INK 2:AT 5.5:PRINT "'C'=CHOOSE A GRID NUMBER" 530 AT 7.5: PRINT "'R'=A RANDOM GRID NUMBER" 540 IF KEYROW(2)=8 THEN GO TO 580: REMark CHOOSE 550 IF KEYROW(5)=16 THEN GO TO 650: REMark RANDOM 560 GO TO 540 580 CSIZE £0.3.1 590 CLS£0:PRINT£0, 'PRESS GRID NUMBER (1 TO 10)'
600 G\$=INKEY\$(5):IF G\$='' THEN GO TO 600 610 IF G\$>'9' OR G\$<'0' THEN GO TO 600 620 IF G\$='0' THEN G=10:GO TO 1000 630 G=G\$ 640 GO TO 1000 650 K\$=INKEY\$(9):IF K\$<>'' THEN GO TO 650 660 RANDOMISE: G=RND(1 TO 10): IF G=OG THEN GO TO 66 670 OG=G 999 REMark SET UP 1000 CLS£8: CSIZE 3.1: INK £0.2: CSIZE£0.3.1: UNDER 1: INK 4:AT 1.18: PRINT 'WORDBLOK': UNDER 0: INK 7: RESTO RE (10000+(10\*(G-1))) 1010 READ N. W. A. B. E 1020 DIM T\$(N,10):DIM P\$(N,10):FOR C=1 TO N 1030 READ T\$(C): END FOR C 1050 PAPER 2: FOR C=0 TO 2 1060 AT 3+C, 20: PRINT W\$((3\*C)+1 TO (3\*C)+3): END FO R C: PAPER 4 1070 AT 3.23: PRINT ' ': AT 4.23: PRINT W\$(10): AT 5.2 TYPE '\*' FOR YOUR FINAL SCORE.": INK 7 3: PRINT ': PAPER 0

```
1080 CSIZE 1.0: FOR C=1 TO N
                                                                                        3120 K$='FINAL RATING': CSIZE 3.1: INK 4: FOR C=1 TO
 1090 C$=C: IF C>20 THEN AT C-21,20-(LEN(C$)):GO TO
 1120
                                                                                        LEN(K$) 1
                                                                                        3130 AT 3,7: PRINT K$(LEN(K$)-C TO ): END FOR C
 1100 AT C-1.4-LEN(C$)
                                                                                        3140 INK 2:R$= 'POOR'
 1120 PRINT C$: '.
                                                                                        3150 IF S>=A THEN R$= 'GOOD'
 1150 END FOR C
                                                                                        3160 IF S>=B THEN R$= 'VERY GOOD'
 1160 AT 13.36: INK 2: UNDER 1: PRINT 'OTHERS': UNDER 0
 1170 AT 4,35:PRINT QUANTUMSOFT 1985":AT 0,41:PR
INT 'GRID: ';G:AT 7,33:PRINT 'WORDS':INK 7:CSIZE 3.
                                                                                        3170 IF S>=E THEN R$='EXCELLENT
                                                                                        3180 AT 9.1: PRINT "PRESS 'SPACE' TO CONTINUE"
                                                                                        3190 FOR C=0 TO 7 STEP 2
3200 INK C:AT 5.13-(LEN(R$)/2):PRINT R$
 1: AT 4,17: PRINT '0': CSIZE 1,0
 1180 K$='* FOR FINAL SCORE': FOR C=1 TO LEN(K$)
                                                                                        3210 K$=INKEY$(9):IF K$= " THEN INK 7:CLS £8:GO T
 1190 AT C+1,54: PRINT K$(C): END FOR C
                                                                                        0 120
 1200 DIM 0$(6,10): REMark OTHERS
                                                                                        3220 END FOR C: GO TO 3190
 1210 S=0: REMark NUM OF WORDS
                                                                                        8888 CSIZE £0,0,0
 1220 XS=0: REMark XTRA WORDS
                                                                                       9998 STOP
1500 CLS£0: INPUT £0."
                                             WORD: "; E$: IF E$= ' THEN
                                                                                        9999 DELETE MDV1_WORDBLOK: SAVE MDV1_WORDBLOK: STOP
  GO TO 1500
                                                                                       10000 DATA 32, 'THEERCNERD', 23, 27, 32, 'CEDE', 'CENTRE
D', 'CHEERED', 'CREED', 'DECENT', 'DECREE', 'DEER', 'DEN
1505 IF E$(1)='*' THEN GO TO 3000
1510 L=LEN(E$):IF L<4 OR L>10 THEN
1520 CLS£0:PRINT £0, WRONG WOR
                                                                                       E','DENT'.'DETER','DRENCH','ENTERED','ERECTED','ER
RED','ETCHED','HEED','HERD','NEED','RECEDE','REED',
'REND','RENDER','RENTED','RETCHED','RETRENCHED','
                                           WRONG WORD LENGTH'
1530 BEEP 2000, 99: PAUSE 50: GO TO 1500
1540 END IF : FOR C=1 TO L
1545 IF E$(C)=' ' THEN CLS£0: PRINT £0;'
                                                                                       TEED!
                                                                        SPACES
 NOT ALLOWED': BEEP 2000, 50: PAUSE 50: GO TO 1500
                                                                                        , 'TEHEED', 'TEND', 'TENDER', 'TREED', 'TRENCHED', 'TREN
                                                                                       D': REMark 14 MAR
 1550 END FOR C: C$=W$
                                                                                       D';REMARK 14 MAR

10010 DATA 26, 'BADLYNTANU',16,21,26, 'ABUNDANT','AB

UNDANTLY', 'ABUT', 'ADULT', 'ANNUAL', 'ANNUL', 'AUNT','

BAUD', 'BLUNT', 'BUNA', 'BUNT', 'BUTYL', 'DAUB', 'DAUNT'

,'DUAL', 'DULY', 'DUTY', 'LANDAU', 'LAUD', 'TABU', 'TUBA

','TUBAL', 'TUNNY', 'UDAL', 'ULNA', 'UNLAY'

10020 DATA 26, 'NICOTNOROT', 20,23,26, 'CITRON', 'CONT
1560 FOR C=1 TO L
1570 IF E$(C)=W$(10) THEN GO TO 1600
1580 END FOR C:CLS£0:PRINT £0," NO LETTER '": W$(10):"'"
1590 BEEP 2000,80: PAUSE 50: GO TO 1500
1600 FOR C=1 TO L
                                                                                       10020 DATA 26, 'NICOTNOROT', 20, 23, 26, 'CITRON', 'CONTORT', 'CONTORTION', 'COOT', 'COTTON', 'CROTON', 'INTO', 'NOTION', 'ONTO', 'OTTO', 'RIOT', 'ROOT', 'TINCT', 'TINCT', 'TINCT', 'TONIC', 'TONIC', 'TORC', 'TORIC', 'TOR N', 'TORT', 'TRICOT', 'TRICO', 'TRITON', 'TROT' 10030 DATA 33, 'ACEYONVECN', 22, 27, 33, 'ACNE', 'AEON', 'ANCON', 'ANNOY', 'ANYONE', 'CANE', 'CANNY', 'CANOE', 'CANON', 'CONCAVE', 'CONE', 'CONEY', 'CONVEY', 'CONVEY', 'CONVEY', 'COVEN', 'CYAN', 'ENVOY', 'ENVY', 'ENVY', 'NAVE', 'NAVY', 'NEON', 'NONCE', 'NONE
1610 FOR V=1 TO 10
1620 IF E$(C)=C$(V) THEN GO TO 1640
1630 END FOR V:CLS£0:PRINT £0.'
                                                         LETTER ERROR IN
WORD': BEEP 2000, 70: PAUSE 50: GO TO 1500
1640 C$(V)=' ': END FOR C
1670 FOR C=1 TO N
1680 IF T$(C)=E$ THEN GO TO 1800
1690 END FOR C: FOR C=1 TO 6
1695 IF E$=O$(C) THEN AT 13+C, 36: INK 4: PRINT E$: BE
                                                                                         , 'NO
EP 2000, 40: CLS£0: PRINT £0, 'YOU ALREADY HAVE THAT O
NE!": PAUSE 80: INK 7: AT 13+C, 36: PRINT E$: GO TO 1500 1700 END FOR C: BEEP 2000, 40: CLS£0: PRINT £0, " I DO N'T KNOW THAT WORD"\" PLEASE CONFIRM (Y OR N)"
                                                                                        VA', 'NOVENA', 'OCEAN', 'ONCE', 'OVEN', 'VANE'
                                                                                       10040 DATA 40, 'TONICEMMMT', 29,35,40, 'CENT', 'CENTO', 'CITE', 'COMET', 'COMMENT', 'COMMIT', 'COMMITMENT', 'COTE', 'EMIT', 'ENTOMIC', 'INTO', 'ITEM', 'MINT', 'MITE'.
1710 K$=INKEY$(5):IF K$='' THEN GO TO 1710
1720 IF K$='N' THEN GO TO 1500
1730 IF K$<>'Y' THEN GO TO 1710
1740 CLS£0:PRINT £0.' OK I
                                                                                        'MITT', 'MITTEN', 'MOMENT', 'MOTE', 'MOTET', 'MOTTE', 'N
                                                                                       ETT', 'NOETIC', 'NOTE', 'NOTICE', 'OCTET', 'OMIT', 'OTIC
                                                                                      '.'TE
NT','TICE','TIME','TINET','TINE','TINT','TOME','TO
NE','TONEMIC','TONIC','TOTE','TOTEM','TOTEMIC'
10050 DATA 25,'ROBIYNIHIT',17,21,25,'BIOTIN','BIRT
H','BORT','BOTH','BROTH','HINT','INHIBIT','INHIBIT
OR','INHIBITORY','INTO','NORTH','OBIT','ORBIT','RI
                                          OK I BELIEVE YOU! ': BEEP
2000, 40: PAUSE 45
1750 XS=XS+1: IF XS>6 THEN XS=6: AT 19.36: PRINT '
1760 O$(XS)=E$:AT 13+XS, 36: PRINT E$:S=S+1:GO TO 20
                                                                                       OT', 'THIN', 'THORN', 'THORNY', 'THROB', 'TINY', 'TIRO',
1800 FOR C=1 TO N
1810 IF P$(C)=E$ THEN
                                                                                        'TOBY', 'TORN', 'TRIO', 'TROY', 'TYRO'
                                                                                      10060 DATA 39, 'OILRIGNIER', 28, 33, 39, 'ENROL', 'ERRIN G', 'GIRL', 'GIRO', 'GOER', 'GORE', 'GRIN', 'GROIN', 'IGN ORE', 'INLIER', 'IRON', 'IRONER', 'IRRELIGION', 'LIGER', 'LIGROIN', 'LINER', 'LOIR', 'LONER', 'LORE',
1820 BEEP 2000, 30: CLS£0: PRINT £0, ' YOU HAVE ALREAD
Y GOT THAT!
1830 C$=C: IF C>20 THEN AT C-21, 21: GO TO 1850
1840 AT C-1,5
1850 INK 4: PRINT E$: PAUSE 50: INK 7
                                                                                        'LORINER', 'LORN', 'NEROLI', 'OGRE', 'OILER', 'ORIEL',
1860 C$=C:IF C>20 THEN AT C-21,21:GO TO 1880
                                                                                       ORIGI
                                                                                       N', 'ORLE', 'REGION', 'REIGN', 'REIN', 'RELIGION', 'RILE
', 'RILING', 'RING', 'RINGER', 'ROIL', 'ROILING', 'ROLE'
10070 DATA 40, 'EATNIBLIEV', 30, 35, 40, 'ALIVE', 'ANVIL
', 'BEVEL', 'ENVIABLE', 'EVEN', 'EVENT', 'EVIL', 'INEVIT
ABLE', 'INVITE', 'INVITEE', 'LAVE', 'LEAVVEN', 'LENITIV
E', 'LEVANT', 'LEVIN', 'LIVE', 'LIVEN', 'NAIVE', 'NATIVE
1870 AT C-1.5
1880 PRINT ES: GO TO 1500
1890 END IF
1900 END FOR C
1902 FOR C=1 TO N
1905 IF T$(C)=E$ THEN GO TO 1910
                                                                                       E', 'LEVANT', 'LEVIN', 'LIVE', 'LIVEN', 'NAIVE', 'NATIVE
', 'NAVE', 'NAVEL', 'VAIL', 'VAIN', 'VALE', 'VALET', 'VAN
1907 END FOR C
                                                                                       E','V
EAL','VEIL','VEIN','VEINLET','VELETA','VENAL','VEN
IAL','VENT','VENTIL','VIABLE','VIAL','VILE','VINE'
1910 CLS£0: PRINT £0."
                                           THAT'S CORRECT": BEEP 20
00,60
1930 IF C>20 THEN AT C-21.21:GO TO 1950
                                                                                        'VITAL'
1940 AT C-1.5
                                                                                       10080 DATA 28, 'REQUESTING', 19, 24, 28, 'ENQUIRE', 'EQU
1950 PRINT ES
                                                                                       INE', 'ESQUIRE', 'INQUEST', 'QUEEN', 'QUEER', 'QUEERING
1960 P$(C)=E$:S=S+1:PAUSE 40
                                                                                       ', 'QUERIST', 'QUERN', 'QUEST', 'QUESTING', 'QUIET', 'QU
IETEN', 'QUINT', 'QUINTE', 'QUIRE', 'QUIT', 'QUITE', 'QU
ITS', 'REQUEST', 'REQUESTING', 'REQUITE', 'SEQUENT', 'S
2000 AT 0.0:S$=S:CSIZE 3.1:AT 4.18-LEN(S$):PRINT S
:AT 0,0:CSIZE 1,0:GO TO 1500
3000 CLS£0: PRINT £0.
                                            GAME ABANDONED'
3010 INK 2: FOR C=1 TO N
                                                                                       EQUIN
3020 IF T$(C)<>P$(C) THEN
                                                                                       ', 'SQUINT', 'SQUIRE', 'SQUIREEN', 'SQUIRT'
                                                                                      . SQUINT, SQUINE, SQUINEEN, SQUINT

10090 DATA 40, 'LAPYIBCEMC', 29,35,40, 'ACME', 'CAME', 'BECALM', 'BICE', 'BICYCLE', 'CABLE', 'CALM', 'CAME', 'CAMEL', 'CAMP', 'CAPE', 'CELIBACY', 'CICELY', 'CLAIM', 'CLAM', 'CLAMP', 'CLAP', 'CLAY', 'CLIMB', 'CLIME', 'CLIP', 'CYCLE', 'CYMBAL', 'EPIC', 'EPICAL', 'IMPECCABLY', 'LA
3030 IF C>20 THEN AT C-21,21:GO TO 3050
3040 AT C-1.5
3050 PRINT T$(C)
3060 END IF
3070 END FOR C: INK 7
                                                                                       CE'.
3080 CLS£0: PRINT £0," PRESS 'ENTER' WHEN READY"
                                                                                       LACY', 'LAIC', 'MACE', 'MACLE', 'MALIC', 'MALICE', 'MELI
3090 K$=INKEY$(9):IF K$=' THEN GO TO 3090
                                                                                       C'. 'MICA'. 'PACE', 'PICA', 'PLACE', 'PLAICE', 'PYAEMIC
3100 IF CODE(K$)<>10 THEN GO TO 3090
```

# MIRACLE SYSTEMS



VISA

14 day money back guarantee on all products
12 month warranty on all products
UK prices include VAT and P&P
(Export prices in brackets include P&P)

# QL TRUMP CARD RAM & DISC I/F £249 (£219)

- ☆ 768K RAM increases QL memory to 896K
- ☆ Standard 3.5"/5.25" disc interface
- ☆ Screen dump
- RAM disc
- A Printer buffer
- ☆ Memory cut
- ☆ Toolkit II

# QL TRUMP CARD PACKAGE TRUMP CARD & DUAL DISC DRIVE £399 (£354)



- ☆ 2 x 720K, 3.5"
- ☆ Very quiet operation
- ☆ Cables & 10 diskettes included

# TRUMP CARD ECONOMY PACK

£260 (£233)

- ☆ TRUMP CARD 256K
- ☐ Increases QL RAM to 384K ☐ Single 3.5", 720K drive

# QL 5.25" DISC DRIVE £125 (£114)



- ☆ 360K capacity
  ☆ Ideal for SOLUTION
- ☆ Through-con for double 3.5"

# QL DISC CARD £100 (£89)

- ☆ TRUMP CARD without RAM
- ☆ Full Toolkit II etc.
- ☆ Controls up to 4 drives

# QL CENTRONICS £29 (£28)

- ☆ SER1/SER2 to parallel printer
- ☆ Standard Centronics plug
- ☆ Default QL set-up 9600 baud
- ☆ 3 metre cable included

# Tel: (0904) 423986

To place an order by phone please have your credit card ready. For overseas customers we charge the prices shown in brackets.

To order by post, please fill in the form opposite or write to us quoting your credit card number and expiry date, or enclosing a cheque payable to MIRACLE SYSTEMS.

| To: | MIRACLE | SYST | EMS, | 25  | Broughton   | W  | ay, | Osbaldwick, |  |
|-----|---------|------|------|-----|-------------|----|-----|-------------|--|
|     | York,   | Y01  | ЗВG, | U.K | . Tel: (090 | 4) | 423 | 986         |  |

Please send me

I enclose a cheque to the value of £

or debit credit card

expires \[ \bigcup \lambda

Signature

Address

Name

Sinclair/QL World September 1989


# MIRACLE SYSTEMS



# QL HARD DISK



£399 inc



(£355exp)

# Mass storage with fast access

Over 30 megabytes of programs and data can be stored on the Miracle Systems QL Hard Disk - the equivalent of more than 40 floppy disks. Loading from and saving to the QL Hard Disk is also much quicker. So you can now have the convenience of holding all your files on the QL Hard Disk, all accessible at any time, rather than having to repeatedly insert and remove floppy disks. The floppy disks themselves (or Microdrives) need only be used for loading new software and backing up the QL Hard Disk.

The QL Hard Disk is a complete unit comprising a hard disk mechanism, an interface and a mains power supply all housed in a black metal box. It connects to the QL via the ROM port and has a through connector for a ROM cartridge. To keep the handling of files simple an enhanced directory system is implemented in the QL Hard Disk firmware.

MIRACLE SYSTEMS, 25 Broughton Way, Osbalowick, York, YO1 3BG, U.K. Tel: (0904) 423986

# MICRODRIVE

## KEY

B = SuperBasic; A + O = assembler and object code; M + B = machine code and Basic loader; A + B + O = assembler and Basic loader and object code; S = supercharged; L = QLiberated; f1 = monitor mode; f2 TV mode

# DIY ASSEMBLER by Giles Todd (B) A complete two-pass assembler which assembles all 68008 code and supports the directives DRG, END, EQU, DC and DS

2. MINI MONITOR by Richard Cross (A + O)

£3

Multi-tasks on the QL using only 3K of RAM, Dump registers, memory and ASCII m/c trace, register store, memory move and store, and

and ASCII mc trace, register store, memory move and store, and jumps. *QL User*, October 1985

4. GOLF by Shergold and Tose (Bf12)

Up to 50 courses varying difficulty with lakes, rivers, bunkers and trees *QL User*, May, 1985

PALADIN by Williams and Holliday (A + O)
 All-machine code space-invaders game used as the basis of the games

programming series beginning in April 1985

7. PACMAN by Steve Deary (B)

Almost 20 screens of varying difficulty including an invisible maze. QL

User. March 1985

8 FAMILYTREE by Andy Carmichael (B)

8. FAMILY TREE by Andy Carmichael (B) £3
Archive database for assembling and displaying large family trees
Theory of Relativity, QL User, July/August 1985.

COMPOSER by James Lucy (L)
 Completed in QL User, October 1985, this QLiberated program allows you to compose, play and edit music, including tempo, staccato, legato and sharps.

17. CAD QL by Tony Quinn (S)
The QL is particularly suited to CAD. Includes rubber banding and user-definable symbols. QL World, September 1988

19. STARPORT 2001 by Karl Jeffrey (M + B)

Galaxian-style arcade game with fast m/c entry. QL World, November

24. DESIGN 3D by J.F. Tydeman (S)
3D screen designs with the minimum of fuss. QL World, March April

1987

25. STELLARIS by D. Carmona (Bf1)

E4

Real-time space adventure against the computer, including economic

simulations, lunar landing and superb graphics. *QL World*, June 1987

29. BRIDGE by Peter Etheridge (B)

£4

Excellent version including accurate bidding, automatic or manual card

play, replay hands, save and load more

32. ADVENT2 by Phillip Sproston (B)

Arcade adventure with humour: rooms, robots and problems to keep

34. QL CONVERSION/CALCULATOR (f2) £2
Weights and measures, conventions and reverse Polish, converts

Weights and measures, conventions and reverse Polish, convents anything to anything. Menu-driven, easy to use

35. QWHIST by John Wakefield (B)
You play south and the computer plays north against automatic east west opponents. QL World, August 1987

36. MAIL MERGE by Stanley Sykes (Bf2)

Handy utilities providing mail merge and labeller for Quill files, plus a demo

37. THE DOUBLE by P.G. Ives (Bf2)

A large football strategy game. You manage a team through four divisions, buying and selling, boosting morale through the league and F.A. Cup season

40. ROULETTE by Santiago Rubio (B)

Spanish/English version of the gambling game, including Leigh Pattern system to break the bank. QL World, September 1987

45. SUPERBREAKOUT by R. Davidson (M + B) £2
Fast m/c version of the classic bat, ball and wall game. Optional double bats and or balls

52. SPACE PODS by Simon Quinn (M + B)

Your lone ship must protect six energy pods against the aliens. Machine code. QL World, December 1987

53. GRAPHIC WRITER by S.M. Walker (B) £2
A graphic design program which can save your pictures as SuperBasic commands for use in other programs. QL World, December 1987

54. ZAPMAN by L. Miles (M + B)

Fast-action m/c version of the Pacman genre. Variable skill levels and maze formats

55. ADVENTURE PLAYTIME by A. Pemberton (B) £3
An extensive adventure where you must complete tasks for the inhabitants of a strange land. Coded messages and hints included.

56. SPACE INVADERS by Paul McKinnon (M)

Very fast, challenging version of the classic, with ugly aliens and protective shields

57. SPELLED by Timo Salmi (T)
A complete spelling checker for Quill — list files. 7,500 words automatically expandable. Required two cartridges and 512K expansion

58. RADAR by Nigel Ford (B)
You are control, monitoring the skies, checking aircraft, scrambling jets to intercept UFOs and shooting down enemy aircraft

59. DUNGEONS by Geoffrey Evelyn (B)
As wizard, superhero, megahero or elf you must explore the dungeons, fighting monsters and collecting treasure in this one- to four-player game. Needs two cartridges and an expanded QL

60. SPEEDMIND by William Henderson (B) £3
A mastermind-style game played with coloured pages. You have 12
attempts at breaking the code against the clock. QL World, January
1988

61. COMPANDER by A. Quigley (M9)

Compresses screen designs into the smallest files we have seen from a similar routine. QL World, April 1988

62. DOMINOES by Adrian Steen (Bf2)
1 version of the classic English dominoes to play against the computer
QL World, May 1988

63. VICIOUS VIPER by Ian Humphreys (B)

A version of the snake game in Basic. "Simple, frustrating, addictive, playable." QL World, July 1988.

64. TAKTIX by Nigel Ford (B)

Six or more can play the computer in a fierce game of European conquest. Put aside at least an hour. QL World, July 1988

65. DUAL DOMINOES by Heimo Geske (B)
Two addictive versions of European dominoes with splendid graphics.
to be played in mode 4 against the computer

you on your toes

66. FTIDY by Howard Clase (B)

"A very pleasant file handling front-end type program, very clear and simple to use" — QL World software editorial. Machine code data file handlers Data-maker and Data-loader are included in the package.

67. LEAGUE SECRETARY by C.B. Storey (B)

You enter the match results and this program updates the league tables. Suitable for any sporting league organised on the lines of the Barclays Football League

68. TAB-EDITOR by Richard Williams (B,complied)

A flexible text editor for easy entry and manipulation of listings. Includes simple movement through columns, full block copying, special SORT for tabular listings, and very flexible tabbing. "The author has taken a lot of trouble to get it right." Code available from author.

69. WORDSEARCH by David Watson (B)

Generates 20-word wordsearch puzzles with large-letter screen dumps using the Easel print—prt routine (which must be added by the user). "A nice program and different to the usual run of wordsearches." QL World, November 1988.

70. QTRON by Axel Berle (M + B)

"Although arcade games are not my personal favourite, I liked this one — smooth graphics, excellent visually, and plenty of variety to maintain

71. CRITICAL MASS by Patrick Carter (B)

As numbers accumulate in close proximity to each other, they reach their critical mass and explode, blowing their neighbours off the board. Can you hold your position? "An original game which I enjoyed playing." QL World. December 1988.

72. BOXES/FOX AND HOUNDS (B)

Two SuperBasic games for the festive season. Keep your family amused for hours, get hooked yourself. QL World, January 1989.

73. MULTIPLICATION TABLES by Ron Allpress (B)

An educational program with plenty of features. Ideal for teaching the next generation to memorise the multiplication tables, or revising your own. QL World, February 1989.

74. GRAPH PLOTTER by John Banks (B)

Useful for visualising mathematical functions in two dimensional polar or cartesian coordinates. QL World, March 1989.

75. BUSINESS GAME by David Smith (B)

A business simulator for any number of players, human or computer. The winner is the one who makes the most money! Networking capability available from author. See QL World, April 1989.

76. BACKGROUND MUSIC

By J Russell/CARPET by G.V. Reynes The former generates music which will play behind another program; the latter generates patterns based on one-dimensional cellular automata. Lie back and relax. *QL World*, May 1989.

77. FOOTBALL MANAGER by Chic James (B)

£3

Guide your teams through the league competing against one another.

78. CUBE by Dirk de Mal (B)

A 2D strategy game in the colour cube tradition — unscramble the cube into the correct colour sequence. "Entertaining and addictive" with graphics and music. *QL World*, July 1989.

79. LINK 4 by Graham Creasey/BOING by Richard Green (B) £4 Line up four counters against an opponent or against the computer. NOT so easy as it sounds. In Boing, a ball bounces to the force of user-definable gravity.

80. MOLECULAR GRAPHICS by Mark Knight (M & B) Molecular structures of any compound can be saved, reloaded, drawn and rotated on-screen. Examples provided. "Excellent, one of the best educational programs on the QL." Disc transfer. available. Two cartridges and 512K needed.

81. CONQUEST by Andrew Pritchard (T)

"Superb graphics with lots of original ideas. The best strategy game I have reviewed for QL World.'

# ORDER FORM

No. of programs required

No. of drives to be purchased No. of drives sent by you

Program ID numbers / / / / / /

QL Gold Card Number (if any)

**Total cost of programs** 

Cost of drives (£2 each)

Sub-total Post and packing

£0.75

+ 15% VAT

— 10% discount for QL Gold Card

holder

TOTAL TO BE SENT

Postcode .....

(BLOCK CAPITALS PLEASE)

Please copy on to Microdrive the programs which I have indicated by their ID numbers. I enclose a cheque/PO to the value of £..... payable to Sinclair QL World. I understand that Sinclair QL World undertakes to supply only these programs, copied on to one or two Microdrives per title as required, and accepts no liability for operation as defined by the authors. QL World cannot supply information about the programs other than that originally printed or supplied. Any article reprints must be ordered and paid for separately at £2 each (£3 overseas) inclusive of post and packing.

Please send your order form to Mtke McKenzie, PO Box 74, Tonbridge, TN12 6DW Tel: 0892 832952.

colour monitor, books, manual, joystick, pawn, chass FOR SALE 128K Q.L., Microvitec snooker, scrabble, cartridge doctor, seventeen blank cartridges, numerous Q.L., magazines, £220, ONO. 0403 56571 (Sussex) after 6pm.

**ADULTS ONLY. Dial 0898 442334** now! (25p/38p per min.) . . . Just

PLAY WITH ME (ADULTS ONLY, Dial 0898 442334 now! (25p/38p per min.) We dare you to listen.



# **QL REPAIRS**

ANY FAULT £27.95 INCLUSIVE OF P&P, VAT INSURANCE AND 3 MONTHS GUARANTEE. FOR REPAIRS ON OTHER MICROS PHONE FOR DETAILS.

# SUREDATA

**UNIT 6, STANLEY HOUSE** STANLEY AVENUE, WEMBLEY MIDDX. HAO 4JBQ

Telephone: 01-902 5218

Thinking of asking the boss for a rise? Planning to buy yourself a new car?

Working up the energy to redecorate the house? Whatever you're doing get some help with...



# THE ULTIMATE BIORHYTHM **PREDUCTION PROGRAM!**

- So easy to use and so much fun too
  Monitor your highs and lows with total ease
  Selectable one month or six month displays
  Analysis for any day of any month in any year
  Personal compatibility profile very revealing!
  Full printing of screens and analyses
  An invaluable aid to business efficiency
  Excellent introductory manual and FREE book "It is slick, neat, fast, easy to use and well laid out" QL World review - March 1989

All orders will receive immediate attention - positively no delays. Just send £20 Sterling by cheque or postal order to:

## imaQLate software

42 Albion Street, Broadstairs Kent CT10 1NE Get the most out of every day with BIOgraph

- The Program you'll never stop using.

# THOR XVI Versio

Version 4 of THOR XVI is a completely redesigned hardware and software version of the well-known CST THOR XVI, now a 100% Danish production. It is produced by one of the largest Scandinavian manufacturers of high quality measuring instruments vouching for the high standard of our product.

The brand new version of ARGOS (6.40/1.07) introduces a number of new facilities and a much improved full SCSI hard disc handling. ARGOS 6.40 now supports the standard IBM AT keyboards, IBM AT extended and PS/2 extended keyboards, covering 11 different national languages.

Now it is possible to use the advanced facilities of any printer, including laserprinters, thanks to new user defined extended translation tables.

ARGOS windiwing facilities are extended to support separate screen MODE for each job.

In addition to PSION Xchange we deliver free of charge 2 discs with

easy to use menu system and utilities. Present THOR XVI users please register with us in order to request a

ROM/Software upgrade. Technical support is already available in the U.K. through P.M. Engineering.

Please request the new 12 pages THOR XVI brochure and price list containing also a description of the new coming products. We are pleased to announce 2 new products:

- \* ARCTURUS EDITOR (Arced), the indispensable companion for programmers (also running on THOR 8 and Sinclair QL), introductory price: GBP £45.00. Please request a technical description.
- \* C++ COMPILER for the THOR and QL range of products, is under development.

Dansoft offers software service contracts for existing THOR customers

Sole Agent for:

## THOR INTERNATIONAL COMPUTER SYSTEMS I/S

Raadhusatraede 4 b, 4.sal, DK 1466 Copenhagen K Mail to: P.O. Box 59, DK 1002 Copenhagen K, Denmark. Phone no: +45 1 930305 (after May 15th: +45 33930305) Fax no: +45 1 938292 (after May 15th: +45 33 938292)

# HARDWARE

ABC Elektronic

Care Electronics

Dansoft

010 451 930347 The Thor.

**Digital Precision** 

FEC Ltd

QLs. peripherals, accessories

Miracle Systems

trump Card interface, modems, hard disc drive,

Memory extension, disc drive, Z-88, printer.

QJump (Tony Tebby) 0954-50800

Schön PCP

Keyboards, utility software.

Strong Computer Systems Interfaces, peripherals

Sector Software

TK Computerware

# TF Services

Repairs, spares, peripherals,

# SERVICES

Adman Services

PM Engineering

Suredata

Repairs

Super User Bureau

Support 0388 450610 0388 450658

QL World

(reader services) TIL 0892 834783, 0892 832952 Subscriptions, back issues, Microdrive Exchange,

User Group, support. Hon, secretary, Phil Borman, 0472 49850

# SOFTWARE

Athene Consultants

ARK Distribution

Archivist, Master Spy and other business and utility software.

Call Us What You Like 55 Greenan, Shaws Road, Belfast BT11 8LX, No telephone. Caravan Software 01-840 6034 after 6pm. Morse Practice, Fun Pack

Care Electronics

Tony Tebby software, Miracle hardware, peripherals, utili

CGH Services

055934 574 Adventures, QLAF

Compware

Task Swopper, Mega Toolbox Expert System Shell and othe

Creative Codeworks

Digital Precision

Turbo Basic compiler, Desktop Publisher, Editor, Eye-Q Publisher, Editor, Eye-Q graphics, Sprite generator, Super Forth, Better Basic, Professional and Super Astrologer, Media Manager, Supercharge, Blocklands, Driodzone, Aracadia, Reversi, Backgammon, Master Bridge Tutor, CP/M Emulator, C compiler, Lightning speed enhancer.

DJW Software

0256 881701 Home Banker.

**Eidersoft** 

089283 2552 Games, utilities, Ice.

Pyramide. ImaQLate Software

42 Albion Street, Bri Kent CT10 INE. Biograph.

PDQL 021 200 2313 General business and utility plications, including DiscOver,

QL Supersoft

Home Budget, Superdraw

Rob Roy Software 94 Teignmouth Road, Clevedon, Avon BS21 6DR.

Rob Roy and Palantir Sector Software

0772 454328 Flashback and other utilities. Peripherals.

SD Microsystems

0462 675106 Low-cost business and practical ograms including the Small

Software 87

take Road, London NW3 Text 87

Talent Software 0303 813883 Utilities, games

Thornado Systems

Thor systems, software, support,

TK Computer Systems 093 924 621 Add-ons, spares, software

WD Software

# QL ROMS AND SPARES

ROMS. MGE (Spanish), MGF (French), MGG (German). JS (English), £20 each. JM (English) £10. MDVS. Complete QL MDV Subunit £20. Head and Chassis £10. Microswitch £2. Motor £6. Rubber + Plastic Roller £2. MDVS Stand-off spacer + screw £2. ULA £5. T 4,5.6,7 set £2. MDV pcb inc ULA £11. Prices include UK postage. Send SAE for price list of all QL spares.

Joe Atkinson, 36 Ranelagh Road, Ealing, London W5 5RJ (Mail order only)

# SUPERTRACE

Watch Basic in action plus single step mode "indispensable". The most reasonably priced tool released (see August '87 QL World on MDV).

£5 including p&p STACK SOFTWARE Great Wolford, Shipton on Stour, Warwickshire CV36 5NQ. Tel: 0608 74369

# THE ORACLE **FORTUNA**

SOFTWARE WITH A DIFFERENCE 32 questions each with 32 answers to put to the Gods about your future.

DARE YOU ASK THE ORACLE? Only £14.95 to
ORACLE SOFTWARE 89,
24, Is-y-Llan, Llanddarog, Carmarth
Dyfed, South Wales, SA32 8NX.

# THE FUGITIVE

**Text Adventure** 

Not Friendly - Not Flashy - Not Easy! £9.95 State MDV/3.5 DD Disc ACCESS/VISA ORDERS: TEL 01-654 8329 CHEQUES/PO.s

DI-REN 43 DAVIDS ROAD, FOREST HILL, LONDON SE23 3EP.



FREE! - AMEGAS - by Players



FREE! - ART OF CHESS - by SPA



FREE! - BARBARIAN, ULT WARRIOR - by Palace



FREE! - BUGGY BOY - by Elite





FREE! - INSANITY FIGHT - by Microdeal

S COLUMN TO LABOR.

FREE! - MERCENARY COMP - by Novagen



FREE! - TERRORPODS - by Psygnosis





FREE! - THUNDERCATS - by Elite



# Commodore



£399 INCLUDES FREE UK DELIVERY

The Amiga 500 is one of a new breed of technologically advanced computers, which are now emerging as the new standard for home computing, based around the new Motorola 68000 chip. The A500 has 512K RAM and a 1Mbyte double 68000 chip. The A500 has 512K RAM and a 1Mbyte double sided disk drive built-in. It can be connected directly to a wide range of monitors, or to a domestic TV set through a TV modulator. Designed with the user in mind, the A500 features a user friendly WIMP environment and comes supplied with a free mouse. And, when you buy your Amiga from Silica Shop, the UK's No1 Amiga specialists, you will experience an after sales service that is second to none, including a technical support helpline and free newsletters and price lists. Return the coupon below for our current information pack, which will give details of the Silica service and the very latest Silica Amiga offers.

THE FULL STOCK RANGE: The largest range of Amig related peripherals, accessories, books and software in the Uk

AFTER SALES SUPPORT: The staff at Silica Shop are to help you to get the best from your Amiga.

FREE NEWSLETTERS: Mailed direct to your home as featuring offers and latest releases

FREE OVERNIGHT DELIVERY: On all hardware orders a Shop customers within the UK mainland

PRICE MATCH PROMISE: We will normally match our mpetitors offers on a 'same product same price' basis

FREE TECHNICAL HELPLINE: Full time team of Amiga chnical experts to help you with your technical queries.

But don't just take our word for it. Complete and return the coupon below for our latest Amiga literature and begin to experience the Silica Shop specialist Amiga service.

A500 Computer £399.99 £24.99 TV Modulator £69.95 **Photon Paint** £229.50 TenStar Pack

> TOTAL RRP: £724.43 LESS DISCOUNT: £325.43

When you buy the Amiga 500 from Silica Shop, you will not only get a high power, value for money computer, we will also give you some spectacular free gifts. First of all, we are now including a TV modulator with every A500 stand alone keyboard, so you a TV modulator with every A500 stand alone keyboard, so you can plug your Amiga straight into your TV at home (the modulator is not included with the A500-A1084S pack as it is not required for use with monitors). Secondly, we have added a free copy of Photon Paint, an advanced graphics package with an RRP of £69.95. Last (and by no means least!), so that you can be up and running straight away, we are giving away the sensational TENSTAR GAMES PACK with every A500 purchased at Silica Shop. This pack features ten top Amiga titles which have a combined RRP of nearly £230! Return the coupon for details.

£399.99 A500 Computer £299.99 1084S Colour Monitor £69.95 **Photon Paint** £229.50 TenStar Pack £999.43

TOTAL RRP: LESS DISCOUNT: £350.43

PACK PRICE M: £649

When you buy your Amiga 500 from Silica Shop, we want to make sure you get the best deal possible. That is why we are giving away the TENSTAR GAMES PACK worth nearly £230, absolutely FREE with very A500 purchased from us FenStar Games Pack inc-ten titles for the A500, individually packaged in in casing with instructions.

£14.95 Amegas Art Of Chess €24.95 Barbarian, Ult Warrior £19.95 **Buggy Boy** £24.95 £24.95 **Ikari Warriors** Insanity Fight Mercenary Comp €24.95 £19.95 Terrorpods £24.95 **Thundercats** £24.95 £24.95 Wizball £229.50

TOTAL RRP: £229.5

# SILICA SHOP

SIDCUP (& Mail Order) 01-309 1111

ottenham Court Road, London, W1P OBA LONDON

01-629 1234 ext 3914 LONDON

PLEASE SEND ME FREE LITERATURE ON

Mr/Mrs/Ms Initials Surname

Address

Do you already own a computer



# Overdrive

Printer driver for any program. 255 translate sequences, will print screendumps within standard files e.g. Quill documents. Expanded QL Only.

# QZ/QL to Z88 file transfer

Software and cable to connect the Z88 and QL and transfer any files between them. Includes Archive to Pipedream and back conversion routines. £25

# Spellbound

A spelling checker that checks your spelling AS YOU TYPE. Based on a 30,000 word dictionary, works with Quill or The Editor V1.17 onwards on the expanded QL. £30

# Image processor

Tidies up images produced by a digitiser. Will produce clip art for PD2 from QL screens and picture enhancement. £19

# Taskmaster

A brilliant multitasking front end system which lets you use the QL as a serious machine. Multitask many programs at once.

# Sinclair Satellite

We now have Clive Sinclair's satellite TV systems in stock. Only £195 for a full 48 channel, stereo, remote control version. Phone now for details.

# Write Turn

Turn spreadsheets and documents on their sides with this excellent utility, works on Epson and compatible printers

# OL World Index

A complete index to the contents of QL World from its start to May 1988. Find articles and reviews in seconds, 160K+ of data compressed to fit into a 128K QL £6

# Flashback

A very fast and slick database which has very few limitations. Will also convert Archive files. £25

# Flashback - Special Edition

Many new features over the original flashback inc report generator etc, etc.

# Touch Typist

Excellent typing tutor that works. 200 lessons, graph of your progress, adjustable difficulty levels £12

# New Enhanced QL Test software & lead

Will test your major QL functions. Includes an RS232 loopback lead to test the serial ports. £14

## **Ferret**

Find lost files fast with this file search utility which will read all your files on disk or mdv looking for a match with your search text.
£12

# STD Index

This index to all the dialling codes in the country executes from disk in 15 seconds. Know the place and it will tell you the number, know the number and it will tell you the place! (Expanded QL only.)

# Page Designer 2

This is a full feature desktop publisher that has to be seen to be believed. Ask for full details of this system and its support programs.
£35

# Phillips CM8833 Colour Stereo Monitor

A stereo monitor for the QL, Amiga, ST or almost any computer £260

# MDV Cartridge Doctor

| Rescues corrupt files and microdrives | £13   |
|---------------------------------------|-------|
| Tandata Ocom Stacking Modem           | £39   |
| LC10 printer                          | £229  |
| LC10 colour printer                   | £274  |
| LC2410 printer                        | £374  |
| QL Service Manual                     | £25   |
| Keyboard membranes only               | £6    |
| ZX8301 ULA                            | £12   |
| Microdrive cartridges                 | £1.90 |
| 3.5" DSDD disks                       | £1.25 |
|                                       |       |

# Massive reductions in Z88 prices!

| 11100011011011011 |     |      |
|-------------------|-----|------|
| Z88 Computer      | Was | £287 |
|                   | Now | £230 |

## Z88 All in one kit:

Z88 computer, 128K RAM, Mains Adaptor, custom carry case, Batteries, User Manual Was £329

If you are not receiving our free QL catalogue just send your name and address and we will include you in future mailings

# QL SuperBasic

The definitive handbook by Jan Jones

£8











39 Wray Crescent, Ulnes Walton, Leyland, Lancs PR5 3NH Tel 0772 454328, Fax 0772 454680, Prestel Mbx 772454328 All prices include VAT and P&P